



| Asphalt Roller   S   | SAFE WORK METHOD STA                      | TEMENT (SWMS)  |                                    |
|--|---|--|------------------------------------|
| Т  | ASK OR ACTIVITY: Asphalt Roll             | er   |                                    |
| Business Name: [Company Name]  |   | ABN: [ABN]   | SWMS#                              |
| Business Address: [Company Address]  |   |  |                                    |
| Contact Person:  | Phone: [Phone]                            | E fil:   |                                    |
| THIS SAFE WORK METHOD  | STATEMENT IS APPROVED BY                  | THE POST THE PROJECT   |                                    |
| Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.   | cting a business or undertaking (N 3U) is | required to ture at a safe work method s                             | tatement (SWMS) is prepared before |
| Full Name:   |   |  |                                    |
| Signature:   |   | Title:   | Date:                              |
| Details of the person(s) responsible for ensuring implementation, monitoring   | ompliance of the SWMS well as review      | s and modifications of the SWMS.                                     |                                    |
| Full Name:   |   | Title:   | Phone:                             |
| ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS WMS. ST HAVE THE FOLLOWING COMMUNICATED  |   | LL RELEVANT PERSONNEL WHO HAVE BI<br>PMENT AND APPROVAL OF THIS SWMS | EEN CONSULTED AND                  |
| Safety meetings or toolbox talks will be sched ed in accordance with agislative requirements to first identify any site hazards, conditions unical those hazards and then to further take steps to either the conditions are or conditions.  | NAME                                      | SIGNATURE  | DATE                               |
| If an incident or a near miss occurs, all work must standard the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.  |   |  |                                    |
| Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.  |   |  |                                    |
| The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident. |   |  |                                    |


Version 2.5 Authorised by Review # Date of Issue: Review Date: 1





|                            |                               | CL                           | IENT OR PRINCIPAL     | CONTRACTOR D   | DETAILS   |                               |                      |  |  |
|----------------------------|-------------------------------|------------------------------|-----------------------|--|---|-------------------------------|----------------------|--|--|
| Client:                    |                               |                              |                       |  |   | SCOPE OF WORKS                |                      |  |  |
| Project Name:              |                               |                              |                       | Provide a detailed description of the specific work being carried out (otherwise |   |                               |                      |  |  |
| Project Address:           |                               |                              |                       |  | known as cope of works).  |                               |                      |  |  |
| Project Manager:           |                               |                              |                       |  |   |                               |                      |  |  |
| Contact Phone:             |                               |                              |                       |  |   |                               |                      |  |  |
| Project Manager Sig        | gnature:                      |                              |                       |  |   |                               |                      |  |  |
| Date SWMS supplie          | ed to Project Manager         | :                            |                       |  |   |                               |                      |  |  |
|                            |                               | ANY HIGH                     | -RISK CON PUCT        | N. JRK BEING   | CARRIED OUT   |                               |                      |  |  |
| ☐ involves a risk of a p   | erson falling more than 2 r   | meters.                      |                       | is carried out on  | out on or near pressurised gas mains or piping.                           |                               |                      |  |  |
| is carried out on a te     | lecommunication tower.        |                              |                       | is carried out on  | or near chemical, fuel or refrig  | erant lines.                  |                      |  |  |
| ☐ involves demolition of   | of an element of a structure  | e that is load-be            |                       | is carried out on  | out on or near energised electrical installations or services.            |                               |                      |  |  |
| ☐ involves demolition of   | of an element related to the  | e physical integrit of a str | 2                     | is carried out in  | ried out in an area that may have a contaminated or flammable atmosphere. |                               |                      |  |  |
| ☐ involves, or is likely t | o involve, disturbing a       | stos.                        |                       | ☐ involves tilt-up o   | involves tilt-up or precast concrete.                                     |                               |                      |  |  |
| involves structural al     | teration or repair that re    | upp to                       | prevent collapse.     | is carried out on  | , in or adjacent to a road, railwa  | ay, shipping lane or other tr | affic corridor.      |  |  |
| is carried out in or ne    | ear a confined space.         |                              |                       | is carried out in  | an area of a workplace where t  | there is any movement of po   | owered mobile plant. |  |  |
| is carried out in/near     | a shaft or trench deeper t    | han 1.5m or tunnel involvir  | ng use of explosives. | is carried out in  | areas with artificial extremes of   | f temperature.                |                      |  |  |
| is carried out in or ne    | ear water or other liquid tha | at involves a risk of drowni | ng.                   | ☐ involves diving v  | vork.   |                               |                      |  |  |
|                            |                               | ANY H                        | IGH-RISK MACHINEF     | RY OR EQUIPMEN   | NT NEARBY   |                               |                      |  |  |
| ☐ Forklift                 | ☐ Crane/s                     | ☐ Hoist/s                    | ☐ Excavator           | ☐ Backhoe/Loader   | r 🔲 Boom Lift   | ☐ EWP                         | ☐ Genie Lift         |  |  |
| ☐ Trencher                 | ☐ Drilling Rig                | ☐ Trucks                     | Formwork              | ☐ Bobcat   | ☐ Flammable Gas   | ☐ Fuel                        | ☐ Dozer              |  |  |
| ☐ High Voltage             | Mulcher                       | ☐ Tilt-up Panels             | Roller                | ☐ Scissor Lift   | ☐ Tractor   | Other -                       |                      |  |  |





### PERL NAL TECTIVE EQUIPMENT (PPE)

| FOOT<br>PROTECTION | HAND<br>PROTECTION | HEAD<br>PROTECTION | HEARING<br>PROTECTION | PROTE | SPIRATORY<br>P STECTION | FACE<br>PROTECTION | HIGH-VIS<br>CLOTHING | PROTECTIVE<br>CLOTHING | FALL<br>PROTECTION | SUN<br>PROTECTION | HAIR/JEWELLERY<br>SECURED |
|--------------------|--------------------|--------------------|-----------------------|-------|-------------------------|--------------------|----------------------|------------------------|--------------------|-------------------|---------------------------|
|                    |                    |                    | A                     |       |                         |                    |                      |                        |                    |                   |                           |
|                    |                    |                    |                       |       |                         |                    |                      |                        |                    |                   |                           |

Select me appropriate PPE above suitable for the equipment used or the job task being performed (if applicable).

**Note:** A SWMS must be reviewed regularly to make sure it remains effective. A SWMS must be reviewed (and revised if necessary) if relevant control measures are revised. The review process should be carried out in consultation with workers (including contractors and subcontractors) who may be affected by the operation of the SWMS and their health and safety representatives who represented that work group at the workplace.

When a SWMS has been revised, the person conducting a business or undertaking must ensure all:

- 1. persons involved in the work are advised that a revision has been made and how they can access the revised SWMS;
- 2. persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS: and.
- 3. workers that will be involved in the work are provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.



| JOB STEP            | POTENTIAL HAZARDS                       | IR              | CONTROL MEASURES  | RR               | RESPONSIBLE PERSON |
|---------------------|---|-----------------|---|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE                  | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS  | RESIDUAL<br>RISK | NAME OF PERSON     |
| 1. Preparation      | Slips, Trips, Falls, Ergonomic injuries | ЗН              | Absolutely, here are 12 detailed control measures:  - Ensure proper housekeeping of the work area to conove any potential tripping hazards.  - Clearly mark any uneven surfaces that condition or falls.  - Regularly inspect and maintain equipment to be exproprietations.  - Use ergonomic equipment or signed to minimise unins are musculoskeletal disorders.  - Train workers consistly procedure and proper use of equipment.  - Provide perconal protection equipment (Phony, including sturdy boots to prevent slips and trips, and glown or handling consphalt.  - Follows ask roles of strategy to reduce prolonged exposure to ergonomic risks, such a are littive in clons or awkward postures.  - Instruct works to record any safety concerns immediately.  - Instructions to record the any safety concerns immediately.  - Esta ask no-go' zones where heavy machinery is operating to prevent accidental antact.  - accourage regular breaks so workers can rest muscles and joints.  - Implement a comprehensive risk assessment process to identify and address potential health and safety issues before they arise. | 2M               |                    |
| 2. Pre-start Checks | Chemical Spillage, Equipment failure    | ЗН              | <ul> <li>Perform regular equipment audits: Prior to use, verify that the roller is functioning properly; this will help prevent unexpected machine failures.</li> <li>Implement safety checks: Before turning on the asphalt roller, check for any loose or leaking parts.</li> <li>Utilise protective gear: Ensure that all workers are equipped with the appropriate personal protective equipment (PPE) such as gloves, safety footwear and high visibility clothing at all times.</li> <li>Use of spill kits: Equip your team with spill kits designed for chemical spills to tackle accidental spillages quickly and effectively.</li> <li>Practise safe handling: Follow manufacturer's instructions while handling chemicals to avoid any spills.</li> <li>Training: Make sure everyone who operates the machinery or handles the hazardous substances is trained in their correct use and hazard management.</li> <li>Contingency plan: Always have a contingency plan ready in case of potential risks, as this can significantly reduce response time once a hazard occurs.</li> </ul>  | 2M               |                    |



| JOB STEP              | POTENTIAL HAZARDS                             | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE PERSON |
|-----------------------|---|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS   | HAZARDS THAT MAY ARISE                        | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS   | RESIDUAL<br>RISK | NAME OF PERSON     |
|                       |   |                 | - Proper Storage: Store all chemicals in a safe place approved for chemical storage to prevent unintentional spillage.   |                  |                    |
|                       |   |                 | - Maintenance schedule: Follow a maintenance rouse and have the asphalt roller serviced by a professional regularly to ensure it good working condition.   |                  |                    |
|                       |   |                 | - Emergency protocols in place: Ensure all a ff are award of, and well briefed on, what to do in the event of an equipment failure or chessal spill.   |                  |                    |
|                       |   |                 | - Ensure all personnel have to in appropriately traced in magnet handling techniques to minimise the risk of musculoskeletal action cluding strains and sprains.  - Use mechanic acids such as crain forklifts a noists wherever possible to reduce many diffting of here or away and acids. |                  |                    |
|                       |   |                 | - Impresent a tracic management plan wat restricts unauthorised vehicles from the loading to prevent accidents.  |                  |                    |
|                       |   |                 | - Proving heavisible clothing/reflective vests for all workers involved in the loading and unit idin. Process increase their visibility to vehicle operators.  |                  |                    |
| Loading and Unloading | Manual handling injuries, Traffic interaction | 4A              | ched load, and unloading activities during off-peak hours to reduce risks as a late with interaction with other vehicles.  | 3H               |                    |
|                       |   |                 | Ensure ers are properly secured during transport using lashings or chocks to vent accidental movement.   |                  |                    |
|                       |   |                 | - Implement clear communication procedures between drivers and spotters during loading and unloading operations.   |                  |                    |
|                       |   |                 | - Regularly inspect and maintain all equipment used for loading/unloading to ensure its reliable operation and the safety of workers.  |                  |                    |
|                       |   |                 | - Establish 'no-go' zones around the loading and unloading area which are strictly enforced to protect bystanders and other workers from potential risks.  |                  |                    |
|                       |   |                 | - Encourage regular rest breaks for workers particularly those engaged in repetitive tasks like loading and unloading order to avoid fatigue-related accidents.  |                  |                    |
|                       |   |                 |  |                  |                    |
|                       |   |                 |  |                  |                    |
| 4. Operation          | Noise exposure, Vibration                     | 3H              |  | 2M               |                    |
|                       |   |                 |  |                  |                    |
|                       |   |                 |  |                  |                    |



| JOB STEP            | POTENTIAL HAZARDS       | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE PERSON |
|---------------------|-------------------------|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE  | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK | NAME OF PERSON     |
|                     |                         |                 |  |                  |                    |
| 5. Refuelling       | Fire, Chemical spillage | 4A              |  | 2M               |                    |



| JOB STEP            | POTENTIAL HAZARDS                  | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE PERSON |
|---------------------|------------------------------------|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE             | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK | NAME OF PERSON     |
|                     |                                    |                 |  |                  |                    |
| 6. Laying Asphalt   | Heat exposure, Inhalation of fumes | ЗН              |  | 2M               |                    |



| JOB STEP             | POTENTIAL HAZARDS                        | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE PERSON |
|----------------------|--|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS  | HAZARDS THAT MAY ARISE                   | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK | NAME OF PERSON     |
|                      |  |                 |  |                  |                    |
| 7. Roller Breakdowns | Manual handling injury, Struck by roller | зн              |  | 2M               |                    |



| JOB STEP               | POTENTIAL HAZARDS                 | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE PERSON |
|------------------------|-----------------------------------|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS    | HAZARDS THAT MAY ARISE            | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK | NAME OF PERSON     |
|                        |                                   |                 |  |                  |                    |
| 8. Regular Maintenance | Chemical Spillage, Electric shock | ЗН              |  | 1L               |                    |



| JOB STEP            | POTENTIAL HAZARDS                         | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE PERSON |
|---------------------|---|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE                    | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK | NAME OF PERSON     |
| 9. Roller Storage   | Falls from height, Moudal handling injury | */A             |  | 3H               |                    |



| JOB STEP            | POTENTIAL HAZARDS                    | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE PERSON |
|---------------------|--------------------------------------|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE               | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK | NAME OF PERSON     |
| 10. Roadway Cleanup | Traffic interaction, Dust inhalation |                 |  | 2M               |                    |



| JOB STEP                | POTENTIAL HAZARDS                           | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE PERSON |
|-------------------------|---|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS     | HAZARDS THAT MAY ARISE                      | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK | NAME OF PERSON     |
| 11. Site Demobilisation | Manual handling injury, Traffic interaction | ЗН              |  | 2M               |                    |
| 12. CNC Milling         | Electric shock, Noise exposure              | 4A              |  | 2M               |                    |



| JOB STEP                     | POTENTIAL HAZARDS                     | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE PERSON |
|------------------------------|---------------------------------------|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS          | HAZARDS THAT MAY ARISE                | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK | NAME OF PERSON     |
|                              |                                       |                 |  |                  |                    |
| 13. Driveway<br>Installation | Heat exposure, Manual handling injury | ЗН              |  | 2M               |                    |



| JOB STEP            | POTENTIAL HAZARDS                        | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE PERSON |
|---------------------|--|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE                   | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK | NAME OF PERSON     |
|                     |  |                 |  |                  |                    |
| 14. Manual Tamping  | Repetitive strain injury, Noise exposure | 4A              |  | 2M               |                    |



| JOB STEP             | POTENTIAL HAZARDS                     | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE PERSON |
|----------------------|---------------------------------------|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS  | HAZARDS THAT MAY ARISE                | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK | NAME OF PERSON     |
|                      |                                       |                 |  |                  |                    |
| 15. Final Inspection | Slips, trips and falls, Heat exposure | ЗН              |  | 2M               |                    |



| JOB STEP            | POTENTIAL HAZARDS      | IR              | CONTROL MEASURES   |                  | RESPONSIBLE PERSON |
|---------------------|------------------------|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK | NAME OF PERSON     |
|                     |                        |                 |  |                  |                    |
|                     |                        |                 |  |                  |                    |







#### **EMERGENCY RESPONSE - CALL 000 FOR EMERGENCIES**

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

#### LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE OF AT ARE NOT APPLICABLE.

#### **Queensland & Australian Capital Territory**

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice

Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-oi-practice

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

#### **New South Wales**

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis > odes-or racti

#### **Northern Territory**

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulation 2011

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/wo\_place-

Codes of Practice NT: https://worksafe.nt.gov.au/5

#### South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: <a href="https://www.safework.sa.gov.au/resources/legislation">https://www.safework.sa.gov.au/resources/legislation</a>

Codes of Practice for SA: <a href="https://www.safework.sa.gov.au/wor">https://www.safework.sa.gov.au/wor</a> aces/codes-of-practice#COPs

#### Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

#### Victoria

Occupational Health al. Safety Act

Occupational Health and Infety gulations 2017

Legis on VIC: https://www.xsafe.vic.gov.au/occupational-health-and-safety-act-and-

<u>qulat.</u>

des on actice VI autros://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

#### Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: <a href="https://www.commerce.wa.gov.au/worksafe/legislation">https://www.commerce.wa.gov.au/worksafe/legislation</a> Codes of Practice WA: <a href="https://www.commerce.wa.gov.au/worksafe/codes-practice">https://www.commerce.wa.gov.au/worksafe/codes-practice</a>

#### Safe Work Australia Links

Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice

#### **Model Codes of Practice**

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work





#### SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

| Worker Name   | Pos  | sition   | Signature   | Date              | Time   | Sup  | ervisor  |
|---|--|--|---|-------------------|--|--|--|
|   |  |  |   | Date:             |  |  |  |
|   |  |  |   | Datu              |  |  |  |
|   |  |  |   | L te:             |  |  |  |
|   |  |  |   | Date:             |  |  |  |
|   |  |  |   | Date:             |  |  |  |
|   |  |  |   | Date:             |  |  |  |
|   |  |  |   | Date:             |  |  |  |
|   |  | SAF WC 5   | THUD STATEMENT  | MONITORING AND RE | VIEW   |  |  |
| The SWMS must be review revised if necessary) if relevations consultation with workers (into the SWMS and their health workplace.  When the SWMS has been radvised that a revision has been who will need to change a way that will enable them to will be involved in the work make them to understand and implements. | ant control measucluding contractors and sub-<br>h and safety representatives revised the PCBU must ensure made and how they call ork procedure or system as o implement their duties consust be provided with the rel | contract s) who may be affected that work who processes the revised SWMS a result of the revised SWMS are sult of the revised SWMS a | chould be carried out in fected by the operation of the desired by the operation of the desired by the operation of the desired by the operation of the changes in the changes in the operation of the |                   | k of incidents, keeping the hitoring the effectiveness broach which includes but the workers, contractors are a continual basis.  Improvement, promptly corrective action and continual basis. | e workplace safe for all of the Safe Work Meth is not limited to:  and sub-contractors.  recording inconsistenci sultation with all releva | If personnel. The sod Statement should statement should see or deficiencies, not personnel ensures |
| REVIEW NUMBER   | □ 1  | □ 2  | □ 3   | □ 4               | □ 5  | □ 6  | □ 7  |
| NAME  |  |  |   |                   |  |  |  |
| INITIALS  |  |  |   |                   |  |  |  |
| DATE  |  |  |   |                   |  |  |  |

Version 2.5 Authorised by Review # Date of Issue: Review Date: 18





### SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

| ITEMS WHICH MUST BE INCLUDED IN THE SWMS   | COMPLETED | TO BE DONE | COMMENTS |
|--|-----------|------------|----------|
|  |           |            |          |
| The company details have been entered, including the project name and address.   |           |            |          |
| Names and signatures of all relevant personnel consulted during the development of the SWMS.   |           | P A        |          |
| Name, signature, position and date signed of the person approving the SWMS.  |           |            |          |
| Specific personnel and qualifications, experience is noted in the SWMS.  | P         |            |          |
| Provides a step-by-step process of tasks required to carry out the activity or task.   |           |            |          |
| Adequate risk assessment of any identified hazards has been completed.   |           |            |          |
| Foreseeable hazards are identified and documented for each step.   |           |            |          |
| Any hazards listed in any site risk assessments have been added to the SWh   |           |            |          |
| SWMS initial risk (IR) column as well as residual risk (RR) columns completed.   |           |            |          |
| Check control measures added to the SWMS are the most effections.  |           |            |          |
| Responsible person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person person is assigned and listed on the SWMS for the imperent person per |           |            |          |
| Permit requirements specified, such as Hot Work, Electrical Work, Vocat Heights etc.   |           |            |          |
| SWMS identifies plant and equipment to be u 1.   |           |            |          |
| Details of inspection checks required for any equipment listed at noted on the SWMS.   |           |            |          |
| Describes any mandatory qualifications, experience raining skills required to perform the work.  |           |            |          |
| Applicable personal protective equipment is selected on the SWMS.  |           |            |          |
| Lists any required permits or licenses.  |           |            |          |
| Reflects and documents any legislative references and/or Australian Standards.   |           |            |          |
| Identifies any hazardous substances used with specific control measures in line with any SDS.  |           |            |          |
|  |           |            |          |
| REVIEWED BY  | DATE RI   | EVIEWED    |          |
| SIGNATURE  | DATE CO   | MPLETED    |          |

Version 2.5 Authorised by Review # Date of Issue: Review Date: 19