

Auto-Platen Die Cutte	er SAFE WORK METHOD	STATEMENT (SWMS)	
TASK	OR ACTIVITY: Auto-Platen Die	Cutter	
Business Name: [Company Name]		ABN: [ABN]	SWMS#
Business Address: [Company Address]			
Contact Person:	Phone: [Phone]	E 111:	
THIS SAFE WORK METHOD	STATEMENT IS APPROVED BY	THE POST THE PROJECT	
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.	cting a business or undertaking (I 3U) is	required to ture at a safe work method s	tatement (SWMS) is prepared before
Full Name:			
Signature:		Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring	compliance of the SWMS well as review	s and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS WMS. ST HAVE THE FOLLOWING COMMUNICATED	N. 1E AND DATED SIGNATURE OF A CO. MUNICATED TO IN THE DEVELO	LL RELEVANT PERSONNEL WHO HAVE B PMENT AND APPROVAL OF THIS SWMS	EEN CONSULTED AND
Safety meetings or toolbox talks will be sched ed in accordance with agislative requirements to first identify any site hazards, conditions unical those hazards and then to further take steps to either the conditions of the cond	NAME	SIGNATURE	DATE
If an incident or a near miss occurs, all work must standardly. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



		CL	IENT OR PRINCIPAL	CONTRACTOR D	DETAILS			
Client:						SCOPE OF WORKS		
Project Name:					Provide a detailed description	n of the specific work being	carried out (otherwise	
Project Address:					known as cope of works).			
Project Manager:								
Contact Phone:								
Project Manager Sig	gnature:							
Date SWMS supplie	ed to Project Manager:							
		ANY HIGH	RISK CON PUCT	N' JRK BEING	CARRIED OUT			
☐ involves a risk of a p	erson falling more than 2 n	neters.		is carried out on	or near pressurised gas mains	s or piping.		
is carried out on a te	lecommunication tower.		M + M	is carried out on or near chemical, fuel or refrigerant lines.				
☐ involves demolition of	of an element of a structure	that is load-be		is carried out on	or near energised electrical ins	stallations or services.		
☐ involves demolition of	of an element related to the	e physical integril of a str	3	is carried out in	an area that may have a conta	minated or flammable atmo	sphere.	
☐ involves, or is likely t	o involve, disturbing a es	stos.		☐ involves tilt-up o	r precast concrete.			
☐ involves structural al	teration or repair that re	mporal, upp to p	prevent collapse.	is carried out on	, in or adjacent to a road, railwa	ay, shipping lane or other tr	affic corridor.	
is carried out in or ne	ear a confined space.			is carried out in	an area of a workplace where t	there is any movement of po	owered mobile plant.	
☐ is carried out in/near	a shaft or trench deeper th	nan 1.5m or tunnel involvir	ng use of explosives.	is carried out in	areas with artificial extremes of	f temperature.		
is carried out in or ne	ear water or other liquid tha	at involves a risk of drowning	ng.	involves diving v	vork.			
		ANY H	IGH-RISK MACHINER	RY OR EQUIPMEN	NT NEARBY			
☐ Forklift	☐ Crane/s	☐ Hoist/s	☐ Excavator	☐ Backhoe/Loader	Boom Lift	□ EWP	☐ Genie Lift	
☐ Trencher	☐ Drilling Rig	Trucks	Formwork	☐ Bobcat	☐ Flammable Gas	☐ Fuel	☐ Dozer	
☐ High Voltage	☐ Mulcher	☐ Tilt-up Panels	Roller	☐ Scissor Lift	☐ Tractor	☐ Other -		





FOOT HAND **HEAD HEARING** SPIRATORY FACE HIGH-VIS **PROTECTIVE** FALL SUN HAIR/JEWELLERY CLOTHING **PROTECTION PROTECTION** PROTECTION **PROTECTION** PROTE DTECTION **PROTECTION** CLOTHING **PROTECTION PROTECTION SECURED**

Select me appropriate PPE above suitable for the equipment used or the job task being performed (if applicable).

Note: A SWMS must be reviewed regularly to make sure it remains effective. A SWMS must be reviewed (and revised if necessary) if relevant control measures are revised. The review process should be carried out in consultation with workers (including contractors and subcontractors) who may be affected by the operation of the SWMS and their health and safety representatives who represented that work group at the workplace.

When a SWMS has been revised, the person conducting a business or undertaking must ensure all:

- 1. persons involved in the work are advised that a revision has been made and how they can access the revised SWMS;
- 2. persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS: and.
- 3. workers that will be involved in the work are provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
1. Preparation	Improper lifting, Exposure to chemical	2M	Provide comprehensive training on manual handling techniques, emphasising the importance of lifting with the legs and maintaining are hight back to minimise the risk of musculoskeletal injuries. Conduct regular toolbox talks to reinforce to per lifting techniques and the importance of using mechanical aids when anded. Ensure that workers wear appropriate person, a settive equipment (PPE), such as gloves, safety glasses, any chemical-resistant prons where indling chemicals or other hazardous substance. Display clear signal to spring to the presence of halp double chemicals and highlighting the order has large products to follow. Implement to pill responsiblan, including spill containment kits and training employ, as on the ouse, for the second prompt clean-up of any accidental chemicals pills. Store as adous to micals in clearly labelled containers, away from sources of ignition and according to manufacturer guidelines. Scheduberegour inspections and maintenance for Auto-Platen Die Cutter to implement to ensue that all components are functioning safely and efficiently. Estal of lesignated work zones around the Auto-Platen Die Cutter machine, arked www. highly visible boundary lines, to limit unauthorised access and reduce to risk of accidents caused by trips or falls. Develop an emergency action plan, detailing the specific steps and communication protocol to follow in case of an emergency, such as a chemical leak or machine malfunction. Encourage workers to report any signs of fatigue, injury, or strain resulting from improper lifting or exposure to chemicals so that appropriate adjustments can be made to their work routines. Make material safety data sheets (MSDS) readily available for quick reference, allowing employees to familiarise themselves with the properties and handling instructions for all chemicals being used in the workplace. Utilise proper ventilation systems to minimise the concentration of chemical fumes in the work area, reducing the likelihood of worker exposure to harmful airborne	1L	
2. Machine Setup	Caught in mechanism, Electrical hazards	3H	- Proper training: Ensure all operators and staff involved in the machine setup have completed relevant training, including safe operating procedures, handling of hazardous materials, and emergency response.	2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			- Lockout/Tagout procedures: Implement Lockout/Tagout procedures to prevent unexpected startup of machinery or exposure to electrical hazards during setup.		
			- Machine guarding: Install appropriate guards and carriers around moving parts, gears, or other potential pinch points that may be a to a caught-in hazard.		
			- Inspection of equipment and tools: Regular tinspect an maintain all machinery, tools, and equipment used for the Auto-Plate Die Color setup to ensure they are in good working condition.		
			- Clear workspace: Keep the trea surrounding the achine of the obstructions at all times to min, see trip, slip, and factories.		
			- Personal Protection Eq. (nent) PE): Require employees to use necessary PPE such as safety asses, globals, and pairing production during the setup process.		
			- Electrical say measure. Ensure a language connections are properly grounded, avoid a grounded, and maintain, egular inspection and testing of electrical companies.		
			- Use of utility with exprical cords: Secure all electrical cords away from walkways and wor lare to precent trip hazards, and inspect cords for any signs of damage before each us		
	•		echnic vhen moving heavy materials or equipment during the machine setup ocess.		
			- pergency stop controls: Ensure that emergency stop buttons or switches are easily accessible, clearly marked, and functional at all times.		
			 Written instructions and standard operating procedures: Develop and implement written instructions and standard operating procedures detailing each step of the process, as well as clarifying roles and responsibilities. 		
			- Incident reporting and monitoring: Establish a robust system for reporting and investigating incidents, including near misses. Monitor trends and take corrective actions to improve overall safety performance.		
			- Proper training: Ensure all workers operating the die cutter are thoroughly trained in manual handling techniques and correct use of lifting equipment.		
3. Material Loading	Manual handling injuries, Slips and falls	2M	- Use of personal protective equipment (PPE): Workers should wear appropriate PPE such as slip-resistant footwear, gloves, and safety glasses to minimise risks associated with slips, falls, and manual handling injuries.	1L	
			- Regular housekeeping: Keep the work area clean, tidy, and free from debris or spills that could cause slips or trips.		
			- Load limits: Clearly mark the maximum load limits for each specific Auto-Platen Die Cutter machine to prevent overloading and potential manual handling injuries.		



POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
		- Lifting equipment: Encourage the use of lifting equipment such as hoists, trolleys, and pallet jacks to minimise manual handling risks when transporting materials to the die cutter.		
		- Proper storage: Store materials close to the braing point to reduce the distance and manual handling efforts required for manage the materials.		
		- Ergonomic workstations: Design workstation to minuse bending, reaching or twisting during material loading; layout should workers to maintain a neutral body posture while performing tasks.		
		- Fatigue management: Impleit at regular rest breat to sure workers aren't at an increased risk of injuries to fair te.		
		- Supervision: an sistently point of the rich the material loading process to identify any that afe practice and take the process to identify any the material loading process to identify any that is a sistently point of the rich that is a sistently point of the rich that is a sistently process to identify any that is a sistently point of the rich that is a sistently point		
		- Signary and hardings are visual aids are clear signage and labels on floors, walls, or many as to receive safe work practices during material loading.		
		- Anti-s on a sand coring: Install anti-slip mats or flooring near the loading and working real of minit of the risk of slips and falls.		
		pecident eports: Establish a robust incident reporting and investigation system to ide fival, as of improvement, allowing for proactive measures to be taken to minim.		
5				
Noise exposure, Flying debris	2M		1L	
	HAZARDS THAT MAY ARISE	HAZARDS THAT MAY ARISE INITIAL RISK	INITIAL RISK - Lifting equipment: Encourage the use of lifting equipment such as hoists, trolleys, and pallet jacks to minimise manual handling risks when transporting materials to the die cutter. - Proper storage: Store materials close to the king point to reduce the distance and manual handling efforts required for mong the materials. - Ergonomic workstations: Design workstatio, no minuse bending, reaching or twisting during material loading; layout should no workers to maintain a neutral body posture while performing tasks. - Fatigue management: Impleit at regular rest breat to source workers aren't at an increased risk of injurious to facility. - Supervision was distinctly conition rikers during the material loading process to identify anyl or after practice and take bring a action immediately. - Sign and realized safe work practices during material loading. - Anti-s or response safe work practices during material loading. - Anti-s or response safe work practices during material loading. - Anti-s or response safe work practices during material loading. - Anti-s or response safe work practices during material loading. - Anti-s or response safe work practices during material loading. - Anti-s or response safe work practices during material loading. - Anti-s or response safe work practices during material loading. - Anti-s or response safe work practices during material loading. - Anti-s or response safe work practices during material loading. - Anti-s or response safe work practices during material loading. - Anti-s or response safe work practices during material loading. - Anti-s or response safe work practices during material loading. - Anti-s or response safe work practices during material loading. - Anti-s or response safe work practices during material loading. - Anti-s or response safe work practices during material loading. - Anti-s or response safe work practices during material loading. - Anti-s or response safe work practices during material loading. - Anti-s or response safe	PECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS - Lifting equipment: Encourage the use of lifting equipment such as hoists, trolleys, and pallet jacks to minimise manual handling risks when transporting materials to the die cutter. - Proper storage: Store materials close to the Liming point to reduce the distance and manual handling efforts required for requipment such as bending, reaching or twisting during material loading; layout shoulds to a workers to maintain a neutral body posture while performing tasks. - Fatigue management: Implet sat regular rest breauto seure workers aren't at an increased risk of injurious to facture. - Supervisions and tractices and task correct action immediately. - Signal and tractices and task correct sequence signage and labels on floors, walls, or manual to the rest seafle work practices during material loading. - Antik to real and regular risk of slips and falls. - Antik to real and regular risk of slips and falls. - Antik to real and regular risk of slips and falls. - Antik to real and regular risk of slips and falls. - Antik to real and regular risk of slips and falls. - Antik to real and regular risk of flooring near the loading and working real or minimal to the risk of slips and falls. - Antik to real and regular risk of flooring near the loading and working real or minimal to the risk of slips and falls. - Antik to real and regular rest breases to be taken to minimal regular rest or hazards.



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
5. Quality Inspection	Pinch points, Repetitive strain injury	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	IR INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RR RESIDUAL RISK	PERSON NAME OF PERSON
6. Waste Removal	Sharp edges, Manualhandling injuries	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
7. Maintenance	Electric shock, Fire hazards	ЗН		2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL	NAME OF PERSON
8. Cleaning	Slips on wet surfaces, Chemical exposure	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
9. Downtime Procedures	Unauthorised access, Unplanned maintenance	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
10. Emergency Procedures	Inadequate response, Panic situations	211		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
		1			
Troubleshooting	Faulty equipment adequate training	ЗН		2M	
Tr. Troubleshooting					



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
12. Shutdown	Rush procedures, Residual press release	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON



EMERGENCY RESPONSE - CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE OF AT ARE NOT APPLICABLE.

Queensland & Australian Capital Territory

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: https://www.worksafe.gld.gov.au/laws-and-compliance/work-health-and-safety-laws

Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

New South Wales

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislative

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis > odes-or racti

Northern Territory

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulation 201

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/wo_place-

Codes of Practice NT: https://worksafe.nt.gov.au/5

South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: https://www.safework.sa.gov.au/resources/legislation

Codes of Practice for SA: https://www.safework.sa.gov.au/work_aces/codes-of-practice#COPs

Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

Victoria

Occupational Health al. Safety Act

Occupational Health and affety gulations 2017

Legis on VIC: https://www.safe.vic.gov.au/occupational-health-and-safety-act-and-

<u>qulat.</u>

des on actice VIC attps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: https://www.commerce.wa.gov.au/worksafe/legislation

Codes of Practice WA: https://www.commerce.wa.gov.au/worksafe/codes-practice

Safe Work Australia Links

Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice

Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Tollow ally sale work instructions which are provided, and agrees to use all reisonal riolective Equipment where appropriate.								
Worker Name	Pos	sition	Signature	Date	Time	Sup	pervisor	
				Date:				
				_				
				Date				
				l te:				
			AV	Date:				
				Date:				
				Date:				
	Date:							
		SAF WO A S	THUD STATEMENT	MONITORING AND	REVIEW			
The SWMS must be reviewed regularly to the ke sure it remains effective and must be reviewed (and revised if necessary) if relevant control measurements are subcontracted by process should be carried out in consultation with workers (including contractors are subcontracted)) who may be affected by the operation of the SWMS and their health and safety representatives who researched that work group at the workplace. When the SWMS has been revised the PCBU must ensure that all persons involved with the work are advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist				An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures				
them to understand and imp					tently developing ever-imp	3 ,	· '	
REVIEW NUMBER	1	□ 2	□ 3	□ 4	□ 5	□ 6	□ 7	
NAME								
INITIALS								
DATE								



SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	TO BE DONE	COMMENTS
The company details have been entered, including the project name and address.			
Names and signatures of all relevant personnel consulted during the development of the SWMS.		P P	
Name, signature, position and date signed of the person approving the SWMS.			
Specific personnel and qualifications, experience is noted in the SWMS.	P		
Provides a step-by-step process of tasks required to carry out the activity or task.			
Adequate risk assessment of any identified hazards has been completed.			
Foreseeable hazards are identified and documented for each step.			
Any hazards listed in any site risk assessments have been added to the SWh			
SWMS initial risk (IR) column as well as residual risk (RR) columns completed.			
Check control measures added to the SWMS are the most effecting so tions.			
Responsible person is assigned and listed on the SWMS for the imperent of continue assures.			
Permit requirements specified, such as Hot Work, Veralt Heights etc.			
SWMS identifies plant and equipment to be u d.			
Details of inspection checks required for any equipment listed are noted on the SWMS.			
Describes any mandatory qualifications, experience raining skills required to perform the work.			
Applicable personal protective equipment is selected on the SWMS.			
Lists any required permits or licenses.			
Reflects and documents any legislative references and/or Australian Standards.			
dentifies any hazardous substances used with specific control measures in line with any SDS.			
REVIEWED BY	DATE R	EVIEWED	
SIGNATURE	DATE CO	MPLETED	