

Brush Cutter S	AFE WORK METHOD STAT	TEMENT (SWMS)		
	TASK OR ACTIVITY: Brush Cutte	er		
Business Name: [Company Name]		ABN: [ABN]	SWMS#	
Business Address: [Company Address]				
Contact Person:	Phone: [Phone]	E 111:		
THIS SAFE WORK METHOD	STATEMENT IS APPROVED BY	THE POST THE PROJECT		
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.	cting a business or undertaking (r 3U) is	required to ture at a safe work method s	tatement (SWMS) is prepared before	
Full Name:				
Signature:		Title:	Date:	
THIS SAFE WORK METHOD STATEMENT IS APPROVED BY THE PK OF THE PROJECT Under the Work Health and Safety Regulation (WHS Regulation), a person conducting a business or undertaking (it 3U) is required to a lurgo at a safe work method statement (SWMS) is prepared before the proposed work starts. Full Name: Signature: Details of the person(s) responsible for ensuring implementation, monitoring and compliance of the SWMS. Full Name: ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS VMS. ST HAVE THE FOLLOWING COMMUNICATED N. YE AND DATED SIGNATURE OF ALL RELEVANT PERSONNEL WHO HAVE BEEN CONSULTED AND APPROVAL OF THIS SWMS. Safety meetings or toolbox talks will be sched ad in accordance with rigislative requirements to first identify any site hazards, conditions of the sum of the				
Full Name:		Title:	Phone:	
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS WMS. ST HAVE THE FOLLOWING COMMUNICATED	N. 1E AND DATED SIGNATURE OF A CO. MUNICATED TO IN THE DEVELO	LL RELEVANT PERSONNEL WHO HAVE B PMENT AND APPROVAL OF THIS SWMS	EEN CONSULTED AND	
requirements to first identify any site hazards, conditions those	NAME	SIGNATURE	DATE	
If an incident or a near miss occurs, all work must structurately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.				
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.				
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.				



CLIENT OR PRINCIPAL CONTRACTOR DETAILS										
Client:						SCOPE OF WORKS				
Project Name:					Provide a detailed description	n of the specific work being	carried out (otherwise			
Project Address:					known as cope of works).					
Project Manager:										
Contact Phone:										
Project Manager Sig	gnature:									
Date SWMS supplie	ed to Project Manager:									
		ANY HIGH	N' JRK BEING	CARRIED OUT						
☐ involves a risk of a p	erson falling more than 2 n	neters.		is carried out on	or near pressurised gas mains	s or piping.				
☐ is carried out on a te	lecommunication tower.		M + M	is carried out on	or near chemical, fuel or refrig	erant lines.				
☐ involves demolition of	of an element of a structure	that is load-be		is carried out on	or near energised electrical in	stallations or services.				
☐ involves demolition of	of an element related to the	e physical integril of a str	3	is carried out in	an area that may have a conta	minated or flammable atmo	sphere.			
 is carried out on a telecommunication tower. involves demolition of an element of a structure that is load-be in involves demolition of an element related to the physical integrit of a str e. involves, or is likely to involve, disturbing ar estos. 				☐ involves tilt-up o	r precast concrete.					
☐ involves structural al	teration or repair that re	mporal, upp to p	prevent collapse.	is carried out on	, in or adjacent to a road, railwa	ay, shipping lane or other tr	affic corridor.			
is carried out in or ne	ear a confined space.			is carried out in	an area of a workplace where t	there is any movement of po	owered mobile plant.			
☐ is carried out in/near	a shaft or trench deeper th	nan 1.5m or tunnel involvir	ng use of explosives.	is carried out in	areas with artificial extremes of	f temperature.				
is carried out on or near pressurised gas mains or piping. is carried out on a telecommunication tower. is carried out on or near chemical, fuel or refrigerant lines. is carried out on or near energised electrical installations or services. involves demolition of an element related to the physical integrit of a struct. is carried out on or near energised electrical installations or services. is carried out in an area that may have a contaminated or flammable atmosphere.										
		ANY H	IGH-RISK MACHINER	RY OR EQUIPMEN	NT NEARBY					
☐ Forklift	☐ Crane/s	☐ Hoist/s	☐ Excavator	☐ Backhoe/Loader	Boom Lift	□ EWP	☐ Genie Lift			
☐ Trencher	☐ Drilling Rig	Trucks	Formwork	☐ Bobcat	☐ Flammable Gas	☐ Fuel	☐ Dozer			
☐ High Voltage	☐ Mulcher	☐ Tilt-up Panels	Roller	☐ Scissor Lift	☐ Tractor	☐ Other -				





FOOT HAND **HEAD HEARING** SPIRATORY FACE HIGH-VIS **PROTECTIVE** FALL SUN HAIR/JEWELLERY CLOTHING **PROTECTION PROTECTION** PROTECTION **PROTECTION** PROTE DTECTION **PROTECTION** CLOTHING **PROTECTION PROTECTION SECURED**

Select me appropriate PPE above suitable for the equipment used or the job task being performed (if applicable).

Note: A SWMS must be reviewed regularly to make sure it remains effective. A SWMS must be reviewed (and revised if necessary) if relevant control measures are revised. The review process should be carried out in consultation with workers (including contractors and subcontractors) who may be affected by the operation of the SWMS and their health and safety representatives who represented that work group at the workplace.

When a SWMS has been revised, the person conducting a business or undertaking must ensure all:

- 1. persons involved in the work are advised that a revision has been made and how they can access the revised SWMS;
- 2. persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS: and.
- 3. workers that will be involved in the work are provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
1. Preparation	Manual handling injuries, struck by flying debris	2M	 Provide proper training: Ensure all workers handling the brush cutter are trained and competent in using the equipment safely, including correct techniques for lifting and carrying. Use appropriate PPE: Workers must wear a propriate Personal Protective Equipment (PPE) such as gloves, safety bon goggle and long-sleeve shirts to minimise the risk of injury from flying debris on any avandling accidents. Inspect equipment before use: Before starting to york, perform thorough inspection on the brush cuttent identify any potent of faulter armage or wear that may increase the risk of hazare incourring. Maintain a clean orksin to eep to working are clean, clear of unnecessary obstacles, at well lift to rease tripp in hazar for other related risks. Utilish safe ling techniques: Train works to use proper lifting techniques when hand on he brung control of avoid musculoskeletal injuries, such as bending at the knees in high metanical aids where possible. Redung rentitive in cons: Schedule regular rest breaks or rotate tasks among workers or mine ise through of repetitive strain injuries or fatigue. In rentitive in cons: Schedule regular rest breaks or rotate tasks among workers or mine ise through of repetitive strain injuries or fatigue. In rentitive in cons: Schedule regular rest breaks or rotate tasks among workers or mine ise through of repetitive strain injuries or fatigue. In rentitive in cons: Schedule regular rest breaks or rotate tasks among workers or mine ise through of repetitive strain injuries or fatigue. In clean training in the safety of repetitive strain injuries or fatigue. In clean training in the safety of repetitive strain injuries or fatigue. In clean training in the safety of repetitive strain injuries or fatigue. In clean training in the safety of repetitive strain injuries or fatigue. In clean training in the safety of repetitive strain injuries or fatigue. In clea	1L	
2. Pre-Start Inspection	Contact with sharp edges, slips and trips	3H	- Ensure all workers have undergone appropriate safety training for the use and inspection of brush cutters, as well as understanding basic hazard identification techniques.	1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			 Maintain a clean and clutter-free workspace by ensuring proper housekeeping procedures are in place to prevent slips and trips associated with a messy environment. Wear suitable Personal Protective Equipment of E), such as gloves and safety boots, to protect against contact with sharp of ges or objects found in the work area. Regularly inspect the brush cutter and its concent for signs of wear or damage. This includes checking for loose, worn or miss, a sung parts, as well as any other visible defects that could pose potential hazards oring operation. Establish a thorough pre-use espection checklist top and your company's Standard Operating of sures. OPs) for operating as shouters, outlining necessary maintenance set is and obsuring compliance with manufacturer guidelines. Remete any cressive oris, obstroutes or obstacles in the work area prior to starth the brush outlines on minimise the chances of slips and trips occurring while the ecrip cent is in eac. Use in his contact work appropriate, particularly around areas where the brush cutter who be to d, to his minimise the risk of slips and trips. Tup it signal walkways or sections within the work area where access to the brush outlines restricted to authorised personnel only, further reducing the chance of coiden. Incurrent a never applying force or excessive pressure when using the equipment, always being aware of the cutter's position, and taking breaks when necessary to minimise fatigue-related hazards. Incorporate visual aids, such as warning signs or hazard tape, to clearly identify high-risk areas surrounding the brush cutter, ensuring heightened awareness among workers to avoid potential slips, trips and encounters with sharp edges. Conduct ongoing hazard assessments in the work environment, documenting any changes and implementing appropriate preventative measures where necessary. Implement a consistent review and feedback process for workers to communica		
3. Starting Brush Cutter	Burns from hot surfaces, hearing damage due to noise	2M	Proper Training: Ensure all operators receive adequate training on operating brush cutters safely, including the correct starting procedures and understanding potential hazards involved. Check Engine Temperature: Before starting the brush cutter, touch the engine with your hand to ensure it is not hot. If the engine is hot, allow it to cool down before proceeding.	1L	



6

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			 Wear Appropriate PPE: Operators should wear appropriate personal protective equipment (PPE) while using the brush cutter, including hearing protection, safety glasses, gloves, and closed-toe shoes. 		
			- Inspect Brush Cutter: Before starting, inspect prush cutter for any visible issues, such as loose parts, fuel leaks, or damager emponents. If you identify any problems, resolve them before using the cu		
			- Clear Surrounding Area: Make sure the area of the brush cutter is clear of debris and other obstacles before starting to mine se any risk enjury from flying objects during operation.		
			- Follow Manufacture and the line. Always follow the conditacturer's guidelines and instructions for strong the rush ever. This may involve using a specific starting technique or contioning you body to rectly with a pulling the starter cord.		
			- Maint in Salt sistance then starting brush cutter, make sure you maintain a safe sale for other in the vicinity. Alert nearby workers of your intention to start the chine saley can also take necessary precautions.		
			- Use B rple or Ear offs: Wear earplugs or earmuffs to protect your ears from the high not be lever produced by the brush cutter. Ensure that the hearing protection and me is the coessary safety standards.		
			- Res far laintenance: Perform regular maintenance on the brush cutter to ensure it emains a lood working condition. This includes checking fuel levels, air filters, and ark plugs regularly.		
			- Noise Reduction Measures: If possible, implement noise reduction measures, such as working during hours with less human activity and using the brush cutter in less noise-sensitive areas. Also, consider using brush cutters with lower noise levels.		
			- Emergency Procedures: Make sure all operators are aware of the proper emergency procedures in case of an accident or injury related to the brush cutter. This includes having a first-aid kit readily available and knowing the contact information for emergency services.		
4. Cutting/Trimming	Machinery entanglement, eye injuries from debris	3Н		2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
5. Path Clearing	Struck by falling objects, uneven ground causing trips	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	PERSON NAME OF PERSON
6. Lifting and Handling	Musculoskeletal disorders, equipment falls	3Н		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
7. Rest and Break Periods	Fatigue, exposure to harmful UV radiation	ЗН		2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
8. Refueling	Fuel splashes, fire or explosion hazard	4A		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
9. Blade Maintenance	Cutting accidents, crush injuries	ЗН		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
10. Transporting Brush Cutter	Vehicle accident, lifting and moving hazards	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
11. Storage	Incorrect storage leading to corrosion, risk of falling objects	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
12. Personal Protective Equipment (PPE) Selection/Use	Inadequate PPE, allergies to materials			1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES		RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON





EMERGENCY RESPONSE - CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE OF AT ARE NOT APPLICABLE.

Queensland & Australian Capital Territory

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

 $\textbf{Legislation QLD:} \ \underline{\textbf{https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws}$

Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

New South Wales

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis > odes-or racti

Northern Territory

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulation 2011

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/worksafe.nt.gov.au/laws-and-compl

Codes of Practice NT: https://worksafe.nt.gov.au/s

South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: https://www.safework.sa.gov.au/resources/le_lation

Codes of Practice for SA: https://www.safework.sa.gov.au/wor aces/codes-of-practice#COPs

Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

Victoria

Occupational Health al. Safety Act

Occupational Health and afety gulations 2017

Legis on VIC: https://www.safe.vic.gov.au/occupational-health-and-safety-act-and-

<u>Julai.</u>

des on actice VI autros://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: https://www.commerce.wa.gov.au/worksafe/legislation Codes of Practice WA: https://www.commerce.wa.gov.au/worksafe/codes-practice

Safe Work Australia Links

Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice

Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Tollow any sale work instructions which are provided, and agrees to use an reisonal riotective Equipment where appropriate.								
Worker Name	Pos	sition	Signature	Date	Time	Sup	pervisor	
				Date:				
				_				
			Date					
			l te:					
			AV	Date:				
				Date:				
				Date:				
Date:								
		SAF WO A S	THUD STATEMENT	MONITORING AND	REVIEW			
The SWMS must be reviewed regularly to the ke sure it remains effective and must be reviewed (and revised if necessary) if relevant control measurements are subcontracted by process should be carried out in consultation with workers (including contractors are subcontracted)) who may be affected by the operation of the SWMS and their health and safety representatives who researched that work group at the workplace. When the SWMS has been revised the PCBU must ensure that all persons involved with the work are advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist				The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to: 1. Spot Checks. 2. Consultation with workers, contractors and sub-contractors. 3. Internal audits on a continual basis. An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures				
them to understand and imp					tently developing ever-imp	3 ,	· '	
REVIEW NUMBER	1	□ 2	□ 3	□ 4	□ 5	□ 6	□ 7	
NAME								
INITIALS								
DATE								



SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	TO BE DONE	COMMENTS
The company details have been entered, including the project name and address.			
Names and signatures of all relevant personnel consulted during the development of the SWMS.		P P	
Name, signature, position and date signed of the person approving the SWMS.			
Specific personnel and qualifications, experience is noted in the SWMS.	P		
Provides a step-by-step process of tasks required to carry out the activity or task.			
Adequate risk assessment of any identified hazards has been completed.			
Foreseeable hazards are identified and documented for each step.			
Any hazards listed in any site risk assessments have been added to the SWh			
SWMS initial risk (IR) column as well as residual risk (RR) columns completed.			
Check control measures added to the SWMS are the most effecting so tions.			
Responsible person is assigned and listed on the SWMS for the imperent of continue assures.			
Permit requirements specified, such as Hot Work, Veralt Heights etc.			
SWMS identifies plant and equipment to be u d.			
Details of inspection checks required for any equipment listed are noted on the SWMS.			
Describes any mandatory qualifications, experience raining skills required to perform the work.			
Applicable personal protective equipment is selected on the SWMS.			
Lists any required permits or licenses.			
Reflects and documents any legislative references and/or Australian Standards.			
dentifies any hazardous substances used with specific control measures in line with any SDS.			
REVIEWED BY	DATE R	EVIEWED	
SIGNATURE	DATE CO	MPLETED	