

## Buffing and Metal Polishing | SAFE WORK METHOD STATEMENT (SWMS)

### TASK OR ACTIVITY: Buffing and Metal Polishing

Business Name: [Company Name]

ABN: [ABN]

SWMS#

Business Address: [Company Address]

Contact Person:

Phone: [Phone]

Email:

### THIS SAFE WORK METHOD STATEMENT IS APPROVED BY THE PCBU OF THE PROJECT

Under the Work Health and Safety Regulation (WHS Regulation), a person conducting a business or undertaking (PCBU) is required to ensure that a safe work method statement (SWMS) is prepared before the proposed work starts.

Full Name:

Signature:

Title:

Date:

Details of the person(s) responsible for ensuring implementation, monitoring and compliance of the SWMS, as well as reviews and modifications of the SWMS.

Full Name:

Title:

Phone:

ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS SWMS MUST HAVE THE FOLLOWING COMMUNICATED

NAME AND DATED SIGNATURE OF ALL RELEVANT PERSONNEL WHO HAVE BEEN CONSULTED AND COMMUNICATED TO IN THE DEVELOPMENT AND APPROVAL OF THIS SWMS

Safety meetings or toolbox talks will be scheduled in accordance with legislative requirements to first identify any site hazards, then to communicate those hazards and then to further take steps to either eliminate or control each hazard.

NAME

SIGNATURE

DATE

If an incident or a near miss occurs, all work must stop immediately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.

Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.

The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.

## CLIENT OR PRINCIPAL CONTRACTOR DETAILS

|  |  |
|--|--|
| Client:                                | SCOPE OF WORKS<br>Provide a detailed description of the specific work being carried out (otherwise known as scope of works). |
| Project Name:                          |  |
| Project Address:                       |  |
| Project Manager:                       |  |
| Contact Phone:                         |  |
| Project Manager Signature:             |  |
| Date SWMS supplied to Project Manager: |  |

## ANY HIGH-RISK CONSTRUCTION WORK BEING CARRIED OUT

|   |   |
|---|---|
| <input type="checkbox"/> involves a risk of a person falling more than 2 meters.  | <input type="checkbox"/> is carried out on or near pressurised gas mains or piping.                                     |
| <input type="checkbox"/> is carried out on a telecommunication tower.   | <input type="checkbox"/> is carried out on or near chemical, fuel or refrigerant lines.                                 |
| <input type="checkbox"/> involves demolition of an element of a structure that is load-bearing.                           | <input type="checkbox"/> is carried out on or near energised electrical installations or services.                      |
| <input type="checkbox"/> involves demolition of an element related to the physical integrity of a structure.              | <input type="checkbox"/> is carried out in an area that may have a contaminated or flammable atmosphere.                |
| <input type="checkbox"/> involves, or is likely to involve, disturbing asbestos.  | <input type="checkbox"/> involves tilt-up or precast concrete.  |
| <input type="checkbox"/> involves structural alteration or repair that requires temporary support to prevent collapse.    | <input type="checkbox"/> is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor. |
| <input type="checkbox"/> is carried out in or near a confined space.  | <input type="checkbox"/> is carried out in an area of a workplace where there is any movement of powered mobile plant.  |
| <input type="checkbox"/> is carried out in/near a shaft or trench deeper than 1.5m or tunnel involving use of explosives. | <input type="checkbox"/> is carried out in areas with artificial extremes of temperature.                               |
| <input type="checkbox"/> is carried out in or near water or other liquid that involves a risk of drowning.                | <input type="checkbox"/> involves diving work.  |

## ANY HIGH-RISK MACHINERY OR EQUIPMENT NEARBY

|                                       |                                       |   |                                    |   |  |                                  |                                     |
|---------------------------------------|---------------------------------------|---|------------------------------------|---|--|----------------------------------|-------------------------------------|
| <input type="checkbox"/> Forklift     | <input type="checkbox"/> Crane/s      | <input type="checkbox"/> Hoist/s        | <input type="checkbox"/> Excavator | <input type="checkbox"/> Backhoe/Loader | <input type="checkbox"/> Boom Lift     | <input type="checkbox"/> EWP     | <input type="checkbox"/> Genie Lift |
| <input type="checkbox"/> Trencher     | <input type="checkbox"/> Drilling Rig | <input type="checkbox"/> Trucks         | <input type="checkbox"/> Formwork  | <input type="checkbox"/> Bobcat         | <input type="checkbox"/> Flammable Gas | <input type="checkbox"/> Fuel    | <input type="checkbox"/> Dozer      |
| <input type="checkbox"/> High Voltage | <input type="checkbox"/> Mulcher      | <input type="checkbox"/> Tilt-up Panels | <input type="checkbox"/> Roller    | <input type="checkbox"/> Scissor Lift   | <input type="checkbox"/> Tractor       | <input type="checkbox"/> Other - |                                     |

## RISK MATRIX

| LIKELIHOOD     | INSIGNIFICANT | MINOR         | MODERATE      | MAJOR      | CATASTROPHIC | SCORE          | ACTION                            | HEIRARCHY OF CONTROLS                                   |
|----------------|---------------|---------------|---------------|------------|--------------|----------------|-----------------------------------|---|
| ALMOST CERTAIN | 3<br>HIGH     | 3<br>HIGH     | 4<br>ACUTE    | 4<br>ACUTE | 4<br>ACUTE   |                |                                   | <b>Elimination</b><br>Remove the hazard.                |
| LIKELY         | 2<br>MODERATE | 3<br>HIGH     | 3<br>HIGH     | 4<br>ACUTE | 4<br>ACUTE   | 4A<br>ACUTE    | DO NOT PROCEED                    | <b>Substitution</b><br>Replace the hazard.              |
| POSSIBLE       | 1<br>LOW      | 2<br>MODERATE | 3<br>HIGH     | 4<br>ACUTE | 4<br>ACUTE   | 3H<br>HIGH     | Review before work starts.        | <b>Isolation</b><br>Isolate People from the hazard      |
| UNLIKELY       | 1<br>LOW      | 1<br>LOW      | 2<br>MODERATE | 3<br>HIGH  | 4<br>ACUTE   | 2M<br>MODERATE | Ensure control measures in place. | <b>Engineering</b><br>Isolate the hazard.               |
| RARE           | 1<br>LOW      | 1<br>LOW      | 2<br>MODERATE | 3<br>HIGH  | 3<br>HIGH    | 1L<br>LOW      | Monitor and keep records          | <b>Administrative</b><br>Change the work.<br><b>PPE</b> |

**Notes on Hierarchy of Controls:** Elimination methods are the most effective and preferred when controlling a hazard. Substitution is the second most effective method of controlling a hazard. Engineering by isolation is the third most effective, while Administrative Controls by changing the work is the fourth most effective method. PPE (Personal Protective Equipment) is the least effective method.

## PERSONAL PROTECTIVE EQUIPMENT (PPE)

| FOOT PROTECTION  | HAND PROTECTION  | HEAD PROTECTION  | HEARING PROTECTION   | EYE PROTECTION   | RESPIRATORY PROTECTION  | FACE PROTECTION  | HIGH-VIS CLOTHING  | PROTECTIVE CLOTHING  | FALL PROTECTION  | SUN PROTECTION   | HAIR/JEWELLERY SECURED   |
|--|--|--|--|--|---|--|--|--|--|--|--|
|  |  |  |  |  |  |  |  |  |  |  |  |
| <input type="checkbox"/>   | <input type="checkbox"/>   | <input type="checkbox"/>   | <input type="checkbox"/>   | <input type="checkbox"/>   | <input type="checkbox"/>  | <input type="checkbox"/>   | <input type="checkbox"/>   | <input type="checkbox"/>   | <input type="checkbox"/>   | <input type="checkbox"/>   | <input type="checkbox"/>   |

Select the appropriate PPE above suitable for the equipment used or the job task being performed (if applicable).

**Note:** A SWMS must be reviewed regularly to make sure it remains effective. A SWMS must be reviewed (and revised if necessary) if relevant control measures are revised. The review process should be carried out in consultation with workers (including contractors and subcontractors) who may be affected by the operation of the SWMS and their health and safety representatives who represented that work group at the workplace.

When a SWMS has been revised, the person conducting a business or undertaking must ensure all:

1. persons involved in the work are advised that a revision has been made and how they can access the revised SWMS;
2. persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS; and,
3. workers that will be involved in the work are provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

| JOB STEP             | POTENTIAL HAZARDS                            | IR           | CONTROL MEASURES   | RR            | RESPONSIBLE PERSON |
|----------------------|--|--------------|--|---------------|--------------------|
| SPECIFIC WORK STEPS  | HAZARDS THAT MAY ARISE                       | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS   | RESIDUAL RISK | NAME OF PERSON     |
| 1. Preparation       | Slips, trips, and falls, Inadequate lighting | 2M           | <ul style="list-style-type: none"> <li>- Clearly mark and communicate walking paths and designated work areas to avoid slips, trips, and falls during buffing and metal polishing tasks.</li> <li>- Regularly inspect the workspace to identify and address any potential hazards like uneven flooring, loose cables, or clutter that may cause slips, trips, and falls.</li> <li>- Maintain a clean and well-organised working area by removing any debris, tools not being used, and other obstructions from the floor.</li> <li>- Adequately illuminate the workspace with sufficient lighting to ensure clear visibility and reduce the risk of injuries related to inadequate lighting.</li> <li>- Provide non-slip footwear or shoe covers for workers to wear to minimise the likelihood of slips on potentially slick surfaces.</li> <li>- Train all employees properly in the correct lifting techniques and handling of materials to prevent injuries associated with manual handling during the preparation stage.</li> <li>- Implement and enforce a proper housekeeping policy that requires workers to keep their work area clean and free from obstructions.</li> <li>- Use caution signs to indicate wet or slippery surfaces to alert workers and encourage them to take extra care in these areas.</li> <li>- Establish a standardised procedure for setting up equipment safely and correctly during the preparation phase, including securing cords and cables to prevent tripping hazards.</li> <li>- Encourage open communication among employees for reporting any concerns about hazards identified within the workspace, so they can be addressed promptly.</li> <li>- Schedule regular breaks for workers to mitigate fatigue-related incidents, which could contribute to an increased risk of slips, trips, and falls during the preparation stage.</li> </ul> | 1L            |                    |
| 2. Material handling | Manual handling injuries, Disorganization    | 2M           | <ul style="list-style-type: none"> <li>- Conduct manual handling training for all staff involved in the material handling process to ensure proper lifting, carrying, and lowering techniques are applied.</li> <li>- Provide clear signage or labeling for areas designated for specific materials to avoid disorganization and potential mishandling incidents.</li> <li>- Use mechanical aids such as trolleys, pallet jacks, or hoists to assist with the handling of heavier materials, reducing the risk of manual handling injuries.</li> <li>- Implement a 5S system (Sort, Set in order, Shine, Standardise, Sustain) to maintain organisation within the workplace and minimise hazards associated with disorganization.</li> <li>- Assess the layout of the work area and ensure there is adequate space for lifting, lowering, and transporting materials without obstruction to reduce the risk of manual handling injuries.</li> </ul>   | 1L            |                    |

| JOB STEP                 | POTENTIAL HAZARDS                        | IR           | CONTROL MEASURES   | RR            | RESPONSIBLE PERSON |
|--------------------------|--|--------------|--|---------------|--------------------|
| SPECIFIC WORK STEPS      | HAZARDS THAT MAY ARISE                   | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS   | RESIDUAL RISK | NAME OF PERSON     |
|                          |  |              | <ul style="list-style-type: none"> <li>- Encourage workers to stretch and warm up before commencing any physical tasks, especially when they involve material handling, to reduce the risk of injury.</li> <li>- Ensure that material loads are transported close to the ground, with heavy items placed at the base, to lower the centre of gravity and minimise the risk of falls or loss of control.</li> <li>- Communicate with colleagues during the material handling process, specifically when moving large pieces, to coordinate turns and changes in direction to reduce the likelihood of accidents or injury.</li> <li>- Inspect equipment and tools used for material handling regularly, ensuring that they are well-maintained and suited to their specific purpose, thus minimising the risk of malfunction or injury.</li> <li>- Avoid overexertion by adhering to weight restrictions and seeking assistance for more demanding tasks or when handling oversized materials.</li> <li>- Assign workers experienced in material handling to supervise and mentor newer or less-experienced employees, providing guidance and support for proper handling techniques to reduce the risk of injury.</li> <li>- Establish clear pathways for the movement of materials throughout the workspace and designate separate zones for storing and retrieving items to reduce incidents of disorganization and potential hazards.</li> <li>- Encourage workers to report any hazardous conditions, near misses, or incidents involving manual handling to management promptly, allowing for the investigation of root causes and the implementation of corrective measures.</li> <li>- Review and update the SWMS regularly, incorporating any changes in processes or equipment that may affect material handling, such as assessing the introduction of new materials, tools, or procedures.</li> </ul> |               |                    |
| 3. Buffing Machine Setup | Contact with moving parts, Electrocution | 3H           | <ul style="list-style-type: none"> <li>- Regular inspection and maintenance: Ensure that the buffing machine is regularly inspected and maintained according to the manufacturer's guidelines, to minimise any risk of equipment failure or malfunction.</li> <li>- Employee training: Provide comprehensive training to all staff involved in operating buffing machines on safe work practices and guidelines to prevent accidents.</li> <li>- Electrical safety compliance: Verify that the electrical supply and outlets used for buffing machines are compliant with local regulations and codes, reducing the risk of electrocution.</li> <li>- Use of protective gear: Require workers to wear appropriate personal protective equipment (PPE) such as gloves, safety glasses, and hearing protection while operating the buffing machine to protect against contact with moving parts and other hazards.</li> <li>- Emergency stop switch: Ensure buffing machines are equipped with an accessible emergency stop switch so the machine can be quickly shut down in case of an incident.</li> </ul>  | 2M            |                    |

| JOB STEP                         | POTENTIAL HAZARDS                 | IR           | CONTROL MEASURES  | RR            | RESPONSIBLE PERSON |
|----------------------------------|-----------------------------------|--------------|---|---------------|--------------------|
| SPECIFIC WORK STEPS              | HAZARDS THAT MAY ARISE            | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS  | RESIDUAL RISK | NAME OF PERSON     |
|                                  |                                   |              | <ul style="list-style-type: none"> <li>- Equipment grounding: Confirm that the buffing machine is properly grounded to minimise the risk of electrical shock.</li> <li>- Safety guards: Install and maintain suitable safety guards around buffing machine moving parts to contain sparks, debris, and foreign objects.</li> <li>- Proper wiring: Make sure that all wiring and electrical components of the buffing machine are in good condition, and replace damaged parts as necessary.</li> <li>- Safe workspace design: Design the work area to ensure ample space for movement and proper ventilation, reducing the risk of accidental contact with moving parts and exposure to harmful fumes or chemicals.</li> <li>- Hazard communication: Place clear warning signs and labels on buffing machines to make employees aware of potential hazards when using the machinery.</li> <li>- Lockout/tagout procedure: Establish lockout/tagout protocols to secure the power source during maintenance, repairs, or adjustments to the machine.</li> <li>- Clear access controls: Limit access to buffing machine operation areas to only authorized and trained individuals to reduce the risk of unintended contacts with moving parts.</li> <li>- Follow manufacturer recommendations: Always adhere to the manufacturer's instructions for safe setup, operation, and disassembly of the buffing machine.</li> <li>- Incident reporting: Encourage employees to promptly report any concerns or issues related to the functioning of buffing machines so that they can be addressed before accidents happen.</li> </ul> |               |                    |
| 4. Metal Polishing Pre-treatment | Chemical exposure, Eye irritation | 2M           | <div>[REDACTED]</div> <div>[REDACTED]</div> <div>[REDACTED]</div> <div>[REDACTED]</div>   | 1L            |                    |

| JOB STEP            | POTENTIAL HAZARDS             | IR           | CONTROL MEASURES   | RR            | RESPONSIBLE PERSON |
|---------------------|-------------------------------|--------------|--|---------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE        | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON     |
|                     |                               |              |  |               |                    |
|                     |                               |              |  |               |                    |
|                     |                               |              |  |               |                    |
|                     |                               |              |  |               |                    |
|                     |                               |              |  |               |                    |
|                     |                               |              |  |               |                    |
|                     |                               |              |  |               |                    |
|                     |                               |              |  |               |                    |
|                     |                               |              |  |               |                    |
| 5. Buffing          | Flying debris, Noise exposure | 3H           |  | 2M            |                    |
|                     |                               |              |  |               |                    |
|                     |                               |              |  |               |                    |
|                     |                               |              |  |               |                    |
|                     |                               |              |  |               |                    |
|                     |                               |              |  |               |                    |





[illegible]

[illegible]

| JOB STEP                          | POTENTIAL HAZARDS                 | IR           | CONTROL MEASURES   | RR            | RESPONSIBLE PERSON |
|-----------------------------------|-----------------------------------|--------------|--|---------------|--------------------|
| SPECIFIC WORK STEPS               | HAZARDS THAT MAY ARISE            | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON     |
|                                   |                                   |              | [REDACTED]   |               |                    |
|                                   |                                   |              | [REDACTED]   |               |                    |
|                                   |                                   |              | [REDACTED]   |               |                    |
|                                   |                                   |              | [REDACTED]   |               |                    |
|                                   |                                   |              | [REDACTED]   |               |                    |
|                                   |                                   |              | [REDACTED]   |               |                    |
|                                   |                                   |              | [REDACTED]   |               |                    |
|                                   |                                   |              | [REDACTED]   |               |                    |
|                                   |                                   |              | [REDACTED]   |               |                    |
| 9. Inspection and Quality Control | Poor ergonomics, Inadequate tools | 2M           | [REDACTED]   | 1L            |                    |

| JOB STEP                  | POTENTIAL HAZARDS                           | IR           | CONTROL MEASURES  | RR            | RESPONSIBLE PERSON |
|---------------------------|---|--------------|---|---------------|--------------------|
| SPECIFIC WORK STEPS       | HAZARDS THAT MAY ARISE                      | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS  | RESIDUAL RISK | NAME OF PERSON     |
|                           |   |              | <div>SAMPLE</div> <div>[REDACTED]</div> <div>[REDACTED]</div> <div>[REDACTED]</div> <div>[REDACTED]</div> <div>[REDACTED]</div> <div>[REDACTED]</div> <div>[REDACTED]</div> <div>[REDACTED]</div> <div>[REDACTED]</div> <div>[REDACTED]</div> <div>[REDACTED]</div> <div>[REDACTED]</div> <div>[REDACTED]</div> <div>[REDACTED]</div> |               |                    |
| 10. Packaging and Storage | Material lifting, Stored materials collapse | 2M           |   | 1L            |                    |

| JOB STEP                   | POTENTIAL HAZARDS                                    | IR           | CONTROL MEASURES  | RR            | RESPONSIBLE PERSON |
|----------------------------|--|--------------|---|---------------|--------------------|
| SPECIFIC WORK STEPS        | HAZARDS THAT MAY ARISE                               | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS  | RESIDUAL RISK | NAME OF PERSON     |
|                            |  |              | <div>SAMPLE</div> <div>[REDACTED]</div> <div>[REDACTED]</div> <div>[REDACTED]</div> <div>[REDACTED]</div> <div>[REDACTED]</div> <div>[REDACTED]</div> <div>[REDACTED]</div> <div>[REDACTED]</div> <div>[REDACTED]</div> <div>[REDACTED]</div> |               |                    |
| 11. Maintenance and Repair | Inadequate lockout-tagout, Exposure to sharp objects | 3H           | [REDACTED]  | 2M            |                    |

[illegible]

| JOB STEP                   | POTENTIAL HAZARDS                              | IR           | CONTROL MEASURES  | RR            | RESPONSIBLE PERSON |
|----------------------------|--|--------------|---|---------------|--------------------|
| SPECIFIC WORK STEPS        | HAZARDS THAT MAY ARISE                         | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS  | RESIDUAL RISK | NAME OF PERSON     |
| 12. Emergency Preparedness | Lack of emergency exits, Insufficient training | 1M           | <div>SAMPLE</div> <div>[REDACTED]</div> <div>[REDACTED]</div> <div>[REDACTED]</div> <div>[REDACTED]</div> <div>[REDACTED]</div> <div>[REDACTED]</div> <div>[REDACTED]</div> <div>[REDACTED]</div> <div>[REDACTED]</div> <div>[REDACTED]</div> <div>[REDACTED]</div> | 1L            |                    |

| JOB STEP            | POTENTIAL HAZARDS      | IR           | CONTROL MEASURES   | RR            | RESPONSIBLE PERSON |
|---------------------|------------------------|--------------|--|---------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON     |
|                     |                        |              |  |               |                    |
|                     |                        |              |  |               |                    |
|                     |                        |              |  |               |                    |

SAMPLE



## EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

## LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES IF ANY STATE THAT ARE NOT APPLICABLE

### Queensland & Australian Capital Territory

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: <https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws>

Codes of Practice QLD: <https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice>

Legislation ACT: <https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations>

Codes of Practice ACT: <https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice>

### Victoria

Occupational Health and Safety Act 2004

Occupational Health and Safety Regulations 2017

Legislation VIC: <https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and-regulations>

Codes of Practice VIC: <https://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice>

### New South Wales

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: <https://www.safework.nsw.gov.au/legal-obligations/legislation>

Codes of Practice NSW: <https://www.safework.nsw.gov.au/resource-library/list-codes-of-practice>

### Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: <https://www.commerce.wa.gov.au/worksafe/legislation>

Codes of Practice WA: <https://www.commerce.wa.gov.au/worksafe/codes-practice>

### Northern Territory

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulations 2011

Legislation NT: <https://worksafe.nt.gov.au/laws-and-compliance/workplace-safety-laws>

Codes of Practice NT: <https://worksafe.nt.gov.au/laws-and-compliance/codes-of-practice>

### Safe Work Australia Links

Law and Regulation (All States): <https://www.safeworkaustralia.gov.au/law-and-regulation>

Model Codes of Practice: <https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice>

### Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work

### South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: <https://www.safework.sa.gov.au/resources/legislation>

Codes of Practice for SA: <https://www.safework.sa.gov.au/workplaces/codes-of-practice#COPs>

### Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: <https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations>

Codes of Practice for TAS: <https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice>

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

## SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

| Worker Name | Position | Signature | Date  | Time | Supervisor |
|-------------|----------|-----------|-------|------|------------|
|             |          |           | Date: |      |            |
|             |          |           | Date: |      |            |
|             |          |           | Date: |      |            |
|             |          |           | Date: |      |            |
|             |          |           | Date: |      |            |
|             |          |           | Date: |      |            |
|             |          |           | Date: |      |            |

## SAFE WORK METHOD STATEMENT MONITORING AND REVIEW

**The SWMS must be reviewed regularly** to make sure it remains effective and must be reviewed (and revised if necessary) if relevant control measures are needed. The review process should be carried out in consultation with workers (including contractors and subcontractors) who may be affected by the operation of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that all persons involved with the work are advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

**The SWMS must be monitored regularly** for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

1. Spot Checks.
2. Consultation with workers, contractors and sub-contractors.
3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

| REVIEW NUMBER | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 | <input type="checkbox"/> 6 | <input type="checkbox"/> 7 |
|---------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| NAME          |                            |                            |                            |                            |                            |                            |                            |
| INITIALS      |                            |                            |                            |                            |                            |                            |                            |
| DATE          |                            |                            |                            |                            |                            |                            |                            |

## SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

| ITEMS WHICH MUST BE INCLUDED IN THE SWMS   | COMPLETED                | TO BE DONE               | COMMENTS |
|--|--------------------------|--------------------------|----------|
| The company details have been entered, including the project name and address.                     | <input type="checkbox"/> | <input type="checkbox"/> |          |
| Names and signatures of all relevant personnel consulted during the development of the SWMS.       | <input type="checkbox"/> | <input type="checkbox"/> |          |
| Name, signature, position and date signed of the person approving the SWMS.                        | <input type="checkbox"/> | <input type="checkbox"/> |          |
| Specific personnel and qualifications, experience is noted in the SWMS.                            | <input type="checkbox"/> | <input type="checkbox"/> |          |
| Provides a step-by-step process of tasks required to carry out the activity or task.               | <input type="checkbox"/> | <input type="checkbox"/> |          |
| Adequate risk assessment of any identified hazards has been completed.                             | <input type="checkbox"/> | <input type="checkbox"/> |          |
| Foreseeable hazards are identified and documented for each step.                                   | <input type="checkbox"/> | <input type="checkbox"/> |          |
| Any hazards listed in any site risk assessments have been added to the SWMS.                       | <input type="checkbox"/> | <input type="checkbox"/> |          |
| SWMS initial risk (IR) column as well as residual risk (RR) columns completed.                     | <input type="checkbox"/> | <input type="checkbox"/> |          |
| Check control measures added to the SWMS are the most effective solutions.                         | <input type="checkbox"/> | <input type="checkbox"/> |          |
| Responsible person is assigned and listed on the SWMS for the implementation of control measures.  | <input type="checkbox"/> | <input type="checkbox"/> |          |
| Permit requirements specified, such as Hot Work, Electrical Work, Work at Heights etc.             | <input type="checkbox"/> | <input type="checkbox"/> |          |
| SWMS identifies plant and equipment to be used.  | <input type="checkbox"/> | <input type="checkbox"/> |          |
| Details of inspection checks required for any equipment listed are noted on the SWMS.              | <input type="checkbox"/> | <input type="checkbox"/> |          |
| Describes any mandatory qualifications, experience, training, skills required to perform the work. | <input type="checkbox"/> | <input type="checkbox"/> |          |
| Applicable personal protective equipment is selected on the SWMS.                                  | <input type="checkbox"/> | <input type="checkbox"/> |          |
| Lists any required permits or licenses.  | <input type="checkbox"/> | <input type="checkbox"/> |          |
| Reflects and documents any legislative references and/or Australian Standards.                     | <input type="checkbox"/> | <input type="checkbox"/> |          |
| Identifies any hazardous substances used with specific control measures in line with any SDS.      | <input type="checkbox"/> | <input type="checkbox"/> |          |
|  |                          |                          |          |
| REVIEWED BY  | DATE REVIEWED            |                          |          |
| SIGNATURE  | DATE COMPLETED           |                          |          |