

Bun Divider   Sa	AFE WORK METHOD STAT	EMENT (SWMS)	
	TASK OR ACTIVITY: Bun Divide	r	
Business Name: [Company Name]		ABN: [ABN]	SWMS#
Business Address: [Company Address]			
Contact Person:	Phone: [Phone]	E fil:	
THIS SAFE WORK METHOD	STATEMENT IS APPROVED BY	THE POST THE PROJECT	
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.	cting a business or undertaking (I 3U) is	required to ture at a safe work method s	statement (SWMS) is prepared before
Full Name:			
Signature:		Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring	compliance of the SWMS well as review	s and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS WMS. ST HAVE THE FOLLOWING COMMUNICATED	N. 1E AND DATED SIGNATURE OF A CO. MUNICATED TO IN THE DEVELO	LL RELEVANT PERSONNEL WHO HAVE B PMENT AND APPROVAL OF THIS SWMS	EEN CONSULTED AND
Safety meetings or toolbox talks will be sched and in accordance with regislative requirements to first identify any site hazards, conditions in those hazards and then to further take steps to either the conditions of the condit	NAME	SIGNATURE	DATE
If an incident or a near miss occurs, all work must stead attely. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



		CL	IENT OR PRINCIPAL	CONTRACTOR D	DETAILS				
Client:						SCOPE OF WORKS			
Project Name:					Provide a detailed description of the specific work being carried out (otherwise				
Project Address:					known as cope of works).				
Project Manager:									
Contact Phone:									
Project Manager Sig	gnature:								
Date SWMS supplie	ed to Project Manager:								
		ANY HIGH	RISK CON PUCT	N' JRK BEING	CARRIED OUT				
involves a risk of a person falling more than 2 meters.					is carried out on or near pressurised gas mains or piping.				
☐ is carried out on a telecommunication tower.					☐ is carried out on or near chemical, fuel or refrigerant lines.				
☐ involves demolition of	of an element of a structure	that is load-be		is carried out on	is carried out on or near energised electrical installations or services.				
☐ involves demolition of	of an element related to the	e physical integril of a str	3	is carried out in an area that may have a contaminated or flammable atmosphere.					
☐ involves, or is likely t	o involve, disturbing a es	stos.		☐ involves tilt-up or precast concrete.					
☐ involves structural al	teration or repair that re	mporal, upp to p	prevent collapse.	is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor.					
is carried out in or ne	ear a confined space.			☐ is carried out in an area of a workplace where there is any movement of powered mobile plant.					
☐ is carried out in/near	a shaft or trench deeper th	nan 1.5m or tunnel involvir	ng use of explosives.	is carried out in	areas with artificial extremes of	f temperature.			
is carried out in or ne	ear water or other liquid tha	at involves a risk of drowning	ng.	involves diving v	vork.				
		ANY H	IGH-RISK MACHINER	RY OR EQUIPMEN	NT NEARBY				
☐ Forklift	☐ Crane/s	☐ Hoist/s	☐ Excavator	☐ Backhoe/Loader	Boom Lift	□ EWP	☐ Genie Lift		
☐ Trencher	☐ Drilling Rig	Trucks	Formwork	☐ Bobcat	☐ Flammable Gas	☐ Fuel	☐ Dozer		
☐ High Voltage	☐ Mulcher	☐ Tilt-up Panels	Roller	☐ Scissor Lift	☐ Tractor	☐ Other -			





#### FOOT HAND **HEAD HEARING** SPIRATORY FACE HIGH-VIS **PROTECTIVE** FALL SUN HAIR/JEWELLERY CLOTHING **PROTECTION PROTECTION** PROTECTION **PROTECTION** PROTE DTECTION **PROTECTION** CLOTHING **PROTECTION PROTECTION SECURED**

Select me appropriate PPE above suitable for the equipment used or the job task being performed (if applicable).

**Note:** A SWMS must be reviewed regularly to make sure it remains effective. A SWMS must be reviewed (and revised if necessary) if relevant control measures are revised. The review process should be carried out in consultation with workers (including contractors and subcontractors) who may be affected by the operation of the SWMS and their health and safety representatives who represented that work group at the workplace.

When a SWMS has been revised, the person conducting a business or undertaking must ensure all:

- 1. persons involved in the work are advised that a revision has been made and how they can access the revised SWMS;
- 2. persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS: and.
- 3. workers that will be involved in the work are provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
1. Preparation	Slips and falls, improper lifting techniques	2M	<ul> <li>Provide adequate training for all employees on proper lifting techniques, to prevent injuries from improper handling of the bun divider.</li> <li>Implement a clean-as-you-go policy to ensure at any spills or debris are promptly cleaned up to minimise the risk of slips and has.</li> <li>Conduct regular inspections of the work are no idean potential hazards and take corrective action when needed.</li> <li>Provide non-slip floor mats to high traffic areas a staround of oun divider to prevent slips and falls.</li> <li>Encourage employees of rear startesistant footwear appropriate for the workplace environment.</li> <li>Clearly mann by unever poring or to the sin elevation with high-visibility paint or signal to reduce trip to airds.</li> <li>Instantion drails to trab bars in areas where balance may be compromised to assist upon eas in hintaining their footing.</li> <li>Ensure that the per lighing is installed and maintained in the work area, allowing analoye into supposes on how to use equipment safely, including loading and inloading uns from the bun divider.</li> <li>Instant to apployees on how to use equipment safely, including loading and inloading uns from the bun divider.</li> <li>Intablish designated storage areas for all tools and materials to prevent them from beauting trip hazards.</li> <li>Schedule regular maintenance checks for the bun divider and other equipment to ensure they are in safe working condition, addressing any issues found immediately.</li> <li>Encourage open communication between employees and management to report any concerns about potential hazards or unsafe conditions.</li> <li>Develop an emergency response plan detailing procedures for incidents such as falls or injuries related to the bun divider, ensuring all employees are trained on the plan and know what to do in case of an emergency.</li> <li>Review the SWMS regularly, updating it as necessary to address any new hazards or control measures identified in the course of work, and communicate these updates to all relevant emp</li></ul>	1L	
2. Load bun divider	Crushing injuries, pinch points	3Н	<ul> <li>Proper training: Ensure all workers operating the bun divider have received adequate training in safe operation of the equipment and are aware of the hazards associated with loading the bun divider.</li> <li>Inspection of equipment: Before use, conduct a thorough inspection of the bun divider to identify and address any potential risks, such as damaged or worn parts that may cause pinch points or crushing.</li> </ul>	2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			- Safety guards: Make sure all safety guards and barriers are in place and functioning correctly to protect workers from coming into contact with moving parts during the loading process.		
			- Protective gloves: Require workers to wear a sopriate protective gloves when handling buns for the divider, reducing the soft pinching or crushing injuries.		
			- Ergonomics: Design the workstation layout a many that allows workers to load buns without having to reach or bend excessive manifesting the risk of strain injuries related to awkward postures.		
			- Clear signage: Place warning and labels on the arvider, indicating dangers of pinch pointed crusing areas, ensuring at workers stay alert and informed.		
			- Emergency op controls: Insure the inner oncy stop controls of the bun divider are early accomplished and orking proposal allowing immediate cessation of the equit of the event of a hazard.		
			- Regular vintena experience and cleaning of the bun divider and tain its oper functioning and reduce the risk of equipment issues leading would be a dents.		
			mmu cation and supervision: Encourage open communication among team men as garding safety concerns and incidents, and provide adequate upervision of ensure safe work practices are followed consistently.		
			ad limit adherence: Monitor the bun divider's load capacity and establish gualines for how many buns can be safely processed at a time, preventing overloading and operator fatigue.		
	5		- Lockout/tagout procedures: Implement lockout/tagout procedures when servicing or repairing the bun divider, protecting workers from accidental energising of equipment.		
			- Incident reporting and follow-up: Establish a system for workers to report hazards or incidents related to the bun divider, and promptly address any safety concerns that arise.		
			- Continuous improvement: Regularly evaluate and update safety guidelines and training programs for the bun divider, incorporating new advancements in safety practices and technology as necessary.		
			- Regular equipment maintenance: Conduct periodic inspections and maintenance on the bun divider to ensure all components are in good working order and any issues are identified and remedied swiftly.		
3. Adjust settings	Machine entanglement, electrical hazards	2M	- Employee training: Provide comprehensive training and ongoing support for all employees tasked with operating the bun divider, ensuring they are familiar with the machine's settings and safeguards to prevent entanglement and electrical hazards.	1L	
			- Clear signage: Display clear warning signs near the bun divider, alerting workers to potential hazards and reinforcing safe operating procedures.		



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			- Power isolation: Employ lockout/tagout procedures during maintenance or cleaning to isolate the power source and prevent accidental activation of the machine, reducing the risk of electrical hazards and machine anglement.		
			- Emergency stop buttons: Install easily access the emergency stop buttons at various locations around the bun divider, all rung operators to halt the machine instantly in case of an emergency.		
			- Protective clothing: Ensure all employees we equipment (PPE), such as gloves, long sleeves, d closed-to-closes, when working with the bun divider to educe the risk of example of injuries.		
			- Safety guards: Attack fety goods to the bun divide on key areas, such as around gear systems are soving its, to revent accidental contact and minimise the risk of entanglement.		
			- Pre-shift che recovered reperators to form a pre-shift inspection and adjusting to fifth the index settings, confirming that the machine is ready for use and fit is using conglish to mitigate work-related hazards.		
			- Work, accorganism n: Maintain a well-organised and clutter-free workspace around a bundivider reduce distractions and allow operators to concentrate bely or heir to s.		
			- Eq. me t documentation: Keep a detailed log of any maintenance, repairs, or djusting made to the bun divider, helping to identify recurring issues and earmline troubleshooting processes in the future.  - Buakaway technology: Consider incorporating breakaway technology into the bun		
			divider, which can detect abnormal force or resistance and automatically disengage the machine to prevent accidents or damage.		
			- Thorough electrical inspections: Schedule regular inspections by a qualified electrician to verify that no worn out, loose or damaged electrical components are in the bun divider, thus preventing potential electrical hazards.		
4. Divide dough	Cuts and lacerations, repetitive strain injury	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
5. Remove divided dough	Burns from hot surfaces, ergonomic hazards	3Н		2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	IR INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RR RESIDUAL RISK	PERSON  NAME OF PERSON
6. Clean bun divider	Contact with cleaning chemicals, slips on wet floors	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
7. Perform maintenance	Electrical shocks, being caught in moving parts	4A		2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
8. Transport dough	Manual handling injuries, collisions with equipment	3H		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
9. Monitor machine operation	Exposure to loud noises, machine entanglement	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
10. Shutdown bun divider	Procedures not followed, uncontrolled release of energy	211		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
11. Store bun divider	Unsecured equipment, potential for falling objects	ЗН		1L	
12. Restock ingredients	Inhalation of allergens or dust, manual handling injuries	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON



#### **EMERGENCY RESPONSE - CALL 000 FOR EMERGENCIES**

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

#### LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE OF AT ARE NOT APPLICABLE.

#### **Queensland & Australian Capital Territory**

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

 $\textbf{Legislation QLD:} \ \underline{\textbf{https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws}$ 

Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

#### **New South Wales**

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislat

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis

#### **Northern Territory**

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulation 2011

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/wo\_place-

Codes of Practice NT: https://worksafe.nt.gov.au/5

#### South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: <a href="https://www.safework.sa.gov.au/resources/legislation">https://www.safework.sa.gov.au/resources/legislation</a>

Codes of Practice for SA: https://www.safework.sa.gov.au/work\_aces/codes-of-practice#COPs

#### Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

#### Victoria

Occupational Health at Safety Act 34

Occ. ational Health and afety gulations 2017

Legis on VIC: https://www.safe.vic.gov.au/occupational-health-and-safety-act-and-

gulat

des on actice VIC attps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

#### Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: <a href="https://www.commerce.wa.gov.au/worksafe/legislation">https://www.commerce.wa.gov.au/worksafe/legislation</a> Codes of Practice WA: <a href="https://www.commerce.wa.gov.au/worksafe/codes-practice">https://www.commerce.wa.gov.au/worksafe/codes-practice</a>

#### Safe Work Australia Links

Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice

#### **Model Codes of Practice**

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work



#### SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Tollow any sale work instructions which are provided, and agrees to use an reisonal riotective Equipment where appropriate.								
Worker Name	Pos	sition	Signature	Date	Time	Sup	pervisor	
				Date:				
				_				
				Date				
			l te:					
			AV	Date:				
				Date:				
				Date:				
Date:								
		SAF WO A S	THUD STATEMENT	MONITORING AND	REVIEW			
The SWMS must be reviewed regularly to the ke sure it remains effective and must be reviewed (and revised if necessary) if relevant control measurements are subcontracted by the operation of the SWMS and their health and safety representatives who research that work group at the workplace.  When the SWMS has been revised the PCBU must ensure that all persons involved with the work are advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist				The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:  1. Spot Checks. 2. Consultation with workers, contractors and sub-contractors. 3. Internal audits on a continual basis.  An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures				
them to understand and imp					tently developing ever-imp	<b>3</b> ,	· '	
REVIEW NUMBER	1	□ 2	□ 3	□ 4	□ 5	□ 6	□ 7	
NAME								
INITIALS								
DATE								



### SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	TO BE DONE	COMMENTS
The company details have been entered, including the project name and address.			
Names and signatures of all relevant personnel consulted during the development of the SWMS.		P P	
Name, signature, position and date signed of the person approving the SWMS.			
Specific personnel and qualifications, experience is noted in the SWMS.	P		
Provides a step-by-step process of tasks required to carry out the activity or task.			
Adequate risk assessment of any identified hazards has been completed.			
Foreseeable hazards are identified and documented for each step.			
Any hazards listed in any site risk assessments have been added to the SWh			
SWMS initial risk (IR) column as well as residual risk (RR) columns completed.			
Check control measures added to the SWMS are the most effecting so tions.			
Responsible person is assigned and listed on the SWMS for the imperent of continue assures.			
Permit requirements specified, such as Hot Work, Veralt Heights etc.			
SWMS identifies plant and equipment to be u d.			
Details of inspection checks required for any equipment listed are noted on the SWMS.			
Describes any mandatory qualifications, experience raining skills required to perform the work.			
Applicable personal protective equipment is selected on the SWMS.			
Lists any required permits or licenses.			
Reflects and documents any legislative references and/or Australian Standards.			
dentifies any hazardous substances used with specific control measures in line with any SDS.			
REVIEWED BY	DATE R	EVIEWED	
SIGNATURE	DATE CO	MPLETED	