

Combustible Liquid	s   SAFE WORK METHOD S	STATEMENT (SWMS)	
TAS	K OR ACTIVITY: Combustible Lie	quids	
Business Name: [Company Name]		ABN: [ABN]	SWMS#
Business Address: [Company Address]			
Contact Person:	Phone: [Phone]	E fil:	
THIS SAFE WORK METHOD	STATEMENT IS APPROVED BY	THE PLOOF THE PROJECT	
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.	cting a business or undertaking (I SU) is	required to turn at a safe work method s	tatement (SWMS) is prepared before
Full Name:			
Signature:		Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring	compliance of the SWMS well as review	s and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS WMS. ST HAVE THE FOLLOWING COMMUNICATED	N. 1E AND DATED SIGNATURE OF A CO. MUNICATED TO IN THE DEVELO	ILL RELEVANT PERSONNEL WHO HAVE B OPMENT AND APPROVAL OF THIS SWMS	EEN CONSULTED AND
Safety meetings or toolbox talks will be scheded in accordance with agislative requirements to first identify any site hazards, conditions unical those hazards and then to further take steps to either the conditions of the conditions are conditionally as a condition of the condition of the condition of the conditions are conditionally as a condition of the cond	NAME	SIGNATURE	DATE
If an incident or a near miss occurs, all work must standardly. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



		CL	IENT OR PRINCIPAL	CONTRACTOR D	DETAILS				
Client:						SCOPE OF WORKS			
Project Name:				Provide a detailed description	n of the specific work being	carried out (otherwise			
Project Address:					known as cope of works).				
Project Manager:									
Contact Phone:									
Project Manager Sig	gnature:								
Date SWMS supplie	ed to Project Manager:								
		ANY HIGH	RISK CON PUCT	N' JRK BEING	CARRIED OUT				
☐ involves a risk of a p	erson falling more than 2 n	neters.		is carried out on	or near pressurised gas mains	s or piping.			
is carried out on a te	lecommunication tower.		is carried out on	is carried out on or near chemical, fuel or refrigerant lines.					
☐ involves demolition of	of an element of a structure	that is load-be		is carried out on	carried out on or near energised electrical installations or services.				
☐ involves demolition of	of an element related to the	e physical integril of a str	3	is carried out in	☐ is carried out in an area that may have a contaminated or flammable atmosphere.				
☐ involves, or is likely t	o involve, disturbing a es	stos.		☐ involves tilt-up o	involves tilt-up or precast concrete.				
☐ involves structural al	teration or repair that re	mporal, upp to p	prevent collapse.	is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor.					
is carried out in or ne	ear a confined space.			is carried out in an area of a workplace where there is any movement of powered mobile plant.					
☐ is carried out in/near	a shaft or trench deeper th	nan 1.5m or tunnel involvir	ng use of explosives.	is carried out in	areas with artificial extremes of	f temperature.			
is carried out in or ne	ear water or other liquid tha	at involves a risk of drowning	ng.	involves diving v	vork.				
		ANY H	IGH-RISK MACHINER	RY OR EQUIPMEN	NT NEARBY				
☐ Forklift	☐ Crane/s	☐ Hoist/s	☐ Excavator	☐ Backhoe/Loader	Boom Lift	□ EWP	☐ Genie Lift		
☐ Trencher	☐ Drilling Rig	Trucks	Formwork	☐ Bobcat	☐ Flammable Gas	☐ Fuel	☐ Dozer		
☐ High Voltage	☐ Mulcher	☐ Tilt-up Panels	Roller	☐ Scissor Lift	☐ Tractor	☐ Other -			





#### FOOT HAND **HEAD HEARING** SPIRATORY FACE HIGH-VIS **PROTECTIVE** FALL SUN HAIR/JEWELLERY CLOTHING **PROTECTION PROTECTION** PROTECTION **PROTECTION** PROTE DTECTION **PROTECTION** CLOTHING **PROTECTION PROTECTION SECURED**

Select me appropriate PPE above suitable for the equipment used or the job task being performed (if applicable).

**Note:** A SWMS must be reviewed regularly to make sure it remains effective. A SWMS must be reviewed (and revised if necessary) if relevant control measures are revised. The review process should be carried out in consultation with workers (including contractors and subcontractors) who may be affected by the operation of the SWMS and their health and safety representatives who represented that work group at the workplace.

When a SWMS has been revised, the person conducting a business or undertaking must ensure all:

- 1. persons involved in the work are advised that a revision has been made and how they can access the revised SWMS;
- 2. persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS: and.
- 3. workers that will be involved in the work are provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
1. Preparation	Slips and falls, Fire hazards	2M	<ul> <li>Ensure that the workplace is clean, well-organised, and free from obstacles to minimise the risk of slips, trips, or falls.</li> <li>Mandate proper personal protective equipment such as non-slip footwear, for workers handling combustible liquids.</li> <li>Set up appropriate warning signs near spill onne and and ensure spill kits are easily accessible.</li> <li>Verify that fire extinguishers free blankets, and cour firefighting equipment are readily available, in good work a condition, and up and a count their servicing.</li> <li>Train employees a construction sponse procedures and fire safety so they can act quickly and a propriate in case of a fire incount.</li> <li>Store combustible liquids recurely interested containers or storage cabinets, previous there om houng or mixing can incompatible substances.</li> <li>Implement good a tilation systems to prevent the buildup of hazardous vapors that cold houses to risk of fires.</li> <li>Scheding rest ar inspections of the work area, focusing on potential hazards lated to spills, take, or improperly stored materials.</li> <li>Eineural experior communication among team members about potential hazards ssociate with combustible liquids, so they feel empowered to raise issues and alteres them proactively.</li> <li>Develop and enforce a "hot work" permit system for activities such as welding, which could result in ignition of combustible liquids if not performed carefully and with adequate precautions.</li> <li>Regularly review and update the Site-wide Safety Management System (SWMS) for combustible liquids to ensure compliance with current legislation, industry best practices, and organisational policies.</li> </ul>	1L	
2. Storage	Mishandling of containers, Leaking combustible liquids	ЗН	<ul> <li>Proper storage location: Ensure combustible liquids are stored in a well-ventilated, fire-resistant area, away from ignition sources and incompatible materials.</li> <li>Clear labeling: Clearly label all containers and storage areas with appropriate hazard communication labels to identify the contents as combustible liquids and include any specific handling instructions.</li> <li>Spill containment: Utilise secondary containment methods, such as spill pallets or trays, to prevent unauthorised discharge of leaked liquids into the environment or other workspaces.</li> <li>Regular inspections: Conduct periodic inspections of both containers and the storage area to assess the integrity of containers, look for leaks, or identify signs of corrosion or other damage that might lead to leaks.</li> </ul>	2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			- Container maintenance: Ensure all containers used for storage have appropriate lids, seals, and valves in good working condition, and replace any damaged components as necessary.		
			- Adequate aisle space: Maintain adequate aisle pace between storage rows and within the storage area for easy access during another emergency response situations.		
			- Safe stacking: Stack containers safely and see and no more than two high, and ensure they are properly supported and restraint to prevent a selected tipping or collapse.		
			- Personnel training of the process training for works, who handle and store combustible liquid regards corn, handling ten iniques, hazard awareness, proper protection equipment and entire gency conductions.		
			- Personal Productive Egypment (PPE, paip workers handling combustible liquid contain with a product PPE, including gloves, goggles, and chemical-resistant clothin a protect called spills and leaks.		
			- Emery no espons plan: Have a documented emergency response plan in place, complet with jill response equipment, fire extinguishers, and first aid kits readily valiable in the prage area.		
	1		- Involor controls: Implement inventory control measures to minimise the amount f comboule liquids stored on-site, and conduct regular stock rotation to avoid ressive accumulation of outdated or unused materials.		
			- Appropriate lifting devices: Use appropriate mechanical aids, such as drum lifters or forklifts, when handling and transporting heavy or large containers to reduce the risk of manual handling injuries and prevent accidental drops or spills.		
			- Regular inspection and maintenance: Ensure all handling equipment is regularly inspected and maintained according to the manufacturer's guidelines or legal requirements, depending on the type of equipment being used.		
			- Equipment assessment: Assess the compatibility of the equipment with combustible liquids according to their material, design, and capacity to prevent equipment failure.		
3. Handling Equipment	Equipment failure, Inadequate training	3H	- Proper storage: Store the equipment in a designated area, away from heat sources or ignition points, when not in use.	1L	
			- Adequate signage: Clearly mark and display appropriate hazard signs at entrances and locations where combustible liquids are being handled to inform all workers about potential risks.		
			- Emergency stop devices: Install emergency stop devices on all handling equipment, if not already present, to shut off machinery instantly in case of equipment failure or an emergency.		



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			<ul> <li>Personal protective equipment (PPE): Ensure that all workers involved in handling combustible liquids are wearing appropriate PPE, such as gloves, goggles, and flame-resistant clothing, to protect against potential pards.</li> </ul>		
			- Training and induction: Provide comprehensity, raining to all workers who handle combustible liquids, including equipment or pation, safe handling procedures, and emergency response protocols.		
			- Supervision: Monitor the handling of combust rained supervisors to ensure proper adherence afety protocols.		
			- Establishing safe work procedures: Develop and in the constant work procedures outlining specific procedures and recautions necessary of handling both equipment and combustible coulds.		
			- Workplace out: Design and main a the parkspace layout to minimise the risk of collision with anothing dipment an provide sufficient clearance and access to enterprise and access to enterprise and applied control stations.		
			- Incid the orting a stem: Implement an incident reporting system that encourages worker to be ort any ecidents, near misses or equipment failures in order to facilitate lingual improvements in workplace safety.		
			being an ed with adequate spill control measures, such as spill containment allets, and a spill containment allets, and contamination.		
			specific to combustible liquid handling that includes evacuation procedures, irrefighting measures, and first aid protocols for workers exposed to hazardous substances.		
4. Pouring Liquids	Spillage, Exposure to harmful vapors	3H		2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
5. Dispensing Liquids	Uncontrolled release, Incompatibility of chemicals	ЗН		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
6. Mixing/Substitution	Potential explosion, Generation of heat	4A		2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
7. Ventilation	Insufficient air flow confinementry	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
8. Bonding/Earthing	Static electricity by 1-up, Ignition triggers	ЗН		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
9. PPE Usage	Incorrect usage, Inadequation	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
10. Fire Extinguishing Equipment	Inoperative devices, Lack of accessibility	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
11. Waste Disposal	Unsafe disposal methods, Environmental impact	ЗН		2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	PERSON  NAME OF PERSON
12. Emergency Response Planning	Inadequate procedures, Unawareness of hazards	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON



#### **EMERGENCY RESPONSE - CALL 000 FOR EMERGENCIES**

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

#### LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE OF AT ARE NOT APPLICABLE.

#### **Queensland & Australian Capital Territory**

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

 $\textbf{Legislation QLD:} \ \underline{\textbf{https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws}$ 

Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

#### **New South Wales**

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis > odes-or racti

#### **Northern Territory**

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulation 2011

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/wo\_place-

Codes of Practice NT: https://worksafe.nt.gov.au/s

#### South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: https://www.safework.sa.gov.au/resources/le\_lation

Codes of Practice for SA: <a href="https://www.safework.sa.gov.au/wor">https://www.safework.sa.gov.au/wor</a> aces/codes-of-practice#COPs

#### Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

#### Victoria

Occupational Health at Safety Act 34

Occupational Health and Infety gulations 2017

Legis on VIC: https://www.xsafe.vic.gov.au/occupational-health-and-safety-act-and-

<u>Julai.</u>

des on actice VI autros://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

#### Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: <a href="https://www.commerce.wa.gov.au/worksafe/legislation">https://www.commerce.wa.gov.au/worksafe/legislation</a> Codes of Practice WA: <a href="https://www.commerce.wa.gov.au/worksafe/codes-practice">https://www.commerce.wa.gov.au/worksafe/codes-practice</a>

#### Safe Work Australia Links

Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice

#### **Model Codes of Practice**

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work



#### SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Tollow ally sale work instructions which are provided, and agrees to use all reisonal riolective Equipment where appropriate.								
Worker Name	Pos	sition	Signature	Date	Time	Sup	pervisor	
				Date:				
				_				
				Date				
				l te:				
			AV	Date:				
				Date:				
				Date:				
				Date:				
		SAF WO A S	THUD STATEMENT	MONITORING AND	REVIEW			
The SWMS must be reviewed regularly to the ke sure it remains effective and must be reviewed (and revised if necessary) if relevant control measurements are subcontracted by process should be carried out in consultation with workers (including contractors are subcontracted)) who may be affected by the operation of the SWMS and their health and safety representatives who researched that work group at the workplace.  When the SWMS has been revised the PCBU must ensure that all persons involved with the work are advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist				The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:  1. Spot Checks. 2. Consultation with workers, contractors and sub-contractors. 3. Internal audits on a continual basis.  An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures				
them to understand and imp					tently developing ever-imp	<b>3</b> ,	· '	
REVIEW NUMBER	1	□ 2	□ 3	□ 4	□ 5	□ 6	□ 7	
NAME								
INITIALS								
DATE								



### SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	TO BE DONE	COMMENTS
The company details have been entered, including the project name and address.			
Names and signatures of all relevant personnel consulted during the development of the SWMS.		P P	
Name, signature, position and date signed of the person approving the SWMS.			
Specific personnel and qualifications, experience is noted in the SWMS.	P		
Provides a step-by-step process of tasks required to carry out the activity or task.			
Adequate risk assessment of any identified hazards has been completed.			
Foreseeable hazards are identified and documented for each step.			
Any hazards listed in any site risk assessments have been added to the SWh			
SWMS initial risk (IR) column as well as residual risk (RR) columns completed.			
Check control measures added to the SWMS are the most effecting so tions.			
Responsible person is assigned and listed on the SWMS for the imperent of continue assures.			
Permit requirements specified, such as Hot Work, Veralt Heights etc.			
SWMS identifies plant and equipment to be u d.			
Details of inspection checks required for any equipment listed are noted on the SWMS.			
Describes any mandatory qualifications, experience raining skills required to perform the work.			
Applicable personal protective equipment is selected on the SWMS.			
Lists any required permits or licenses.			
Reflects and documents any legislative references and/or Australian Standards.			
dentifies any hazardous substances used with specific control measures in line with any SDS.			
REVIEWED BY	DATE R	EVIEWED	
SIGNATURE	DATE CO	MPLETED	