



Concrete Vibrator	SAFE WORK METHOD ST	ATEMENT (SWMS)	
TA	SK OR ACTIVITY: Concrete Vibra	ator	
Business Name: [Company Name]		ABN: [ABN]	SWMS#
Business Address: [Company Address]			
Contact Person:	Phone: [Phone]	E fil:	
THIS SAFE WORK METHOD	STATEMENT IS APPROVED BY	THE PLOOF THE PROJECT	
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.	cting a business or undertaking (I SU) is	required to ture at a safe work method s	tatement (SWMS) is prepared before
Full Name:			
Signature:		Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring	compliance of the SWMS well as review	s and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS WMS. ST HAVE THE FOLLOWING COMMUNICATED	N. 1E AND DATED SIGNATURE OF A CO. MUNICATED TO IN THE DEVELO	LL RELEVANT PERSONNEL WHO HAVE B PMENT AND APPROVAL OF THIS SWMS	EEN CONSULTED AND
Safety meetings or toolbox talks will be sched ed in accordance with agislative requirements to first identify any site hazards, conditions unical those hazards and then to further take steps to either the conditions are or conditions.	NAME	SIGNATURE	DATE
If an incident or a near miss occurs, all work must standardly. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			


Version 2.5 Authorised by Review # Date of Issue: Review Date: 1





		CL	IENT OR PRINCIPAL	CONTRACTOR D	R DETAILS				
Client:						SCOPE OF WORKS			
Project Name:					Provide a detailed description	n of the specific work being	carried out (otherwise		
Project Address:					known as cope of works).				
Project Manager:									
Contact Phone:									
Project Manager Sig	gnature:								
Date SWMS supplie	ed to Project Manager	:							
		ANY HIGH	-RISK CON PUCT	N. JRK BEING	CARRIED OUT				
☐ involves a risk of a p	erson falling more than 2 r	meters.		is carried out on	or near pressurised gas mains	s or piping.			
Project Manager Signature: Date SWMS supplied to Project Manager: ANY HIGH-RISK CON involves a risk of a person falling more than 2 meters. is carried out on a telecommunication tower. involves demolition of an element of a structure that is load-be in involves demolition of an element related to the physical integrit of a structure, involves, or is likely to involve, disturbing an estos.			☐ is carried out on or near chemical, fuel or refrigerant lines.						
☐ involves demolition of	of an element of a structure	e that is load-be		is carried out on	or near energised electrical in:	stallations or services.			
☐ involves demolition of	of an element related to the	e physical integrit of a str	2	is carried out in	an area that may have a conta	minated or flammable atmo	sphere.		
☐ involves, or is likely t	o involve, disturbing a	stos.		☐ involves tilt-up o	or precast concrete.				
involves structural al	teration or repair that re	upp to	prevent collapse.	is carried out on	, in or adjacent to a road, railwa	ay, shipping lane or other tr	affic corridor.		
is carried out in or ne	ear a confined space.			is carried out in	an area of a workplace where t	there is any movement of po	owered mobile plant.		
is carried out in/near	a shaft or trench deeper t	han 1.5m or tunnel involvir	ng use of explosives.	is carried out in	areas with artificial extremes of	f temperature.			
is carried out in or ne	ear water or other liquid tha	at involves a risk of drowni	ng.	☐ involves diving v	vork.				
		ANY H	IGH-RISK MACHINEF	RY OR EQUIPMEN	NT NEARBY				
☐ Forklift	☐ Crane/s	☐ Hoist/s	☐ Excavator	☐ Backhoe/Loader	r 🔲 Boom Lift	☐ EWP	☐ Genie Lift		
☐ Trencher	☐ Drilling Rig	☐ Trucks	Formwork	☐ Bobcat	☐ Flammable Gas	☐ Fuel	☐ Dozer		
☐ High Voltage	Mulcher	☐ Tilt-up Panels	Roller	☐ Scissor Lift	☐ Tractor	Other -			





PERL NAL TECTIVE EQUIPMENT (PPE)

FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION	HEARING PROTECTION	PROTE	SPIRATORY P STECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
			A								

Select me appropriate PPE above suitable for the equipment used or the job task being performed (if applicable).

Note: A SWMS must be reviewed regularly to make sure it remains effective. A SWMS must be reviewed (and revised if necessary) if relevant control measures are revised. The review process should be carried out in consultation with workers (including contractors and subcontractors) who may be affected by the operation of the SWMS and their health and safety representatives who represented that work group at the workplace.

When a SWMS has been revised, the person conducting a business or undertaking must ensure all:

- 1. persons involved in the work are advised that a revision has been made and how they can access the revised SWMS;
- 2. persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS: and.
- 3. workers that will be involved in the work are provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
1. Preparation	Slips, trips, falls, Contact with live parts of equipment	ЗН	 Ensure that all work areas are kept clear of debris and unnecessary equipment to reduce the likelihood of trips and falls. Install appropriate signage around the work as calerting others to potential hazards, including slips and trips. Thoroughly inspect all equipment before us and massure it's in good working order to avoid contact with live parts. Implement a regular mainterince routine for all suipment and evices used within the workplace. Provide proper training call woods on how to safely operate and handle concrete vibrators. Designate specific walking paths with a travork site to segregically pedestrian trafficient in opening massinery or equipment. Use againsibility to be or paint to mark any potential slip, trip, or fall hazards. Have took area in the ce for dealing with electrical faults or failures when using a concrete vibra. Install appropriate personal protective equipment such as non-slip footw. Regularly monitor weather conditions; if it has recently rained causing slippery songes, ensure these areas are appropriately marked or sectioned off. Throughout the day, maintain a strict cleaning schedule, ensuring spills are immediately cleaned up. Regularly review and update risk assessments and safety protocols in light of incidents or near misses. Foster open communication culture where workers feel comfortable raising concerns regarding potential safety hazards. 	2M	
2. Site Inspection	Exposure to chemicals, Unprotected sharp edges	ЗН	 Ensure all personnel undergo a comprehensive safety induction, including specific risks associated with exposure to chemicals and sharp edges. Utilise appropriate personal protective equipment (PPE), including safety goggles, gloves, high-visibility clothing, steel-toed boots, and hard hats, depending on the nature of the work. Regularly inspect the site for potential hazards such as exposed sharp edges or hazardous materials. Make sure that these are either removed, secured, or adequately marked with safety signage. Have Material Safety Data Sheets (MSDS) readily available for any chemicals used on-site and train personnel on how to use and store these substances securely. Implement a strict clean-up regimen to lessen the chance of accidental chemical spillages or debris inducing injury. 	2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			- Establish safe work practices for handling and disposing of sharp objects and materials that could potentially cause harm.		
			- Maintain all tools and equipment in good condition tools with defects like sharp, unprotected edges should be repaired or replaced immediately.		
			- Set up safety barriers around danger zone to prevent didental access to areas with sharp edges or hazardous chemicals, paragraph and the crew is not working.		
			- Enforce a policy where workers are required to port any unsafe conditions or broken machinery so as to a symmetriate action		
			- Provide the right training and the ure competency it wers who operate and handle the concrete to the chals, and other equipment in site.		
			- Prepare fire ad kits and coergen coroced as in case of accidents, ensuring all onsite workers re aware achier local and dunderstand the procedures.		
			- Alwa sharform a sual check for any visible damages on the electrical cords and plugs to following the concrete vibrator.		
			- Ensure hat a concre vibrator has passed its recent scheduled maintenance d is in bod wilking condition.		
			- Ven, the the electrical safety switch (RCD) is functional by performing a daily ush-but test.		
			- ver use equipment with frayed cables, loose connections, or damaged plugs. Report such instances immediately.		
			- Use double insulated tools or those with grounded type supply cords as they offer better defence against electrical shock.		
3. Equipment Checks	Electrical safety risk, Improper guard	ЗН	- Make sure that the appropriate guards are in place and secured to avoid accidental contact with moving parts.	2M	
			- Workers should be properly trained not only in operating the concrete vibrator but also in understanding its potential hazards.		
			- Ensure Personal Protective Equipment (PPE) such as gloves, safety glasses, and sturdy footwear are used at all times during operation.		
			- Do not operate the concrete vibrator in wet conditions or close to water sources to minimize the risk of electric shocks.		
			- Routine inspections and safety audits should be carried out to ensure compliance with safety protocols.		
			- All safety incidents, however minor, should be reported promptly according to the established protocol.		
			- De-energise and lockout/ tagout the equipment during maintenance or cleaning to prevent unexpected startup.		



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			 Keep the work area well-lit and clear of clutter to minimise the chances of trips or falls while operating the vibrator. 		
			- Have a qualified electrician repair any faults determined during inspection or normal use.		
4. Safe Work Methodology Review	Lack of understanding to suate communication			1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
5. Personal Protective Equipment (PPE) Check	Improper PPE fit, Daniele & PE			2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
6. Transporting Concrete Vibrators	Manual handling injuries, Transport related hazards	ЗН		2M	
7. Set-up of Concrete Vibrator	Fall from heights, Incorrect set-up process, Slips, trips	3H		2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
8. Operating Concrete Vibrator	Vibrational injury, Noise induced hearing loss	4A		3Н	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
9. Breaks in Operation	Hazardous substances exposure, Dehydration, Fatigue	ЗН		2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
10. Cleaning and Maintenance	Exposure to dust, Cuts or abrasions, Chemical burns	ЗН		2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
11. Equipment Fault Reporting	Inappropriate report identification of faults	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
12. Storage of Concrete Vibrator	Improper storage, Manual handling ris			1L	
13. Waste Disposal	Hazardous waste exposure, Incorrect disposal methods	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
14. Demobilisation & Pack Down	Manual handling injuries, Leaving hazards behind	3H		2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
15. Post-Work Checks And Review	Neglecting to identify future risks, Miscommunication	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON





EMERGENCY RESPONSE - CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE OF AT ARE NOT APPLICABLE.

Queensland & Australian Capital Territory

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws

Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

New South Wales

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis > odes-or racti

Northern Territory

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulation 2011

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/wo_place-syllaws

Codes of Practice NT: https://worksafe.nt.gov.au/5

South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: https://www.safework.sa.gov.au/resources/legislation

Codes of Practice for SA: https://www.safework.sa.gov.au/wor aces/codes-of-practice#COPs

Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

Victoria

Occupational Health al. Safety Act 34

Occupational Health and Infety gulations 2017

Legis on VIC: https://www.safe.vic.gov.au/occupational-health-and-safety-act-and-

gulat

des on actice VI autros://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: https://www.commerce.wa.gov.au/worksafe/legislation

Codes of Practice WA: https://www.commerce.wa.gov.au/worksafe/codes-practice

Safe Work Australia Links

Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice

Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work





SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Pos	sition	Signature	Date	Time	Sup	ervisor
				Date:			
				Datu			
				L te:			
				Date:			
				Date:			
				Date:			
				Date:			
		SAF WC	STATEMENT	MONITORING AND RE	VIEW		
The SWMS must be review revised if necessary) if relevations consultation with workers (into the SWMS and their health workplace. When the SWMS has been radvised that a revision has been who will need to change a what a way that will enable them to will be involved in the work makes the service of the se	ant control measucluding contractors and sub- h and safety representatives revised the PCBU must ensure made and how they call ork procedure or system as o implement their duties consust be provided with the rel	contract s) who may be affected that work who processes the revised SWMS a result of the revised SWMS are sult of the revised SWMS a	chould be carried out in fected by the operation of the desired by the operation of the desired by the operation of the desired by the operation of the changes in the changes in the operation of the		k of incidents, keeping the hitoring the effectiveness broach which includes but h workers, contractors are a continual basis. Improvement, promptly a corrective action and considerations.	e workplace safe for all of the Safe Work Meth is not limited to: and sub-contractors. recording inconsistenci sultation with all releva	If personnel. The sod Statement should statement should see or deficiencies, not personnel ensures
REVIEW NUMBER	□ 1	□ 2	□ 3	□ 4	□ 5	□ 6	□ 7
NAME							
INITIALS							
DATE							

Version 2.5 Authorised by Review # Date of Issue: Review Date: 18





SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	TO BE DONE	COMMENTS
The company details have been entered, including the project name and address.			
Names and signatures of all relevant personnel consulted during the development of the SWMS.		P A	
Name, signature, position and date signed of the person approving the SWMS.			
Specific personnel and qualifications, experience is noted in the SWMS.	P		
Provides a step-by-step process of tasks required to carry out the activity or task.			
Adequate risk assessment of any identified hazards has been completed.			
Foreseeable hazards are identified and documented for each step.			
Any hazards listed in any site risk assessments have been added to the SWI			
SWMS initial risk (IR) column as well as residual risk (RR) columns completed.			
Check control measures added to the SWMS are the most effecting sections.			
Responsible person is assigned and listed on the SWMS for the imperent of contameasures.			
Permit requirements specified, such as Hot Work, Electrical Work, Vorat Heights etc.			
SWMS identifies plant and equipment to be u d.			
Details of inspection checks required for any equipment listed at noted on the SWMS.			
Describes any mandatory qualifications, experience raining skills required to perform the work.			
Applicable personal protective equipment is selected on the SWMS.			
Lists any required permits or licenses.			
Reflects and documents any legislative references and/or Australian Standards.			
Identifies any hazardous substances used with specific control measures in line with any SDS.			
REVIEWED BY	DATE R	EVIEWED	
SIGNATURE	DATE CC	MPLETED	