

Electrical Testing	SAFE WORK METHOD ST	ATEMENT (SWMS)	
TA	SK OR ACTIVITY: Electrical Test	ing	
Business Name: [Company Name]		ABN: [ABN]	SWMS#
Business Address: [Company Address]			
Contact Person:	Phone: [Phone]	E fil:	
THIS SAFE WORK METHOD	STATEMENT IS APPROVED BY	THE POST THE PROJECT	
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.	cting a business or undertaking (I 3U) is	required to ture at a safe work method s	tatement (SWMS) is prepared before
Full Name:			
Signature:		Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring	compliance of the SWMS well as review	s and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS WMS. ST HAVE THE FOLLOWING COMMUNICATED	N. 1E AND DATED SIGNATURE OF A CO. MUNICATED TO IN THE DEVELO	LL RELEVANT PERSONNEL WHO HAVE B PMENT AND APPROVAL OF THIS SWMS	EEN CONSULTED AND
Safety meetings or toolbox talks will be sched ed in accordance with agislative requirements to first identify any site hazards, conditions unical those hazards and then to further take steps to either the conditions of the cond	NAME	SIGNATURE	DATE
If an incident or a near miss occurs, all work must steam ately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			

Version 2.5 Authorised by Review # Date of Issue: Review Date: 1



	CLIENT OR PRINCIPAL CONTRACTOR DETAILS SCORE OF WORKS										
Client:						SCOPE OF WORKS					
Project Name:				Provide a detailed description	n of the specific work being	carried out (otherwise					
Project Address:					known as cope of works).						
Project Manager:											
Contact Phone:											
Project Manager Sig	gnature:										
Date SWMS supplie	ed to Project Manager:										
		ANY HIGH	RISK CON PUCT	N' JRK BEING	CARRIED OUT						
☐ involves a risk of a p	erson falling more than 2 n	neters.		is carried out on or near pressurised gas mains or piping.							
☐ is carried out on a te	lecommunication tower.		M + M	is carried out on	is carried out on or near chemical, fuel or refrigerant lines.						
☐ involves demolition of	of an element of a structure	that is load-be		is carried out on	is carried out on or near energised electrical installations or services.						
☐ involves demolition of	of an element related to the	e physical integril of a str	3	is carried out in an area that may have a contaminated or flammable atmosphere.							
☐ involves, or is likely t	o involve, disturbing a es	stos.		involves tilt-up or precast concrete.							
☐ involves structural al	teration or repair that re	mporal, upp to p	prevent collapse.	is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor.							
is carried out in or ne	ear a confined space.			is carried out in an area of a workplace where there is any movement of powered mobile plant.							
☐ is carried out in/near	a shaft or trench deeper th	nan 1.5m or tunnel involvir	ng use of explosives.	is carried out in areas with artificial extremes of temperature.							
is carried out in or ne	ear water or other liquid tha	at involves a risk of drowning	ng.	involves diving v	vork.						
		ANY H	IGH-RISK MACHINER	RY OR EQUIPMEN	NT NEARBY						
☐ Forklift	☐ Crane/s	☐ Hoist/s	☐ Excavator	☐ Backhoe/Loader	Boom Lift	□ EWP	☐ Genie Lift				
☐ Trencher	☐ Drilling Rig	Trucks	Formwork	☐ Bobcat	☐ Flammable Gas	☐ Fuel	☐ Dozer				
☐ High Voltage	☐ Mulcher	☐ Tilt-up Panels	Roller	☐ Scissor Lift	☐ Tractor	☐ Other -					

Version 2.5 Authorised by Review # Date of Issue: Review Date: 2





FOOT HAND **HEAD HEARING** SPIRATORY FACE HIGH-VIS **PROTECTIVE** FALL SUN HAIR/JEWELLERY CLOTHING **PROTECTION PROTECTION** PROTECTION **PROTECTION** PROTE DTECTION **PROTECTION** CLOTHING **PROTECTION PROTECTION SECURED**

Select me appropriate PPE above suitable for the equipment used or the job task being performed (if applicable).

Note: A SWMS must be reviewed regularly to make sure it remains effective. A SWMS must be reviewed (and revised if necessary) if relevant control measures are revised. The review process should be carried out in consultation with workers (including contractors and subcontractors) who may be affected by the operation of the SWMS and their health and safety representatives who represented that work group at the workplace.

When a SWMS has been revised, the person conducting a business or undertaking must ensure all:

- 1. persons involved in the work are advised that a revision has been made and how they can access the revised SWMS;
- 2. persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS: and.
- 3. workers that will be involved in the work are provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			 Inspection and maintenance: Regularly inspect and maintain all electrical testing equipment according to the manufacturer's guideline ensuring they are in good working order before use. Skill assessment: Assess the competency wells of all workers involved in electrical 		
			testing tasks and provide adequate training supervisions those who do not possess the necessary skills.		
			- Safe work procedures: Develop and implement fe work procedures for conducting electrical testing, array outlining the same is investigated and hazards to be aware of.		
			- Personal prote to equit ent (n 5): Require a workers to wear appropriate PPE, such as mety glasse linsular a gloves and non-conductive footwear, during electrical test tasks.		
			- Training and conservey verification: Provide regular training sessions on electron fety an esting procedures, ensuring all workers are up-to-date with current extractics and industry standards.		
1. Preparation	Faulty equipment, Inadequate training	2M	- Risk a less int: Co lict a thorough risk assessment before commencing any factrical esting lisk, identifying potential hazards and implementing suitable control in little o minipuse risks.	1L	
			Pre-state pecks: Perform pre-start checks on all electrical testing equipment, suring there are no defects or damage that could compromise safety during operation.		
			Isolation and lockout/tagout procedure: Implement an isolation and lockout/tagout procedure before carrying out electrical testing, preventing accidental energising and ensuring worker safety.		
			- First aid facilities: Ensure that well-equipped first aid facilities are readily available at the worksite and that all workers are trained in basic first aid procedures related to electrical injuries.		
			- Clear workspace: Maintain a clean and clutter-free workspace during electrical testing activities, helping to reduce trip hazards and providing a safer environment for workers.		
			- Incident reporting: Encourage an open culture of communication by requiring workers to promptly report any incidents, near misses, or safety concerns related to electrical testing, allowing for continuous improvement in workplace safety practices.		
2 Inspection	Electrical shock, Accidental start-up	3H	- Proper isolation: Ensure all equipment is adequately isolated from electrical sources before commencing inspection. Follow lockout/tagout procedures to prevent	2M	
2. Inspection	Lieumai Silouk, Addideniai Statt-up	JH	accidental re-energising of the system being tested. - Use of insulated tools: Always utilise insulated tools and equipment when working with electrical systems to minimise the risk of electrical shock.	2101	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			 Inspection by a competent person: Only qualified and experienced personnel should perform electrical testing, as they possess the necessary knowledge and skills in electrical safety. Risk assessment: Carry out a thorough risk as assement before commencing any electrical testing and take appropriate mean as to minimise risks associated with electrical shock and accidental start-up. Personal protective equipment (PPE): Worke that wear appropriate PPE, such as gloves, safety glasses, and non-conductive for ever, to reduce potential hazards of electrical shock during test. Clear signage: Clear work the ork area with releast warning signs indicating electrical hazard annors to be so electrones are in place. Visual hinspet as: Contact a visual has ction of the equipment or system prior to electronesting, lide any any visible damage, loose connections, or other potential hazard. Regulant tracing: Ende all workers receive regular refresher training on electrical safety procedures and other safety equipment: Use appropriate testing astrumes a such as multimeters with the correct settings, and regularly maintain ase tools for accurate readings and optimal performance. Communication: Maintain clear communication lines between team members throughout the inspection process to ensure everyone is aware of ongoing tasks and potential hazards. Permit-to-work system: Implementing a permit-to-work management system can help manage and monitor activities carried out at the workplace, ensuring that proper planning and risk assessment processes are followed before any electrical testing begins. 		
3. Test area set-up	Poor lighting, Tripping hazards	2M	 Ensure adequate and evenly distributed lighting is provided in the test area, using task-specific portable lights when necessary. Regularly inspect the work area for potential tripping hazards such as loose wires, cables, or stray equipment, and eliminate them promptly. Clearly mark and define the testing area to segregate it from surrounding activity zones, preventing any unauthorised access. Utilise high-visibility floor markings or safety tape to indicate potential tripping hazards, such as cords or cables running across walkways. Install cable management systems like cable covers, cable trays or hooks to properly organise and secure electrical cords in the testing area and reduce trip hazards. 	1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			- Regularly review and update risk assessments for the test area set-up and ensure that all staff are aware of the identified hazards and control measures implemented.		
			- Conduct toolbox talks with workers involved in terring to discuss the possible hazards, including slips, trips, and falls, and her ney can minimise the risks associated with these hazards.		
			- Provide appropriate personal protective equation (a) for workers involved in testing, such as non-slip shoes, gloves, and sales asses to further reduce the risk of accidents.		
			- Implement a reporting system, at encourages we are contify and report any new or existing haza media. V.		
			- Develop an or agency reconserving for the tracarea, ensuring that all workers are familiar to the process es to for a fine e of an incident.		
			- Keeping e test and a class and free of durins, excess materials, or tools that may contribute to tripp and azards or other safety concerns.		
			- Estat, she egular mintenance schedule for inspection and servicing of equipment in the test and to ensure its safe functioning and to avoid any unforeseen incident:		
	1		testing to pment, ensuring they understand the potential hazards and are mpeter on implementing the necessary control measures to mitigate risks.		
	5				
4. Equipment	Improper calibration, Electrical overload	3H		1L	
calibration					



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
5. Voltage testing	Inadvertent contact with live parts, False reading of equipment	4A		2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
6. Insulation test	Insulation breakdown, Electric arcs	ЗН		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
7. Current test	Accidental discharge through a fault, High current passing through equipment	3Н		2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
8. Continuity test	False readings, Misinterpretation of results	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
9. Polarity test	Incorrect wiring, Batteries overheating	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL	NAME OF PERSON
10. Earth resistance test	Electric shock, Failure of grounding system	3H		2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
11. Temperature measurements	Overheating of equipment, Burns	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
12. Torque tests	Loose connections, Tool slipping or dropping	3H		2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
13. Visual inspection	Poor vantage point, Eye strain	1L		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
14. Documentation and reporting	Providing false information, Overlapping entries	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
15. Clean up	Tool damage, Exposure to harmful cleaning agents	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON



EMERGENCY RESPONSE - CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE OF AT ARE NOT APPLICABLE.

Queensland & Australian Capital Territory

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

 $\textbf{Legislation QLD:} \ \underline{\textbf{https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws}$

Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

New South Wales

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis > odes-or racti

Northern Territory

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulation 201

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/wo_place-syllaws

Codes of Practice NT: https://worksafe.nt.gov.au/f

South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: https://www.safework.sa.gov.au/resources/le_lation

Codes of Practice for SA: https://www.safework.sa.gov.au/work_aces/codes-of-practice#COPs

Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

Victoria

Occupational Health all Safety Act

Occupational Health and Infety gulations 2017

Legis on VIC: https://www.xsafe.vic.gov.au/occupational-health-and-safety-act-and-

<u>qulat.</u>

des on actice VI autros://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: https://www.commerce.wa.gov.au/worksafe/legislation

Codes of Practice WA: https://www.commerce.wa.gov.au/worksafe/codes-practice

Safe Work Australia Links

Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice

Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

		d agrees to use all r ersonal						
Worker Name	Pos	sition	Signature	Date	Time	Sup	pervisor	
				Date:				
				_				
				Date				
				l te:				
			AV	Date:				
				Date:				
				Date:				
				Date:				
		SAF WC A 5	THUD STATEMENT	MONITORING AND I	REVIEW			
revised if necessary) if relevations consultation with workers (into the SWMS and their health workplace. When the SWMS has been radvised that a revision has been who will need to change a way that will enable them to	When the SWMS has been revised the PCBU must ensure that all persons involved with the work are advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist				ponitored regularly for the risk of incidents, keeping to nonitoring the effectiveness approach which includes but with workers, contractors as on a continual basis. The position of the pos	he workplace safe for a sof the Safe Work Metal at is not limited to: and sub-contractors. recording inconsistence insultation with all relevant	all personnel. The hod Statement should statement should size or deficiencies, ant personnel ensures	
REVIEW NUMBER	□ 1	□ 2	□ 3	<u></u> 4	□ 5	□ 6	□ 7	
NAME								
INITIALS								
DATE								

Version 2.5 Authorised by Review # Date of Issue: Review Date: 21



SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	TO BE DONE	COMMENTS
The company details have been entered, including the project name and address.			
Names and signatures of all relevant personnel consulted during the development of the SWMS.			
Name, signature, position and date signed of the person approving the SWMS.			
Specific personnel and qualifications, experience is noted in the SWMS.	P		
Provides a step-by-step process of tasks required to carry out the activity or task.			
Adequate risk assessment of any identified hazards has been completed.			
Foreseeable hazards are identified and documented for each step.			
Any hazards listed in any site risk assessments have been added to the SWI			
SWMS initial risk (IR) column as well as residual risk (RR) columns completed.			
Check control measures added to the SWMS are the most effections.			
Responsible person is assigned and listed on the SWMS for the imperment of continues we will be a supported by the continues of continues and the second of continues and	res.		
Permit requirements specified, such as Hot Work, Electrical Work, Vocat Heights etc.			
SWMS identifies plant and equipment to be u 1.			
Details of inspection checks required for any equipment listed at noted on the SWMS.			
Describes any mandatory qualifications, experience raining skills required to perform the work	🗆		
Applicable personal protective equipment is selected on the SWMS.			
Lists any required permits or licenses.			
Reflects and documents any legislative references and/or Australian Standards.			
Identifies any hazardous substances used with specific control measures in line with any SDS.			
REVIEWED BY	DATE	REVIEWED	
SIGNATURE	DATE (COMPLETED	

Version 2.5 Authorised by Review # Date of Issue: Review Date: 22