

**High Pressure Cleaner Petrol | SAFE WORK METHOD STATEMENT (SWMS)**

**TASK OR ACTIVITY: High Pressure Cleaner Petrol**

Business Name: [Company Name]		ABN: [ABN]	SWMS#
Business Address: [Company Address]			
Contact Person:	Phone: [Phone]	Email:	

**THIS SAFE WORK METHOD STATEMENT IS APPROVED BY THE PROJECT MANAGER OF THE PROJECT**

Under the Work Health and Safety Regulation (WHS Regulation), a person conducting a business or undertaking (PCBU) is required to ensure that a safe work method statement (SWMS) is prepared before the proposed work starts.

Full Name:

Signature: \_\_\_\_\_ Title: \_\_\_\_\_ Date: \_\_\_\_\_

Details of the person(s) responsible for ensuring implementation, monitoring and compliance of the SWMS, as well as reviews and modifications of the SWMS.

Full Name: \_\_\_\_\_ Title: \_\_\_\_\_ Phone: \_\_\_\_\_

**ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS SWMS MUST HAVE THE FOLLOWING COMMUNICATED** | **NAME AND DATED SIGNATURE OF ALL RELEVANT PERSONNEL WHO HAVE BEEN CONSULTED AND COMMUNICATED TO IN THE DEVELOPMENT AND APPROVAL OF THIS SWMS**

	NAME	SIGNATURE	DATE
Safety meetings or toolbox talks will be scheduled in accordance with legislative requirements to first identify any site hazards, to conduct and communicate those hazards and then to further take steps to either eliminate or control each hazard.			
If an incident or a near miss occurs, all work must stop immediately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			

**CLIENT OR PRINCIPAL CONTRACTOR DETAILS**

Client:	SCOPE OF WORKS Provide a detailed description of the specific work being carried out (otherwise known as scope of works).
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Project Manager Signature:	
Date SWMS supplied to Project Manager:	

**ANY HIGH-RISK CONSTRUCTION WORK BEING CARRIED OUT**

<input type="checkbox"/> involves a risk of a person falling more than 2 meters.	<input type="checkbox"/> is carried out on or near pressurised gas mains or piping.
<input type="checkbox"/> is carried out on a telecommunication tower.	<input type="checkbox"/> is carried out on or near chemical, fuel or refrigerant lines.
<input type="checkbox"/> involves demolition of an element of a structure that is load-bearing.	<input type="checkbox"/> is carried out on or near energised electrical installations or services.
<input type="checkbox"/> involves demolition of an element related to the physical integrity of a structure.	<input type="checkbox"/> is carried out in an area that may have a contaminated or flammable atmosphere.
<input type="checkbox"/> involves, or is likely to involve, disturbing asbestos.	<input type="checkbox"/> involves tilt-up or precast concrete.
<input type="checkbox"/> involves structural alteration or repair that requires temporary supports to prevent collapse.	<input type="checkbox"/> is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor.
<input type="checkbox"/> is carried out in or near a confined space.	<input type="checkbox"/> is carried out in an area of a workplace where there is any movement of powered mobile plant.
<input type="checkbox"/> is carried out in/near a shaft or trench deeper than 1.5m or tunnel involving use of explosives.	<input type="checkbox"/> is carried out in areas with artificial extremes of temperature.
<input type="checkbox"/> is carried out in or near water or other liquid that involves a risk of drowning.	<input type="checkbox"/> involves diving work.

**ANY HIGH-RISK MACHINERY OR EQUIPMENT NEARBY**

<input type="checkbox"/> Forklift	<input type="checkbox"/> Crane/s	<input type="checkbox"/> Hoist/s	<input type="checkbox"/> Excavator	<input type="checkbox"/> Backhoe/Loader	<input type="checkbox"/> Boom Lift	<input type="checkbox"/> EWP	<input type="checkbox"/> Genie Lift
<input type="checkbox"/> Trencher	<input type="checkbox"/> Drilling Rig	<input type="checkbox"/> Trucks	<input type="checkbox"/> Formwork	<input type="checkbox"/> Bobcat	<input type="checkbox"/> Flammable Gas	<input type="checkbox"/> Fuel	<input type="checkbox"/> Dozer
<input type="checkbox"/> High Voltage	<input type="checkbox"/> Mulcher	<input type="checkbox"/> Tilt-up Panels	<input type="checkbox"/> Roller	<input type="checkbox"/> Scissor Lift	<input type="checkbox"/> Tractor	<input type="checkbox"/> Other -	

**RISK MATRIX**

LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE	ACTION	HEIRARCHY OF CONTROLS
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCEED	<b>Elimination</b> Remove the hazard.
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review before work starts.	<b>Substitution</b> Replace the hazard.
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	2M MODERATE	Ensure control measures in place.	<b>Isolation</b> Isolate People from the hazard
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	1L LOW	Monitor and keep records	<b>Engineering</b> Isolate the hazard.
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH			<b>Administrative</b> Change the work.
								<b>PPE</b>

**Notes on Hierarchy of Controls:** Elimination methods are the most effective and preferred when controlling a hazard. Substitution is the second most effective method of controlling a hazard. Engineering by isolation is the third most effective, while Administrative Controls by changing the work is the fourth most effective method. PPE (Personal Protective Equipment) is the least effective method.

**PERSONAL PROTECTIVE EQUIPMENT (PPE)**

FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION	HEARING PROTECTION	EYE/FACE PROTECTION	RESPIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Select the appropriate PPE above suitable for the equipment used or the job task being performed (if applicable).

**Note:** A SWMS must be reviewed regularly to make sure it remains effective. A SWMS must be reviewed (and revised if necessary) if relevant control measures are revised. The review process should be carried out in consultation with workers (including contractors and subcontractors) who may be affected by the operation of the SWMS and their health and safety representatives who represented that work group at the workplace.

When a SWMS has been revised, the person conducting a business or undertaking must ensure all:

1. persons involved in the work are advised that a revision has been made and how they can access the revised SWMS;
2. persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS; and,
3. workers that will be involved in the work are provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
1. Preparation	Inadequate training, incorrect PPE selection	3H	<ul style="list-style-type: none"> <li>- Provide appropriate training: Ensure that all workers involved in operating high-pressure cleaners have received adequate training, including the proper handling of equipment and the understanding of potential hazards.</li> <li>- Develop a comprehensive Safe Work Method Statement (SWMS): Create an accessible SWMS to outline the worksite's specific requirements, necessary precautions, and the steps taken to minimise risk.</li> <li>- Implement PPE requirements: Make sure that all workers wear suitable personal protective equipment (PPE), such as safety glasses, hearing protection, gloves, steel-toed boots, and suitable clothing, while using the high-pressure cleaner.</li> <li>- Regularly inspect PPE: Conduct regular inspections to confirm that all PPE is in good condition and replace any damaged items promptly.</li> <li>- Maintain up-to-date certifications: Verify that all relevant personnel hold current licenses or qualifications for operating high-pressure cleaning equipment.</li> <li>- Pre-use equipment checks: Before using the high-pressure cleaner, perform routine inspections to ensure it has no visible damage or leaks, and confirm the correct attachment of hoses and components.</li> <li>- Familiarise with the equipment: Encourage workers to familiarise themselves with the high-pressure cleaner's operator manual and fully understand its safe operation guidelines and emergency shut-off procedures.</li> <li>- Secure the work area: Implement effective barricades, signage, and cordons to restrict unauthorised access to the high-pressure cleaning zone and prevent potential injury to bystanders.</li> <li>- Assess environmental conditions: Check the work area for potentially hazardous conditions, such as slippery surfaces, electrical hazards, or obstructed pathways, and take remedial action if necessary.</li> <li>- Implement safe work practices: Encourage workers to maintain safe distances from the spray nozzle, avoid pointing the high-pressure cleaner at people or animals, and use the lowest pressure setting required for the task.</li> <li>- Establish communication protocols: Set clear verbal and non-verbal communication systems to enable effective coordination between team members during high-pressure cleaning operations.</li> <li>- Monitor and review control measures: Regularly evaluate the effectiveness of implemented control measures, reviewing any incidents or near misses to identify areas for improvement in maintaining worker safety while using high-pressure cleaners.</li> </ul>	2M	
2. Equipment inspection	Faulty hoses, damaged power outlets	2M	<ul style="list-style-type: none"> <li>- Conduct a thorough visual inspection of all hoses, connectors, and power outlets before each use, looking for any signs of wear, damage, or corrosion.</li> </ul>	1L	

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			<ul style="list-style-type: none"> <li>- Provide training to all workers involved in the operation and maintenance of the high-pressure cleaner, ensuring they understand how to properly inspect and identify faults.</li> <li>- Establish a regular maintenance schedule for the high-pressure cleaner and its accessories, ensuring timely repairs and replacements are carried out as needed.</li> <li>- Implement a tagging system for damaged or faulty equipment, clearly marking it as 'out of service' until it has been repaired or replaced.</li> <li>- Keep a record of all inspections, faults, and repairs made on the high-pressure cleaner and its accessories, helping to identify recurring issues and trends that may warrant further investigation.</li> <li>- Use only manufacturer-approved replacement parts and consumables for the high-pressure cleaner, ensuring that equipment maintains its structural integrity and remains fit for purpose.</li> <li>- Store hoses and attachments securely to prevent accidental damage from vehicles or other hazards when not in use.</li> <li>- Seat a safety officer at the worksite, responsible for monitoring the usage of the high-pressure cleaner and intervening if they notice any potentially unsafe practices.</li> <li>- Encourage workers to report any issues or concerns they may have regarding the condition of the equipment or their personal safety, creating a culture of open communication and shared responsibility.</li> <li>- Ensure that power outlets being used for the operation are regularly inspected for any signs of damage or wear, and immediately replace them if required.</li> <li>- Use GFCI (Ground Fault Circuit Interrupter) plugs or outlet protectors if the high-pressure cleaner is being operated near water sources.</li> <li>- Avoid using extension cords in wet or damp conditions where possible, and ensure that all connections remain dry and off the ground when the equipment is in operation.</li> <li>- Offer workers access to appropriate personal protective equipment (PPE), such as gloves, safety glasses, ear protection, and waterproof clothing, to minimise the risk of injury from potential equipment malfunctions or incidents.</li> </ul>		
3. Area setup	Tripping hazards, inadequate ventilation	3H	<ul style="list-style-type: none"> <li>- Inspect the work area beforehand to identify any potential tripping hazards, such as loose cables, uneven flooring or debris, and remove them before commencing with the high-pressure cleaning process.</li> <li>- Ensure that all power cords connected to the petrol high-pressure cleaner are secured using cable traps, covers, or tie-downs to minimise the risk of tripping.</li> <li>- Clearly mark the boundaries of the work area by using safety cones, barricade tapes, or warning signs to warn others about the ongoing high-pressure cleaning operation and to prevent unwanted entry into the area.</li> </ul>	2M	

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			<ul style="list-style-type: none"> <li>- Maintain a clean and organised work environment throughout the course of the job to further reduce the risk of tripping incidents.</li> <li>- Plan the workflow in such a way that it avoids creating additional slip or trip hazards due to pooled water or other residues from cleaning tasks.</li> <li>- Provide adequate ventilation by ensuring that windows, doors, and vents are open to facilitate proper air movement in the workspace, helping to reduce the buildup of exhaust fumes from the petrol high-pressure cleaner.</li> <li>- Consider using appropriate exhaust extraction systems or portable fans to further improve ventilation in enclosed spaces without natural air circulation.</li> <li>- Train workers on the proper use and maintenance of the petrol high-pressure cleaner, emphasising the need for regular inspection and cleaning of the equipment to prevent malfunctions.</li> <li>- Use only manufacturer approved cleaning agents compatible with the petrol high-pressure cleaner to avoid hazardous chemical reactions or risks associated with the release of harmful fumes.</li> <li>- Equip workers with appropriate PPE, including slip-resistant footwear, safety gloves and goggles, and if necessary, respirators for protection against fumes and chemicals.</li> <li>- Implement a spill response plan detailing the steps workers must take in case of accidental spills, leaks or other incidents that may contribute to an unsafe situation.</li> <li>- Conduct periodic risk assessments and revisiting the Safe Work Method Statement (SWMS) to keep track of evolving hazards and to ensure that necessary control measures are being followed by all personnel involved.</li> <li>- Encourage workers to report any issues, hazards or incidents promptly, and address these concerns in a timely manner to maintain a safe work environment.</li> <li>- Promote a culture of safety by regularly discussing workplace health and safety issues during team meetings or toolbox talks, and emphasising the importance of individual responsibility in preventing accidents and maintaining a hazard-free work area.</li> </ul>		
4. Transporting equipment	Manual handling injuries, vehicle accidents	3H	[REDACTED]	1L	

SAMPLE

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			[REDACTED]		
			[REDACTED]		
			[REDACTED]		
			[REDACTED]		
			[REDACTED]		
			[REDACTED]		
			[REDACTED]		
			[REDACTED]		
			[REDACTED]		
			[REDACTED]		
			[REDACTED]		
5. Fueling	Fuel spills, fire or explosion	4A	[REDACTED]	2M	
			[REDACTED]		
			[REDACTED]		
			[REDACTED]		
			[REDACTED]		
			[REDACTED]		

SAMPLE

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			[REDACTED]		
			[REDACTED]		
			[REDACTED]		
			[REDACTED]		
			[REDACTED]		
			[REDACTED]		
			[REDACTED]		
			[REDACTED]		
			[REDACTED]		
			[REDACTED]		
			[REDACTED]		
			[REDACTED]		
			[REDACTED]		
6. Starting high-pressure cleaner	Sudden hose movements, equipment malfunction	2M	[REDACTED]	1L	
			[REDACTED]		
			[REDACTED]		
			[REDACTED]		
			[REDACTED]		

SAMPLE



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			[REDACTED]		
7. Operation	Contact with high-pressure water jet, noise hazard	3H	[REDACTED]	2M	

SAMPLE

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			[Redacted]		
			[Redacted]		
			[Redacted]		
			[Redacted]		
			[Redacted]		
			[Redacted]		
			[Redacted]		
			[Redacted]		
			[Redacted]		
			[Redacted]		
			[Redacted]		
			[Redacted]		
			[Redacted]		
			[Redacted]		
			[Redacted]		
			[Redacted]		
			[Redacted]		
			[Redacted]		
			[Redacted]		
			[Redacted]		
			[Redacted]		
			[Redacted]		
			[Redacted]		
			[Redacted]		
			[Redacted]		
			[Redacted]		
			[Redacted]		
			[Redacted]		
			[Redacted]		
8. Use of cleaning chemicals	Chemical burns, inhalation of fumes	3H	[Redacted]	1L	

SAMPLE

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			[REDACTED]		
			[REDACTED]		
			[REDACTED]		
			[REDACTED]		
			[REDACTED]		
			[REDACTED]		
			[REDACTED]		
			[REDACTED]		
			[REDACTED]		
			[REDACTED]		
			[REDACTED]		
			[REDACTED]		
			[REDACTED]		
			[REDACTED]		
			[REDACTED]		
			[REDACTED]		
9. Switching off & disconnection	Electric shock, user error	2M	[REDACTED]	1L	

SAMPLE

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			[REDACTED]		
			[REDACTED]		
			[REDACTED]		
			[REDACTED]		
			[REDACTED]		
			[REDACTED]		
			[REDACTED]		
			[REDACTED]		
			[REDACTED]		
			[REDACTED]		
			[REDACTED]		
			[REDACTED]		
			[REDACTED]		
			[REDACTED]		
			[REDACTED]		

SAMPLE

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			[REDACTED]		
10. Cleaning up	Slippery surfaces, contact with contaminants	2M	[REDACTED]	1L	

SAMPLE

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			[REDACTED]		
11. Maintenance	Unplanned release of stored energy, exposure to hazardous materials	2M	[REDACTED]	1L	

SAMPLE

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
12. Storage	Improper storage leading to damage, unauthorised access	2M	[REDACTED]	1L	

SAMPLE

SAMPLE



**EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES**

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

**LEGISLATIVE REFERENCES**

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES FOR ANY STATE THAT ARE NOT APPLICABLE

<p><b>Queensland &amp; Australian Capital Territory</b>                  Work Health and Safety Act 2011                  Work Health and Safety Regulations 2011                  Legislation QLD: <a href="https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws">https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws</a>                  Codes of Practice QLD: <a href="https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice">https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice</a>                  Legislation ACT: <a href="https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations">https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations</a>                  Codes of Practice ACT: <a href="https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice">https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</a></p>	<p><b>Victoria</b>                  Occupational Health and Safety Act 2004                  Occupational Health and Safety Regulations 2017                  Legislation VIC: <a href="https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and-regulations">https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and-regulations</a>                  Codes of Practice VIC: <a href="https://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice">https://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</a></p>
<p><b>New South Wales</b>                  Work Health and Safety Act 2011                  Work Health and Safety Regulations 2017                  Legislation NSW: <a href="https://www.safework.nsw.gov.au/legal-obligations/legislation">https://www.safework.nsw.gov.au/legal-obligations/legislation</a>                  Codes of Practice NSW: <a href="https://www.safework.nsw.gov.au/resource-library/list-of-codes-of-practice">https://www.safework.nsw.gov.au/resource-library/list-of-codes-of-practice</a></p>	<p><b>Western Australia</b>                  Work Health and Safety Act 2020                  Work Health and Safety Regulations 2022                  Legislation Western Australia: <a href="https://www.commerce.wa.gov.au/worksafe/legislation">https://www.commerce.wa.gov.au/worksafe/legislation</a>                  Codes of Practice WA: <a href="https://www.commerce.wa.gov.au/worksafe/codes-practice">https://www.commerce.wa.gov.au/worksafe/codes-practice</a></p>
<p><b>Northern Territory</b>                  Work Health and Safety (National Uniform Legislation) Act 2011                  Work Health and Safety (National Uniform Legislation) Regulations 2011                  Legislation NT: <a href="https://worksafe.nt.gov.au/laws-and-compliance/workplaces-and-laws">https://worksafe.nt.gov.au/laws-and-compliance/workplaces-and-laws</a>                  Codes of Practice NT: <a href="https://worksafe.nt.gov.au/laws-and-compliance/codes-of-practice">https://worksafe.nt.gov.au/laws-and-compliance/codes-of-practice</a></p>	<p><b>Safe Work Australia Links</b>                  Law and Regulation (All States): <a href="https://www.safeworkaustralia.gov.au/law-and-regulation">https://www.safeworkaustralia.gov.au/law-and-regulation</a>                  Model Codes of Practice: <a href="https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice">https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice</a></p>
<p><b>South Australia</b>                  Work Health and Safety Act 2012 (SA)                  Work Health and Safety Regulations 2012 (SA)                  Legislation for SA: <a href="https://www.safework.sa.gov.au/resources/legislation">https://www.safework.sa.gov.au/resources/legislation</a>                  Codes of Practice for SA: <a href="https://www.safework.sa.gov.au/workplaces/codes-of-practice#COPs">https://www.safework.sa.gov.au/workplaces/codes-of-practice#COPs</a></p>	<p><b>Model Codes of Practice</b></p> <ul style="list-style-type: none"> <li>- Managing noise and preventing hearing loss at work</li> <li>- Confined spaces</li> <li>- Labelling of workplace hazardous chemicals</li> <li>- Managing risks of hazardous chemicals in the workplace</li> <li>- Welding processes</li> <li>- First aid in the workplace</li> <li>- Managing the risk of falls at workplaces</li> <li>- Hazardous manual tasks</li> <li>- Managing the risk of falls in housing construction</li> <li>- Managing electrical risks in the workplace</li> <li>- Demolition work</li> <li>- Excavation work</li> <li>- Work health and safety consultation, cooperation and coordination</li> <li>- Managing the work environment and facilities</li> <li>- How to manage work health and safety risks</li> <li>- Managing risks of plant in the workplace</li> <li>- Construction work</li> </ul>
<p><b>Tasmania</b>                  Work Health and Safety Act 2012                  Work Health and Safety (Transitional and Consequential Provisions) Act 2012                  Work Health and Safety Regulations 2012                  Work Health and Safety (Transitional) Regulations 2012                  Legislation for TAS: <a href="https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations">https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations</a>                  Codes of Practice for TAS: <a href="https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice">https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice</a></p> <p>Details of permits, licenses or access required by regulatory bodies (add or delete as required):</p> <ul style="list-style-type: none"> <li>- Permits from local council</li> <li>- Authorisation to commence work</li> <li>- Any required documents.</li> </ul>	

**SIGNATORIES OF THE SAFE WORK METHOD STATEMENT**

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Position	Signature	Date	Time	Supervisor
			Date:		
			Date:		
			Date:		
			Date:		
			Date:		
			Date:		
			Date:		

**SAFE WORK METHOD STATEMENT MONITORING AND REVIEW**

**The SWMS must be reviewed regularly** to make sure it remains effective and must be reviewed (and revised if necessary) if relevant control measures are needed. The review process should be carried out in consultation with workers (including contractors and subcontractors) who may be affected by the operation of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that all persons involved with the work are advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

**The SWMS must be monitored regularly** for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

1. Spot Checks.
2. Consultation with workers, contractors and sub-contractors.
3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5	<input type="checkbox"/> 6	<input type="checkbox"/> 7
NAME							
INITIALS							
DATE							

**SAFE WORK METHOD STATEMENT REVIEW CHECKLIST**

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	TO BE DONE	COMMENTS
The company details have been entered, including the project name and address.	<input type="checkbox"/>	<input type="checkbox"/>	
Names and signatures of all relevant personnel consulted during the development of the SWMS.	<input type="checkbox"/>	<input type="checkbox"/>	
Name, signature, position and date signed of the person approving the SWMS.	<input type="checkbox"/>	<input type="checkbox"/>	
Specific personnel and qualifications, experience is noted in the SWMS.	<input type="checkbox"/>	<input type="checkbox"/>	
Provides a step-by-step process of tasks required to carry out the activity or task.	<input type="checkbox"/>	<input type="checkbox"/>	
Adequate risk assessment of any identified hazards has been completed.	<input type="checkbox"/>	<input type="checkbox"/>	
Foreseeable hazards are identified and documented for each step.	<input type="checkbox"/>	<input type="checkbox"/>	
Any hazards listed in any site risk assessments have been added to the SWMS.	<input type="checkbox"/>	<input type="checkbox"/>	
SWMS initial risk (IR) column as well as residual risk (RR) columns completed.	<input type="checkbox"/>	<input type="checkbox"/>	
Check control measures added to the SWMS are the most effective solutions.	<input type="checkbox"/>	<input type="checkbox"/>	
Responsible person is assigned and listed on the SWMS for the implementation of control measures.	<input type="checkbox"/>	<input type="checkbox"/>	
Permit requirements specified, such as Hot Work, Electrical Work, Work at Heights etc.	<input type="checkbox"/>	<input type="checkbox"/>	
SWMS identifies plant and equipment to be used.	<input type="checkbox"/>	<input type="checkbox"/>	
Details of inspection checks required for any equipment listed are noted on the SWMS.	<input type="checkbox"/>	<input type="checkbox"/>	
Describes any mandatory qualifications, experience, training, skills required to perform the work.	<input type="checkbox"/>	<input type="checkbox"/>	
Applicable personal protective equipment is selected on the SWMS.	<input type="checkbox"/>	<input type="checkbox"/>	
Lists any required permits or licenses.	<input type="checkbox"/>	<input type="checkbox"/>	
Reflects and documents any legislative references and/or Australian Standards.	<input type="checkbox"/>	<input type="checkbox"/>	
Identifies any hazardous substances used with specific control measures in line with any SDS.	<input type="checkbox"/>	<input type="checkbox"/>	
<b>REVIEWED BY</b>		<b>DATE REVIEWED</b>	
<b>SIGNATURE</b>		<b>DATE COMPLETED</b>	