

| Installing Deep Pits and Greas | e Arrestors SAFE WORK | METHOD STATEMENT (SWM | IS) |
|--|---|---|-------------------------------------|
| TASK OR ACT | IVITY: Installing Deep Pits and G | rease Arrestors | |
| Business Name: [Company Name] | | ABN: [ABN] | SWMS# |
| Business Address: [Company Address] | | | |
| Contact Person: | Phone: [Phone] | E fil: | |
| THIS SAFE WORK METHOD | STATEMENT IS APPROVED BY | THE P. OF THE PROJECT | |
| Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts. | cting a business or undertaking (I SU) is | required to ture at a safe work method s | statement (SWMS) is prepared before |
| Full Name: | | | |
| Signature: | | Title: | Date: |
| Details of the person(s) responsible for ensuring implementation, monitoring | compliance of the SWMS well as review | s and modifications of the SWMS. | |
| Full Name: | | Title: | Phone: |
| ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS WMS. ST HAVE THE FOLLOWING COMMUNICATED | | LL RELEVANT PERSONNEL WHO HAVE B PMENT AND APPROVAL OF THIS SWMS | EEN CONSULTED AND |
| Safety meetings or toolbox talks will be sched ed in accordance with egislative requirements to first identify any site hazards, conditions inical those hazards and then to further take steps to either the conditions of the cond | NAME | SIGNATURE | DATE |
| If an incident or a near miss occurs, all work must standardly. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity. | | | |
| Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel. | | | |
| The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident. | | | |



| Client: | | | | SCOPE OF WORKS | | | | |
|--|-------------------------------|--------------------------------|-----------------------|---|-----------------------------------|------------------------------|------------------------|--|
| Project Name: | | | | | Provide a detailed description | n of the specific work being | carried out (otherwise | |
| Project Address: | | | | | known as cope of works). | | | |
| Project Manager: | | | | | | | | |
| Contact Phone: | | | | | | | | |
| Project Manager Sig | gnature: | | | | | | | |
| Date SWMS supplie | ed to Project Manager: | | | | | | | |
| | | ANY HIGH | RISK CON PUCT | N' JRK BEING | CARRIED OUT | | | |
| ☐ involves a risk of a p | erson falling more than 2 n | neters. | | is carried out on | or near pressurised gas mains | s or piping. | | |
| is carried out on a te | lecommunication tower. | | M + M | is carried out on | or near chemical, fuel or refrig | erant lines. | | |
| ☐ is carried out on a telecommunication tower. ☐ involves demolition of an element of a structure that is load-be in. | | | | is carried out on | or near energised electrical ins | stallations or services. | | |
| ☐ involves demolition of | of an element related to the | e physical integril of a str | 3 | is carried out in | an area that may have a conta | minated or flammable atmo | sphere. | |
| ☐ involves, or is likely t | o involve, disturbing a es | stos. | | ☐ involves tilt-up o | r precast concrete. | | | |
| ☐ involves structural al | teration or repair that re | mporal, upp to p | prevent collapse. | is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor. | | | | |
| is carried out in or ne | ear a confined space. | | | ☐ is carried out in an area of a workplace where there is any movement of powered mobile plant. | | | | |
| ☐ is carried out in/near | a shaft or trench deeper th | nan 1.5m or tunnel involvir | ng use of explosives. | is carried out in | areas with artificial extremes of | f temperature. | | |
| is carried out in or ne | ear water or other liquid tha | at involves a risk of drowning | ng. | involves diving v | vork. | | | |
| | | ANY H | IGH-RISK MACHINER | RY OR EQUIPMEN | NT NEARBY | | | |
| ☐ Forklift | ☐ Crane/s | ☐ Hoist/s | ☐ Excavator | ☐ Backhoe/Loader | Boom Lift | □ EWP | ☐ Genie Lift | |
| ☐ Trencher | ☐ Drilling Rig | Trucks | Formwork | ☐ Bobcat | ☐ Flammable Gas | ☐ Fuel | ☐ Dozer | |
| ☐ High Voltage | ☐ Mulcher | ☐ Tilt-up Panels | Roller | ☐ Scissor Lift | ☐ Tractor | ☐ Other - | | |





FOOT HAND **HEAD HEARING** SPIRATORY FACE HIGH-VIS **PROTECTIVE** FALL SUN HAIR/JEWELLERY CLOTHING **PROTECTION PROTECTION** PROTECTION **PROTECTION** PROTE DTECTION **PROTECTION** CLOTHING **PROTECTION PROTECTION SECURED**

Select me appropriate PPE above suitable for the equipment used or the job task being performed (if applicable).

Note: A SWMS must be reviewed regularly to make sure it remains effective. A SWMS must be reviewed (and revised if necessary) if relevant control measures are revised. The review process should be carried out in consultation with workers (including contractors and subcontractors) who may be affected by the operation of the SWMS and their health and safety representatives who represented that work group at the workplace.

When a SWMS has been revised, the person conducting a business or undertaking must ensure all:

- 1. persons involved in the work are advised that a revision has been made and how they can access the revised SWMS;
- 2. persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS: and.
- 3. workers that will be involved in the work are provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------|---|-----------------|---|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| 1. Preparation | Manual handling, Slips and falls | 2M | Conduct a thorough risk assessment before starting the installation process to identify potential hazards associated with manual hardling and slips and falls. Ensure that all workers have completed proportion and pulling and slips and falls. Ensure that all workers have completed proportion and pulling loads safely. Provide workers with appropriate personal hat ective quipment (PPE) such as steel-toed boots, gloves, and high-visibility vest to aduce the risk of injury during the installation process. Keep the work area clean, tide and well-lit to minion teath risk of slips and falls. Remove any obstacl to adebris out may pose a trip, anazard. Store all tools and material in dee nated are surhen not in use. Avoid leaving them on the found where orkers in trip our them. Uses a chanic raids and a strolleys, willies, or hoists to transport heavy or awkw to ems, in cousing the need for manual handling and reducing the potential for injure. Implete ant an uddy so tem when moving heavy objects, ensuring that at least two workers in a variety and the assist with any manual handling tasks. Inverse continuity impery surfaces with warning signs and, if possible, treat them with an an a coatings to minimise the risk of slips and falls. Inspect work equipment and ladders regularly, ensuring they are in good condition and free from defects, which could contribute to accidents. Establish an emergency response plan and ensure that all workers are familiar with its contents, including first aid procedures and evacuation protocols. Schedule regular rest breaks for workers, particularly during periods of heavy lifting or repetitive manual handling tasks, to minimise the risk of fatigue-related incidents. Encourage workers to practice good posture and utilise ergonomically designed tools whenever possible to reduce the risk of strains and other musculoskeletal injuries. Train workers to report any hazards, | 1L | |
| 2. Site inspection | Trip hazards, Exposure to hazardous materials | 2M | Prioritise regular site inspections: Conduct routine inspections of the workspace before and during the installation process to identify and rectify potential trip hazards, such as uneven floor surfaces, debris, or obstructions. Implement hazard communication protocols: Ensure that all workers are aware of the hazardous materials they may encounter during the installation, along with their potential dangers and proper handling procedures. | 1L | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------|---------------------------|-----------------|---|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | - Provide personal protective equipment (PPE): Supply each worker with appropriate PPE, including gloves, safety glasses, and chemical-resistant clothing if necessary, to minimise exposure to hazardous materials. | | |
| | | | - Designate clear walking paths: Establish well—med pathways around the installation site, free from obstructions and early marked to provide safe navigation for workers and minimise the risk of tripping | | |
| | | | - Secure loose cables and hoses: Properly but and secure any loose cables, hoses, or wires to minimise tripping hazards dun work activition | | |
| | | | - Store hazardous materials reconsibly: Keep any carcus materials in secure storage containers whereast in the land follow proper saste disposal protocols to prevent accident exposu | | |
| | | | - Offer safety aining: Provide comply ansity raining on Workplace Health and Safety ansuring that work is understance or silving control measures. | | |
| | | | - Develope spill researches plan: Create a protocol for responding to spills involving hazard as a terials, sluding containment, clean-up, and reporting procedures, to minimis the context of expoure and environmental contamination. | | |
| | | | to so on trial trip hazards and navigate safely around the workspace. | | |
| | | | Fincourage open communication: Foster an environment where workers feel fortable discussing potential hazards or concerns related to safety without fear of repusal, to improve overall workplace safety and health practices. | | |
| | | | - Obtain and review up-to-date utility maps and plans before starting any excavation work, to ensure workers are aware of the presence and location of underground services. | | |
| | | | - Perform a thorough visual inspection of the excavation site, identifying any signs of potential cave-ins or other ground instabilities that may present risks during the excavation process. | | |
| 3. Excavation | Cave-ins, Utility strikes | 3H | - Utilise adequate shoring or shielding systems, such as trench boxes or hydraulic supports, to help prevent cave-ins and protect workers from potential harm while working in deep pits and excavations. | 2M | |
| | | | - Train all workers involved in the excavation process about proper digging techniques and safe work practices, ensuring they are effectively able to identify, report, and mitigate potential risks. | | |
| | | | - Ensure that appropriate personal protective equipment (PPE), such as hard hats, steel-toed boots, high-visibility vests, and hearing protection, is worn by all workers during excavation activities. | | |
| | | | - Implement a comprehensive communication plan among team members, including designated spotters, to ensure awareness of potential risks and timely response to hazards during excavation work. | | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|----------------------------|--------------------------------------|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | - Schedule regular breaks and shift rotations for workers involved in excavation tasks, allowing them to remain alert and focused on maintaining safe work environments. | | |
| | | | - Establish emergency egress routes and exit to as from the excavation area, ensuring that workers are able to quickly extracted in case of a cave-in, utility strike, or other emergencies. | | |
| | | | - Place warning signs, barriers, or barricades a time excavation site to control access and prevent unauthorised entry into the cavation are chinimising the risk of accidents due to untrained resonnel entering heardour ries. | | |
| | | | - Regularly monitor was a corn, one and adjust we suchedules as necessary to accommodate provided by ges in oil stability, reducing the likelihood of cave-ins or other soils used hazard luring cavations unities. | | |
| 4. Installation of shoring | Falls from height, Crushing injuries | ЗН | | 2M | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------|----------------------------------|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | | | |
| | | | | | |
| . Pipe cutting | Machinery hazards noise exposure | 2M | | 1L | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|----------------------|-----------------------------|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | | | |
| 6. Pipe installation | Manual handling, which have | 2M | | 1L | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|------------------------------|---------------------------------|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| 7. Grease arrestor placement | Manual handling, Crush injuries | 2M | | 1L | |



10

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|--------------------------|---------------------------------|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| 8. Deep pit installation | Confined spaces, Falls into pit | ЗН | | 2M | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------|-------------------------|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | | | |
| 9. Backfilling | Cave-ins, Excavator con | ЗН | | 2M | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|--------------------------|------------------------------------|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | | | |
| 10. Pipework connections | Welding exposures, Manual handling | 2M | | 1L | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|----------------------|----------------------------------|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | | | |
| 11. Pressure testing | Pipe leaks, High-pressure injury | 2M | | 1L | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------|----------------------------------|-----------------|--|------------------------|------------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | IR INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RR RESIDUAL RISK | PERSON NAME OF PERSON |
| 12. Site clean-up | Manual handling, Slips and trips | 2M | | 1L | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------|------------------------|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | | | |
| | | | | | |



EMERGENCY RESPONSE - CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE OF AT ARE NOT APPLICABLE.

Queensland & Australian Capital Territory

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

 $\textbf{Legislation QLD:} \ \underline{\textbf{https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws}$

Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

New South Wales

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislations/leg

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis codes-of ractice NSW: https://www.safework.nsw.gov.au/resource-library/lis codes-of-ractice NSW

Northern Territory

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulation 201

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/worksafe.nt.gov.au/laws-and-compl

Codes of Practice NT: https://worksafe.nt.gov.au/5

South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: https://www.safework.sa.gov.au/resources/le_lation

Codes of Practice for SA: https://www.safework.sa.gov.au/work_aces/codes-of-practice#COPs

Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

Victoria

Occupational Health al. Safety Act

Occupational Health and affety gulations 2017

Legis on VIC: https://www.safe.vic.gov.au/occupational-health-and-safety-act-and-

<u>Julai.</u>

des on actice VIC attps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: https://www.commerce.wa.gov.au/worksafe/legislation

Codes of Practice WA: https://www.commerce.wa.gov.au/worksafe/codes-practice

Safe Work Australia Links

Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice

Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

| | Tollow ally sale work instructions which are provided, and agrees to use all reisonal riotective Equipment where appropriate. | | | | | | | | |
|--|---|--------|---|-------|----------------------------|------------|----------|--|--|
| Worker Name | Pos | sition | Signature | Date | Time | Sup | pervisor | | |
| | | | | Date: | | | | | |
| | | | | _ | | | | | |
| | | | | Date | | | | | |
| | | | | l te: | | | | | |
| | | | AV | Date: | | | | | |
| | | | | Date: | | | | | |
| | | | | Date: | | | | | |
| | | | | Date: | | | | | |
| | SAF WC A STHED STATEMENT MONITORING AND REVIEW | | | | | | | | |
| The SWMS must be reviewed regularly to rake sure it remains effective and must be reviewed (and revised if necessary) if relevant control measure are subcontract so who may be affected by the operation of the SWMS and their health and safety representatives who receives esented that work group at the workplace. When the SWMS has been revised the PCBU must ensure that all persons involved with the work are advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist | | | The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to: 1. Spot Checks. 2. Consultation with workers, contractors and sub-contractors. 3. Internal audits on a continual basis. An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures | | | | | | |
| them to understand and imp | | | | | tently developing ever-imp | 3 , | ' ' | | |
| REVIEW NUMBER | 1 | □ 2 | □ 3 | □ 4 | □ 5 | □ 6 | □ 7 | | |
| NAME | | | | | | | | | |
| INITIALS | | | | | | | | | |
| DATE | | | | | | | | | |



SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

| ITEMS WHICH MUST BE INCLUDED IN THE SWMS | COMPLETED | TO BE DONE | COMMENTS |
|---|-----------|------------|----------|
| | | | |
| The company details have been entered, including the project name and address. | | | |
| Names and signatures of all relevant personnel consulted during the development of the SWMS. | | P | |
| Name, signature, position and date signed of the person approving the SWMS. | | | |
| Specific personnel and qualifications, experience is noted in the SWMS. | P | | |
| Provides a step-by-step process of tasks required to carry out the activity or task. | | | |
| Adequate risk assessment of any identified hazards has been completed. | | | |
| Foreseeable hazards are identified and documented for each step. | | | |
| Any hazards listed in any site risk assessments have been added to the SWI | | | |
| SWMS initial risk (IR) column as well as residual risk (RR) columns completed. | | | |
| Check control measures added to the SWMS are the most effecting sections. | | | |
| Responsible person is assigned and listed on the SWMS for the imperent of contameasures. | | | |
| Permit requirements specified, such as Hot Work, Electrical Work, Vocat Heights etc. | | | |
| SWMS identifies plant and equipment to be u d. | | | |
| Details of inspection checks required for any equipment listed at noted on the SWMS. | | | |
| Describes any mandatory qualifications, experience reining skills required to perform the work. | | | |
| Applicable personal protective equipment is selected on the SWMS. | | | |
| Lists any required permits or licenses. | | | |
| Reflects and documents any legislative references and/or Australian Standards. | | | |
| Identifies any hazardous substances used with specific control measures in line with any SDS. | | | |
| | | | |
| REVIEWED BY | DATE R | EVIEWED | |
| SIGNATURE | DATE CO | MPLETED | |