

Loading and Unloading At Third	l Party Sites   SAFE WORK	METHOD STATEMENT (SWI	MS)						
TASK OR ACTIV	/ITY: Loading and Unloading At	Γhird Party Sites							
Business Name: [Company Name]		ABN: [ABN]	SWMS#						
Business Address: [Company Address]									
Contact Person:	Phone: [Phone]	E il:							
THIS SAFE WORK METHOD	STATEMENT IS APPROVED BY	THE PLOOF THE PROJECT							
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.	eting a business or undertaking (N 3U) is	required to ture at a safe work method s	tatement (SWMS) is prepared before						
Full Name:									
Signature:		Title:	Date:						
Details of the person(s) responsible for ensuring implementation, monitoring and compliance of the SWMS, well as reviews and modifications of the SWMS.									
Full Name:		Title:	Phone:						
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS WMS. ST HAVE THE FOLLOWING COMMUNICATED	N. 1E AND DATED SIGNATURE OF A CO. MUNICATED TO IN THE DEVELO	LL RELEVANT PERSONNEL WHO HAVE BI PMENT AND APPROVAL OF THIS SWMS	EEN CONSULTED AND						
Safety meetings or toolbox talks will be sched ed in accordance with egislative requirements to first identify any site hazards, conditions those hazards and then to further take steps to either the conditions of the conditions are or conditional talks.	NAME	SIGNATURE	DATE						
If an incident or a near miss occurs, all work must standardly. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.									
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.									
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.									



		CL	IENT OR PRINCIPAL	CONTRACTOR D	DETAILS		
Client:						SCOPE OF WORKS	
Project Name:					Provide a detailed description	n of the specific work being	carried out (otherwise
Project Address:					known as cope of works).		
Project Manager:							
Contact Phone:							
Project Manager Sig	gnature:						
Date SWMS supplie	ed to Project Manager:						
		ANY HIGH	RISK CON PUCT	N' JRK BEING	CARRIED OUT		
☐ involves a risk of a p	erson falling more than 2 n	neters.		is carried out on	or near pressurised gas mains	s or piping.	
is carried out on a te	lecommunication tower.		M + M	is carried out on	or near chemical, fuel or refrig	erant lines.	
☐ involves demolition of	of an element of a structure	that is load-be		is carried out on	or near energised electrical ins	stallations or services.	
☐ involves demolition of	of an element related to the	e physical integrit of a str	3	is carried out in	an area that may have a conta	minated or flammable atmo	sphere.
ANY HIGH-RISK CON  Involves a risk of a person falling more than 2 meters.  Is carried out on a telecommunication tower.  Involves demolition of an element of a structure that is load-bein.  Involves demolition of an element related to the physical integrit of a structure, involves, or is likely to involve, disturbing a cestos.  Involves structural alteration or repair that recomporary upper to prevent collapse				☐ involves tilt-up o	r precast concrete.		
☐ involves structural al	teration or repair that re	mporal, upp to p	prevent collapse.	is carried out on	, in or adjacent to a road, railwa	ay, shipping lane or other tr	affic corridor.
is carried out in or ne	ear a confined space.			is carried out in	an area of a workplace where t	there is any movement of po	owered mobile plant.
involves a risk of a person falling more than 2 meters.  is carried out on a telecommunication tower.  is carried out on or near chemical, fuel or refrigerant lines.  involves demolition of an element of a structure that is load-be n.  involves demolition of an element related to the physical integrit of a structure.  involves, or is likely to involve, disturbing a sestos.							
is carried out in or ne	ear water or other liquid tha	at involves a risk of drowning	ng.	involves diving v	vork.		
		ANY H	RY OR EQUIPMEN	NT NEARBY			
☐ Forklift	☐ Crane/s	☐ Hoist/s	☐ Excavator	☐ Backhoe/Loader	Boom Lift	□ EWP	☐ Genie Lift
☐ Trencher	☐ Drilling Rig	Trucks	Formwork	☐ Bobcat	☐ Flammable Gas	☐ Fuel	☐ Dozer
☐ High Voltage	☐ Mulcher	☐ Tilt-up Panels	Roller	☐ Scissor Lift	☐ Tractor	☐ Other -	





#### FOOT HAND **HEAD HEARING** SPIRATORY FACE HIGH-VIS **PROTECTIVE** FALL SUN HAIR/JEWELLERY CLOTHING **PROTECTION PROTECTION** PROTECTION **PROTECTION** PROTE DTECTION **PROTECTION** CLOTHING **PROTECTION PROTECTION SECURED**

Select me appropriate PPE above suitable for the equipment used or the job task being performed (if applicable).

**Note:** A SWMS must be reviewed regularly to make sure it remains effective. A SWMS must be reviewed (and revised if necessary) if relevant control measures are revised. The review process should be carried out in consultation with workers (including contractors and subcontractors) who may be affected by the operation of the SWMS and their health and safety representatives who represented that work group at the workplace.

When a SWMS has been revised, the person conducting a business or undertaking must ensure all:

- 1. persons involved in the work are advised that a revision has been made and how they can access the revised SWMS;
- 2. persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS: and.
- 3. workers that will be involved in the work are provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
1. Preparation	Slips, trips and falls, manual handling injuries	2M	Conduct a site inspection and assess the area for any potential hazards, such as uneven surfaces, obstructions, or wet areas that cord contribute to slips, trips, and falls.  Provide appropriate personal protective or pment (PPE) for workers, including non-slip footwear and gloves to minimise through of slips of and manual handling injuries.  Implement proper housekes ning measures, including keeping to expend whether the sk of slips of and manual handling injuries.  Implement proper housekes ning measures, including keeping to expend whether the sk of clutter, and ensuring to sall cords, hoses, and other exential tripping hazards are properly managed of stored when not a strength of the sall shall be correct use of self-handling quipments, such spallet jacks or trolleys, to reduce the likelihood of the hual handler injuries.  Estimated design to calkways and keep them clear from any obstruction to provide the kers who a defined and safe path for movement around the loading and unloading in a sall strength of the sall shall be sall shall shall be sall shall shall be sall shall shall be sall shall s	1L	
2. Site Assessment	Third-party site hazards, public exposure to work	3H	- Conduct a thorough site assessment prior to loading/unloading at the third-party location to identify and mitigate any potential risks associated with the specific site.	1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			- Implement safety barriers and signs to separate the work area from public access, minimising inadvertent exposure of pedestrians or bystanders to loading/unloading operations.		
			- Coordinate with the third-party site management earn to understand their specific site rules, regulations, and emergency programmes and ensure all workers involved are briefed on these requirements.		
			- Arrange for designated routes for vehicle move within the third-party site, avoiding pedestrian walkways and high-traffic at a where possible.		
			- Perform all loading and unloading activities in descriptiones, ensuring adequate space is a property of the performance of a placement of equipment/materials.		
			- Adhere to a stablished mmunic on rewith clear lines of responsibility between all parts involve in the load miloading operation to eliminate misches unicate are minimise risks.		
			- Equil an resonne ingaged in loading/unloading activities with appropriate person pre-ctive exponent (PPE) such as high-visibility vests, hard hats, and steel-to pool		
			hedu loadh unloading activities during off-peak hours or times when the third- part, te speriences lower foot traffic to reduce the risk of incidents involving the ublic.		
			- pvide suitable training to all workers involved in the loading/unloading processes specific to the type of cargo, vehicle, and equipment being used.		
			- Establish a clear protocol for reporting any hazards, incidents, or near-misses to site supervisors, and actively engage in follow-up actions to prevent recurrence.		
			- Perform regular maintenance on all equipment used during loading/unloading processes to ensure it is functioning correctly and reducing unnecessary risks.		
			- Ensure proper signage is in place to alert passersby of any ongoing activities and potential hazards they may face in the vicinity of the work site.		
			- Continuously review and update the Safe Work Method Statement (SWMS) for loading/unloading at third-party sites, taking into account changes to site conditions or working practices, ensuring the most up-to-date safety measures are implemented.		
			- Regular vehicle inspections: Have a comprehensive inspection of the vehicle before and after each work shift, checking for any potential malfunctions or fluid leaks that may arise during operation.		
3. Vehicle Inspection	Vehicle malfunctions, fluid leaks	3H	- Maintaining a well-documented maintenance programme: Keep a record of all maintenance activities performed on the vehicle, including schedules for routine maintenance checks and servicing that align with the manufacturer's recommendations.	1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			<ul> <li>Training drivers: Ensure that all drivers handling the loading and unloading process are properly trained and hold valid licenses for operating the vehicles in question.</li> <li>This includes specific training related to identifying a preporting vehicle malfunctions and potential hazards.</li> </ul>		
			- Pre-start checklists: Establish a standard coating procedure (SOP) requiring drivers to complete a pre-start vehicle inspection checkly adentifying any potential malfunctions or fluid leaks before commencing or procedure (SOP).		
			<ul> <li>Monitoring fluid levels: Regularly check the vehicles of fluid levels including oil, coolant, brake, and power six long fluids, to preven any less and ensure optimal functioning.</li> </ul>		
			- Prompt repair conditions using a tems: In case of any malfunctions, take immediate a control to rectify a issue of very with authorised personnel or qualified mediates for reconstructions.		
			- Importanting self-conse procedures: Develop protocols for immediate containing that and compute of fluid spills at worksites, ensuring minimal impact on third party sees.		
			- Use of trip to a sand corbent materials: Place drip trays and absorbent materials speath to every be during extended periods of parking to minimise the risk of fluid lead corollminating the site.		
			Emerger shutdown procedure: Establish an emergency vehicle shutdown cedure in case of a significant fluid leak or malfunction, ensuring the safety of the dr. or and other personnel on-site.		
			Communication protocols: Maintain open lines of communication between drivers, management, and appropriate stakeholders to report any incidents or potential hazards promptly and effectively.		
			<ul> <li>Ongoing hazard analysis: Continuously review and update risk assessments for vehicle operations, considering changes in technology, processes, and site conditions. Implement new control measures where required to minimise the risk of vehicle malfunctions or fluid leaks at third-party sites.</li> </ul>		
Loading & Securing	Falling objects, inappropriate lifting	3H		2M	
	techniques				



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
5. Transporting	Traffic accidents, rollovers due to uneven weight distribution	4A		3H	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
6. Arrival at Site	Congestion around unloading zone, poor visibility	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
7. Communication & Coordination	Miscommunication, lack of clear instructions	4A		2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
8. Unloading & Positioning	Struck by falling objects, contact with overhead powerlines	14		3H	
9. Equipment Installation	Electrical hazards, improper usage of tools	3Н		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
10. Clean-up & Waste Disposal	Exposure to hazard materials, fire hazards	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
11. Sign-off & Documentation	Mistakes in documunauthorised access to information	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
12. Departure from Site	Collisions with other wehicle te, damage to property	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
	5				



#### **EMERGENCY RESPONSE - CALL 000 FOR EMERGENCIES**

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

#### LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE OF AT ARE NOT APPLICABLE.

#### **Queensland & Australian Capital Territory**

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

 $\textbf{Legislation QLD:} \ \underline{\textbf{https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws}$ 

Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

#### **New South Wales**

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislations/leg

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis

#### **Northern Territory**

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulation 2011

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/wo\_place-

Codes of Practice NT: https://worksafe.nt.gov.au/s

#### South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: https://www.safework.sa.gov.au/resources/legislation

Codes of Practice for SA: https://www.safework.sa.gov.au/work\_aces/codes-of-practice#COPs

#### Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

#### Victoria

Occupational Health all Safety Act 34

Occupational Health and Infety gulations 2017

Legis on VIC: https://www.aksafe.vic.gov.au/occupational-health-and-safety-act-and-

<u>qulat.</u>

des on actice VI autros://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

#### Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: https://www.commerce.wa.gov.au/worksafe/legislation

Codes of Practice WA: https://www.commerce.wa.gov.au/worksafe/codes-practice

#### Safe Work Australia Links

Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice

#### **Model Codes of Practice**

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work



#### SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Tollow ally sale work instructions which are provided, and agrees to use an reisonal riotective Equipment where appropriate.								
Worker Name	Pos	sition	Signature	Date	Time	Sup	pervisor	
				Date:				
				_				
				Date				
				l te:				
			AV	Date:				
				Date:				
				Date:				
Date:								
		SAF WO A S	THUD STATEMENT	MONITORING AND	REVIEW			
The SWMS must be reviewed regularly to the ke sure it remains effective and must be reviewed (and revised if necessary) if relevant control measure and subcontract as process should be carried out in consultation with workers (including contractors and subcontract as) who may be affected by the operation of the SWMS and their health and safety representatives who re essented that work group at the workplace.  When the SWMS has been revised the PCBU must ensure that all persons involved with the work are advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist				The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:  1. Spot Checks. 2. Consultation with workers, contractors and sub-contractors. 3. Internal audits on a continual basis.  An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures				
them to understand and imp					tently developing ever-imp	<b>3</b> ,	· '	
REVIEW NUMBER	1	□ 2	□ 3	□ 4	□ 5	□ 6	□ 7	
NAME								
INITIALS								
DATE								



### SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	TO BE DONE	COMMENTS
The company details have been entered, including the project name and address.			
Names and signatures of all relevant personnel consulted during the development of the SWMS.		P P	
Name, signature, position and date signed of the person approving the SWMS.			
Specific personnel and qualifications, experience is noted in the SWMS.	P		
Provides a step-by-step process of tasks required to carry out the activity or task.			
Adequate risk assessment of any identified hazards has been completed.			
Foreseeable hazards are identified and documented for each step.			
Any hazards listed in any site risk assessments have been added to the SWh			
SWMS initial risk (IR) column as well as residual risk (RR) columns completed.			
Check control measures added to the SWMS are the most effecting so tions.			
Responsible person is assigned and listed on the SWMS for the imperent of continue assures.			
Permit requirements specified, such as Hot Work, Veralt Heights etc.			
SWMS identifies plant and equipment to be u d.			
Details of inspection checks required for any equipment listed are noted on the SWMS.			
Describes any mandatory qualifications, experience raining skills required to perform the work.			
Applicable personal protective equipment is selected on the SWMS.			
Lists any required permits or licenses.			
Reflects and documents any legislative references and/or Australian Standards.			
dentifies any hazardous substances used with specific control measures in line with any SDS.			
REVIEWED BY	DATE R	EVIEWED	
SIGNATURE	DATE CO	MPLETED	