

**Order Picking Ladder | SAFE WORK METHOD STATEMENT (SWMS)**

**TASK OR ACTIVITY: Order Picking Ladder**

Business Name: [Company Name]		ABN: [ABN]	SWMS#
Business Address: [Company Address]			
Contact Person:	Phone: [Phone]	Email:	

**THIS SAFE WORK METHOD STATEMENT IS APPROVED BY THE PCBU OF THE PROJECT**

Under the Work Health and Safety Regulation (WHS Regulation), a person conducting a business or undertaking (PCBU) is required to ensure that a safe work method statement (SWMS) is prepared before the proposed work starts.

Full Name:

Signature: \_\_\_\_\_ Title: \_\_\_\_\_ Date: \_\_\_\_\_

Details of the person(s) responsible for ensuring implementation, monitoring and compliance of the SWMS, as well as reviews and modifications of the SWMS.

Full Name: \_\_\_\_\_ Title: \_\_\_\_\_ Phone: \_\_\_\_\_

**ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS SWMS MUST HAVE THE FOLLOWING COMMUNICATED** | **NAME AND DATED SIGNATURE OF ALL RELEVANT PERSONNEL WHO HAVE BEEN CONSULTED AND COMMUNICATED TO IN THE DEVELOPMENT AND APPROVAL OF THIS SWMS**

	NAME	SIGNATURE	DATE
Safety meetings or toolbox talks will be scheduled in accordance with legislative requirements to first identify any site hazards, to conduct and communicate those hazards and then to further take steps to either eliminate or control each hazard.			
If an incident or a near miss occurs, all work must stop immediately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			

**CLIENT OR PRINCIPAL CONTRACTOR DETAILS**

Client:	SCOPE OF WORKS Provide a detailed description of the specific work being carried out (otherwise known as scope of works).
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Project Manager Signature:	
Date SWMS supplied to Project Manager:	

**ANY HIGH-RISK CONSTRUCTION WORK BEING CARRIED OUT**

<input type="checkbox"/> involves a risk of a person falling more than 2 meters.	<input type="checkbox"/> is carried out on or near pressurised gas mains or piping.
<input type="checkbox"/> is carried out on a telecommunication tower.	<input type="checkbox"/> is carried out on or near chemical, fuel or refrigerant lines.
<input type="checkbox"/> involves demolition of an element of a structure that is load-bearing.	<input type="checkbox"/> is carried out on or near energised electrical installations or services.
<input type="checkbox"/> involves demolition of an element related to the physical integrity of a structure.	<input type="checkbox"/> is carried out in an area that may have a contaminated or flammable atmosphere.
<input type="checkbox"/> involves, or is likely to involve, disturbing asbestos.	<input type="checkbox"/> involves tilt-up or precast concrete.
<input type="checkbox"/> involves structural alteration or repair that requires temporary supports to prevent collapse.	<input type="checkbox"/> is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor.
<input type="checkbox"/> is carried out in or near a confined space.	<input type="checkbox"/> is carried out in an area of a workplace where there is any movement of powered mobile plant.
<input type="checkbox"/> is carried out in/near a shaft or trench deeper than 1.5m or tunnel involving use of explosives.	<input type="checkbox"/> is carried out in areas with artificial extremes of temperature.
<input type="checkbox"/> is carried out in or near water or other liquid that involves a risk of drowning.	<input type="checkbox"/> involves diving work.

**ANY HIGH-RISK MACHINERY OR EQUIPMENT NEARBY**

<input type="checkbox"/> Forklift	<input type="checkbox"/> Crane/s	<input type="checkbox"/> Hoist/s	<input type="checkbox"/> Excavator	<input type="checkbox"/> Backhoe/Loader	<input type="checkbox"/> Boom Lift	<input type="checkbox"/> EWP	<input type="checkbox"/> Genie Lift
<input type="checkbox"/> Trencher	<input type="checkbox"/> Drilling Rig	<input type="checkbox"/> Trucks	<input type="checkbox"/> Formwork	<input type="checkbox"/> Bobcat	<input type="checkbox"/> Flammable Gas	<input type="checkbox"/> Fuel	<input type="checkbox"/> Dozer
<input type="checkbox"/> High Voltage	<input type="checkbox"/> Mulcher	<input type="checkbox"/> Tilt-up Panels	<input type="checkbox"/> Roller	<input type="checkbox"/> Scissor Lift	<input type="checkbox"/> Tractor	<input type="checkbox"/> Other -	

**RISK MATRIX**

LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE	ACTION	HEIRARCHY OF CONTROLS
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE			<b>Elimination</b> Remove the hazard.
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCEED	<b>Substitution</b> Replace the hazard.
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review before work starts.	<b>Isolation</b> Isolate People from the hazard
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.	<b>Engineering</b> Isolate the hazard.
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	Monitor and keep records	<b>Administrative</b> Change the work. <b>PPE</b>

**Notes on Hierarchy of Controls:** Elimination methods are the most effective and preferred when controlling a hazard. Substitution is the second most effective method of controlling a hazard. Engineering by isolation is the third most effective, while Administrative Controls by changing the work is the fourth most effective method. PPE (Personal Protective Equipment) is the least effective method.

**PERSONAL PROTECTIVE EQUIPMENT (PPE)**

FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION	HEARING PROTECTION	EYE/FACE PROTECTION	RESPIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
<input type="checkbox"/>											

Select the appropriate PPE above suitable for the equipment used or the job task being performed (if applicable).


**Note:** A SWMS must be reviewed regularly to make sure it remains effective. A SWMS must be reviewed (and revised if necessary) if relevant control measures are revised. The review process should be carried out in consultation with workers (including contractors and subcontractors) who may be affected by the operation of the SWMS and their health and safety representatives who represented that work group at the workplace.

When a SWMS has been revised, the person conducting a business or undertaking must ensure all:

1. persons involved in the work are advised that a revision has been made and how they can access the revised SWMS;
2. persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS; and,
3. workers that will be involved in the work are provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
1. Preparation	Tripping over equipment, Incorrect tools handling	2M	<ul style="list-style-type: none"> <li>- Clearly mark and designate walkways, aisles, and working areas to prevent tripping over equipment or tools during order picking tasks.</li> <li>- Conduct regular inspections of the workspace to ensure all equipment and materials are properly stored and secured when not in use, reducing the potential for tripping hazards.</li> <li>- Provide adequate training to all employees involved in order picking tasks on the correct handling, storage, and use of tools and equipment. This will minimise the risk of accidents arising from improper handling or use of dangerous objects.</li> <li>- Supply workers with appropriate footwear with sufficient grip and stability to prevent slips, trips, or falls while operating ladders or other elevated platforms.</li> <li>- Implement a suitable system, such as color coding or labelling, to distinguish between different types of tools required for specific tasks, making it easier for workers to quickly identify the right tool for their activity.</li> <li>- Develop and maintain a comprehensive Work Health &amp; Safety (WHS) policy that outlines the rights and responsibilities of employees with regards to maintaining a clean and clutter-free work environment. Hold regular WHS meetings to remind and educate staff on best practices.</li> <li>- Establish a documented ladder inspection and maintenance process to ensure all ladders being used on-site meet safety standards and are fit for purpose before work commences. Replace any damaged or worn-out ladders immediately with safe alternatives.</li> <li>- Place warning signs and traffic cones around areas where order picking is taking place, alerting both workers and visitors to potential hazards and instructing them to proceed with caution.</li> <li>- Require all employees to regularly check their work area for hazards and clear away any unnecessary items or debris which could increase the likelihood of trips or other accidents.</li> <li>- Routinely assess the effectiveness of existing control measures through hazard assessments and performance monitoring, updating protocols or introducing new measures as necessary to effectively manage risks associated with this work step.</li> </ul>	1L	
2. Inspect Ladder	Broken rungs or steps, Slippery surfaces	3H	<ul style="list-style-type: none"> <li>- Develop and implement a regular inspection schedule for the ladder, including pre-use inspections, to identify any broken rungs or steps that could pose a hazard.</li> <li>- Ensure all workers who use the order picking ladder are trained in proper inspection procedures and are able to recognise signs of wear, damage, and defects.</li> <li>- Immediately take any ladder with broken or damaged rungs or steps out of service until it has been repaired or replaced by a qualified technician.</li> </ul>	1L	

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			<ul style="list-style-type: none"> <li>- Establish and enforce a policy requiring workers to report any damage or issues they observe with the ladder during use so that prompt action can be taken to remediate hazards.</li> <li>- Clean and maintain ladders regularly, ensuring that surfaces, including rungs or steps, are free from dirt, grease, or other contaminants that could cause slips or accidents.</li> <li>- Consider using slip-resistant ladder surfaces, such as rubber treads or anti-slip coatings on the rungs or steps to improve traction and reduce the risk of slips and falls.</li> <li>- Always place and secure the ladder on a level and stable surface, adjusting any locking mechanisms before climbing to avoid movement during use, which could contribute to slippery conditions.</li> <li>- Encourage workers to wear appropriate footwear with slip-resistant soles when using an order picking ladder, reducing the likelihood of slips on ladder surfaces.</li> <li>- Implement proper storage methods for ladders when not in use, protecting them from potential damage or exposure to contaminants that could result in slippery surfaces or broken rungs or steps.</li> <li>- Regularly review and evaluate the effectiveness of these control measures, making any necessary adjustments based on feedback from users and an ongoing assessment of risks and hazards associated with the order picking ladder.</li> </ul>		
3. Position Ladder	Falls from height, Collapsing ladder	4A	<ul style="list-style-type: none"> <li>- Conduct pre-use inspection of the ladder to ensure it is in good working condition, checking for any visible defects, cracks, or damaged parts.</li> <li>- Always refer to manufacturer guidelines and recommendations for proper positioning and use of the order picking ladder.</li> <li>- Choose a suitable ladder size and type for the specific task and ensure that the ladder's maximum load capacity can support the combined weight of the worker and any tools or supplies needed for the task.</li> <li>- Position the ladder on a firm, flat, and stable surface free from obstacles, debris, or slippery substances that could cause the ladder to become unstable.</li> <li>- Ensure that the ladder has appropriate anti-slip feet and that they are clean and in contact with the ground to help prevent slipping or movement.</li> <li>- Set up the ladder at the correct angle according to manufacturer specifications, ensuring that it is positioned securely against a solid structure or frame, providing adequate support.</li> <li>- If using an adjustable ladder, ensure that the locking devices are engaged properly before climbing onto it.</li> <li>- Confirm that the area around the ladder is clear of any hazards such as cables, cords, or obstacles that might cause a trip or fall.</li> </ul>	2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			<ul style="list-style-type: none"> <li>- Set up exclusion zones or barrier systems to restrict access to the area where the ladder is being used, reducing the chance of accidental collisions or movements caused by other workers or equipment.</li> <li>- Provide workers with appropriate fall protection measures such as harnesses and connectors if working from significant heights or situations where extra security is needed.</li> <li>- Train workers in proper ladder use, including appropriate methods for handling tools or materials while ascending, descending, or working from the ladder.</li> <li>- Implement mandatory spot-checks during the work process to ensure ladders are being used and positioned correctly in line with established safety protocols.</li> <li>- Regularly evaluate and assess the risks associated with positioning the ladder, making adjustments or improvements as necessary to maintain optimal safety levels.</li> <li>- Encourage workers to report any hazards or issues regarding ladder use or positioning immediately to their supervisor, so that appropriate action can be taken to rectify the situation.</li> </ul>		
4. Climb Ladder	Muscle strains, Dropped items from height	3H	<p>[REDACTED]</p>	1L	

SAMPLE

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			[REDACTED]		
5. Retrieve Item	Improper lifting techniques when retrieving items on shelves	3H	[REDACTED]	1L	
			[REDACTED]		

SAMPLE

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			[REDACTED]		
6. Descend Ladder	Poor grip, Loss of balance	2M	[REDACTED]	1L	

SAMPLE

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			[REDACTED]		
7. Move Item to Trolley	Heavy loads, Blocking walkways	3H	[REDACTED]	1L	

SAMPLE

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			[REDACTED]		
8. Transport Trolley	Collisions with obstructions. Moving too fast	2M	[REDACTED]	1L	

SAMPLE

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			[REDACTED]		
9. Unload Trolley	Improper storage, Manual handling injuries	2M	[REDACTED]	1L	

SAMPLE

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			[REDACTED]		
10. Restock Shelves	Overreaching, Falling items	3H	[REDACTED]	1L	
			[REDACTED]		

SAMPLE

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			[REDACTED]		
11. Inspect Work Area	Trip hazards, Inadequate lighting	3H	[REDACTED]	1L	

SAMPLE

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			[REDACTED]		
12. End Task and Clean Up	Remaining debris, Improper disposal	2M	[REDACTED]	1L	
			[REDACTED]		

SAMPLE

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			[REDACTED]		

SAMPLE

**EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES**

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

**LEGISLATIVE REFERENCES**

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES FOR ANY STATE THAT ARE NOT APPLICABLE

<p><b>Queensland &amp; Australian Capital Territory</b>                  Work Health and Safety Act 2011                  Work Health and Safety Regulations 2011                  Legislation QLD: <a href="https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws">https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws</a>                  Codes of Practice QLD: <a href="https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice">https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice</a>                  Legislation ACT: <a href="https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations">https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations</a>                  Codes of Practice ACT: <a href="https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice">https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</a></p>	<p><b>Victoria</b>                  Occupational Health and Safety Act 2004                  Occupational Health and Safety Regulations 2017                  Legislation VIC: <a href="https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and-regulations">https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and-regulations</a>                  Codes of Practice VIC: <a href="https://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice">https://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</a></p>
<p><b>New South Wales</b>                  Work Health and Safety Act 2011                  Work Health and Safety Regulations 2017                  Legislation NSW: <a href="https://www.safework.nsw.gov.au/legal-obligations/legislation">https://www.safework.nsw.gov.au/legal-obligations/legislation</a>                  Codes of Practice NSW: <a href="https://www.safework.nsw.gov.au/resource-library/list-of-codes-of-practice">https://www.safework.nsw.gov.au/resource-library/list-of-codes-of-practice</a></p>	<p><b>Western Australia</b>                  Work Health and Safety Act 2020                  Work Health and Safety Regulations 2022                  Legislation Western Australia: <a href="https://www.commerce.wa.gov.au/worksafe/legislation">https://www.commerce.wa.gov.au/worksafe/legislation</a>                  Codes of Practice WA: <a href="https://www.commerce.wa.gov.au/worksafe/codes-practice">https://www.commerce.wa.gov.au/worksafe/codes-practice</a></p>
<p><b>Northern Territory</b>                  Work Health and Safety (National Uniform Legislation) Act 2011                  Work Health and Safety (National Uniform Legislation) Regulations 2011                  Legislation NT: <a href="https://worksafe.nt.gov.au/laws-and-compliance/workplaces-and-laws">https://worksafe.nt.gov.au/laws-and-compliance/workplaces-and-laws</a>                  Codes of Practice NT: <a href="https://worksafe.nt.gov.au/laws-and-compliance/codes-of-practice">https://worksafe.nt.gov.au/laws-and-compliance/codes-of-practice</a></p>	<p><b>Safe Work Australia Links</b>                  Law and Regulation (All States): <a href="https://www.safeworkaustralia.gov.au/law-and-regulation">https://www.safeworkaustralia.gov.au/law-and-regulation</a>                  Model Codes of Practice: <a href="https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice">https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice</a></p>
<p><b>South Australia</b>                  Work Health and Safety Act 2012 (SA)                  Work Health and Safety Regulations 2012 (SA)                  Legislation for SA: <a href="https://www.safework.sa.gov.au/resources/legislation">https://www.safework.sa.gov.au/resources/legislation</a>                  Codes of Practice for SA: <a href="https://www.safework.sa.gov.au/workplaces/codes-of-practice#COPs">https://www.safework.sa.gov.au/workplaces/codes-of-practice#COPs</a></p>	<p><b>Model Codes of Practice</b></p> <ul style="list-style-type: none"> <li>- Managing noise and preventing hearing loss at work</li> <li>- Confined spaces</li> <li>- Labelling of workplace hazardous chemicals</li> <li>- Managing risks of hazardous chemicals in the workplace</li> <li>- Welding processes</li> <li>- First aid in the workplace</li> <li>- Managing the risk of falls at workplaces</li> <li>- Hazardous manual tasks</li> <li>- Managing the risk of falls in housing construction</li> <li>- Managing electrical risks in the workplace</li> <li>- Demolition work</li> <li>- Excavation work</li> <li>- Work health and safety consultation, cooperation and coordination</li> <li>- Managing the work environment and facilities</li> <li>- How to manage work health and safety risks</li> <li>- Managing risks of plant in the workplace</li> <li>- Construction work</li> </ul>
<p><b>Tasmania</b>                  Work Health and Safety Act 2012                  Work Health and Safety (Transitional and Consequential Provisions) Act 2012                  Work Health and Safety Regulations 2012                  Work Health and Safety (Transitional) Regulations 2012                  Legislation for TAS: <a href="https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations">https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations</a>                  Codes of Practice for TAS: <a href="https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice">https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice</a></p> <p>Details of permits, licenses or access required by regulatory bodies (add or delete as required):</p> <ul style="list-style-type: none"> <li>- Permits from local council</li> <li>- Authorisation to commence work</li> <li>- Any required documents.</li> </ul>	

**SIGNATORIES OF THE SAFE WORK METHOD STATEMENT**

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Position	Signature	Date	Time	Supervisor
			Date:		

**SAFE WORK METHOD STATEMENT MONITORING AND REVIEW**

**The SWMS must be reviewed regularly** to make sure it remains effective and must be reviewed (and revised if necessary) if relevant control measures are needed. The review process should be carried out in consultation with workers (including contractors and subcontractors) who may be affected by the operation of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that all persons involved with the work are advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

**The SWMS must be monitored regularly** for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

1. Spot Checks.
2. Consultation with workers, contractors and sub-contractors.
3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5	<input type="checkbox"/> 6	<input type="checkbox"/> 7
NAME							
INITIALS							
DATE							

**SAFE WORK METHOD STATEMENT REVIEW CHECKLIST**

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	TO BE DONE	COMMENTS
The company details have been entered, including the project name and address.	<input type="checkbox"/>	<input type="checkbox"/>	
Names and signatures of all relevant personnel consulted during the development of the SWMS.	<input type="checkbox"/>	<input type="checkbox"/>	
Name, signature, position and date signed of the person approving the SWMS.	<input type="checkbox"/>	<input type="checkbox"/>	
Specific personnel and qualifications, experience is noted in the SWMS.	<input type="checkbox"/>	<input type="checkbox"/>	
Provides a step-by-step process of tasks required to carry out the activity or task.	<input type="checkbox"/>	<input type="checkbox"/>	
Adequate risk assessment of any identified hazards has been completed.	<input type="checkbox"/>	<input type="checkbox"/>	
Foreseeable hazards are identified and documented for each step.	<input type="checkbox"/>	<input type="checkbox"/>	
Any hazards listed in any site risk assessments have been added to the SWMS.	<input type="checkbox"/>	<input type="checkbox"/>	
SWMS initial risk (IR) column as well as residual risk (RR) columns completed.	<input type="checkbox"/>	<input type="checkbox"/>	
Check control measures added to the SWMS are the most effective solutions.	<input type="checkbox"/>	<input type="checkbox"/>	
Responsible person is assigned and listed on the SWMS for the implementation of control measures.	<input type="checkbox"/>	<input type="checkbox"/>	
Permit requirements specified, such as Hot Work, Electrical Work, Work at Heights etc.	<input type="checkbox"/>	<input type="checkbox"/>	
SWMS identifies plant and equipment to be used.	<input type="checkbox"/>	<input type="checkbox"/>	
Details of inspection checks required for any equipment listed are noted on the SWMS.	<input type="checkbox"/>	<input type="checkbox"/>	
Describes any mandatory qualifications, experience, training, skills required to perform the work.	<input type="checkbox"/>	<input type="checkbox"/>	
Applicable personal protective equipment is selected on the SWMS.	<input type="checkbox"/>	<input type="checkbox"/>	
Lists any required permits or licenses.	<input type="checkbox"/>	<input type="checkbox"/>	
Reflects and documents any legislative references and/or Australian Standards.	<input type="checkbox"/>	<input type="checkbox"/>	
Identifies any hazardous substances used with specific control measures in line with any SDS.	<input type="checkbox"/>	<input type="checkbox"/>	
<b>REVIEWED BY</b>		<b>DATE REVIEWED</b>	
<b>SIGNATURE</b>		<b>DATE COMPLETED</b>	