

Pallet Ride On Power	ed SAFE WORK METHOD	STATEMENT (SWMS)	
TASK	OR ACTIVITY: Pallet Ride On Po	wered	
Business Name: [Company Name]		ABN: [ABN]	SWMS#
Business Address: [Company Address]			
Contact Person:	Phone: [Phone]	E fil:	
THIS SAFE WORK METHOD	STATEMENT IS APPROVED BY 1	THE PL OF THE PROJECT	
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.	eting a business or undertaking (F RU) is	required to ure at a safe work method s	tatement (SWMS) is prepared before
Full Name:			
Signature:		Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring a	ompliance of the SWMS well as review	s and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS WMS. ST HAVE THE FOLLOWING COMMUNICATED	N. 1E AND DATED SIGNATURE OF A CO. MUNICATED TO IN THE DEVELO	LL RELEVANT PERSONNEL WHO HAVE BI PMENT AND APPROVAL OF THIS SWMS	EEN CONSULTED AND
Safety meetings or toolbox talks will be sched ed in accordance with egislative requirements to first identify any site hazards, conditions unical those hazards and then to further take steps to either the conditions of the conditions are or conditions.	NAME	SIGNATURE	DATE
If an incident or a near miss occurs, all work must stem attely. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



Client: SCOPE OF WORKS Project Name: Froject Address: Froject Address: Froject Manager: Froject Manager: Froject Manager: Froject Manager Signature: Frojec									
Client:						SCOPE OF WORKS			
Project Name:					n of the specific work being	carried out (otherwise			
Project Address:				known as cope of works).					
Project Manager:									
Contact Phone:									
Project Manager Sig	gnature:								
Date SWMS supplie	ed to Project Manager:								
		ANY HIGH	RISK CON PUCT	N' JRK BEING	CARRIED OUT				
☐ involves a risk of a p	erson falling more than 2 n	neters.		is carried out on or near pressurised gas mains or piping.					
is carried out on a te	lecommunication tower.		is carried out on	is carried out on or near chemical, fuel or refrigerant lines.					
☐ involves demolition of	of an element of a structure	that is load-be		is carried out on	s carried out on or near energised electrical installations or services.				
☐ involves demolition of	of an element related to the	e physical integrit of a str	3	is carried out in an area that may have a contaminated or flammable atmosphere.					
☐ involves, or is likely t	o involve, disturbing a es	stos.		☐ involves tilt-up or precast concrete.					
☐ involves structural al	teration or repair that re	mporal, upp to p	prevent collapse.	is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor.					
is carried out in or ne	ear a confined space.			☐ is carried out in an area of a workplace where there is any movement of powered mobile plant.					
☐ is carried out in/near	a shaft or trench deeper th	nan 1.5m or tunnel involvir	ng use of explosives.	is carried out in	areas with artificial extremes of	f temperature.			
is carried out in or ne	ear water or other liquid tha	at involves a risk of drowning	ng.	involves diving v	vork.				
		ANY H	IGH-RISK MACHINER	RY OR EQUIPMEN	NT NEARBY				
☐ Forklift	☐ Crane/s	☐ Hoist/s	☐ Excavator	☐ Backhoe/Loader	Boom Lift	□ EWP	☐ Genie Lift		
☐ Trencher	☐ Drilling Rig	Trucks	Formwork	☐ Bobcat	☐ Flammable Gas	☐ Fuel	☐ Dozer		
☐ High Voltage	☐ Mulcher	☐ Tilt-up Panels	Roller	☐ Scissor Lift	☐ Tractor	☐ Other -			





FOOT HAND **HEAD HEARING** SPIRATORY FACE HIGH-VIS **PROTECTIVE** FALL SUN HAIR/JEWELLERY CLOTHING **PROTECTION PROTECTION** PROTECTION **PROTECTION** PROTE DTECTION **PROTECTION** CLOTHING **PROTECTION PROTECTION SECURED**

Select me appropriate PPE above suitable for the equipment used or the job task being performed (if applicable).

Note: A SWMS must be reviewed regularly to make sure it remains effective. A SWMS must be reviewed (and revised if necessary) if relevant control measures are revised. The review process should be carried out in consultation with workers (including contractors and subcontractors) who may be affected by the operation of the SWMS and their health and safety representatives who represented that work group at the workplace.

When a SWMS has been revised, the person conducting a business or undertaking must ensure all:

- 1. persons involved in the work are advised that a revision has been made and how they can access the revised SWMS;
- 2. persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS: and.
- 3. workers that will be involved in the work are provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON																										
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON																										
			- Keep the workplace clean and tidy: Regularly inspect the work area for any debris or obstructions and ensure all items are stored proper to avoid slips and trips.																												
			 Ensure proper footwear is worn: All workers and wear appropriate non-slip safety footwear, which provides grip and smooth during the operation of powered pallet ride-on equipment. 																												
			- Proper ergonomics training: Provide ergonometric using to all workers, focusing on correct lifting techniques, body mechanics, and in importance or regular stretching.																												
			- Conduct daily pre-operational necks: Inspect the war pallet ride-on equipment prior to prove high day poking for malfunctions or issues that may cause a hazard. - Implement paintenance chedule laipt the powered ride-on pallet equipment																												
			according to the manufacture of squidely and ensure consistent performance and mining the risk formancial failure.																												
		2M	- Instance, v signs, and warning markers: Clearly mark hazardous areas and potentil slip, io zone with appropriate signage and floor markings to alert workers and create said pathy.																												
1. Preparation	Slips and trips from unsecured items, improper ergonomics		2M	ti-fatt, ue may in stationary workstations: Install anti-fatigue mats in workstations when yo ers may be standing for extended periods, reducing the risk of muscle train record to poor ergonomics.	1L																										
													 courage proper posture: Encourage workers to maintain an upright posture while opurating the powered pallet ride-on equipment and avoid slouching or twisting when handling loads. 																		
																													 Implement safe work practices: Train personnel on safe work practices, such as maintaining a safe distance from the edge of elevated surfaces, not overloading the machine, and being aware of other workers and equipment in the area. 		
		 Establish clear communication protocols: Develop specific communication methods amongst team members, whether through verbal or visual cues, to help promote awareness, cooperation, and safety during the operation of powered pallet ride-on equipment. 																													
			 Conduct regular safety meetings: Hold periodic safety meetings to review workplace hazards, discuss any near misses or incidents, and reinforce the importance of adhering to safe work practices and procedures. 																												
2. Pre-Operational Check	Electrical hazards, inadequate maintenance	3H	- Regular Inspections: Conduct thorough pre-operational inspections of the pallet ride-on powered equipment to ensure all safety devices are functional and physical components are in good condition.	2M																											



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			- Proper Training: Ensure that all operators have received adequate training on how to use the equipment, handle emergencies, and identify potential electrical hazards before using the pallet ride-on powered equipment.		
			- Maintenance Log: Establish and maintain a provenance log to track routine servicing, repairs, and any issues identified using inspections, ensuring timely remediation of any defects.		
			- Use Manufacturer's Guidelines: Always follow anufacturer's guidelines for operating and maintaining the ballet ride-on power of equipment including recommended maintenance in greats.		
			- Lockout/Tagout Proceeds: In the ement lockout/tagout procedures when servicing or repairing the supment previous accidental efartup and exposure to electrical hazards.		
			- Electrical Co. Manage and: Ensure ancal cords are well-maintained, properly secure and ke, away from high-traffic areas to minimise the risk of tripping or dama it, the cord		
			- Group Fa Circuit terrupters (GFCI) Protection: Use GFCI protected outlets or power strice while operating the equipment to prevent electrical shocks due to gound faults.		
			- Acceptate Lighting: Ensure sufficient lighting is available in the work area to acilitate a safe operation of the pallet ride-on powered equipment and allow rivers to identify hazards easily.		
			- Pursonal Protective Equipment (PPE): Provide appropriate PPE, such as gloves and safety footwear, to protect operators and other workers from potential electrical hazards and injuries.		
	5		- Emergency Response Plan: Have an emergency response plan in place outlining actions to be taken in case of an electrical accident, equipment malfunction or other emergencies related to pallet ride-on powered equipment. Train employees on how to follow this plan and regularly review and update it as necessary.		
			- Ensure the charging area is well-ventilated and free from any ignition sources such as open flames or sparks to prevent fire/explosion hazards.		
			- Implement a strict no-smoking policy in areas where batteries are being charged.		
Charging Ride-On Fire/explosion haza	Fire/explosion hazards from charging,	4A	- Have appropriate fire extinguishers readily available near the charging station in case of fire emergencies.	3H	
Pallet	Pallet chemical exposure (battery acid)	70	- Make sure a qualified professional is responsible for setting up, inspecting, and maintaining the charging station, ensuring all electrical connections are secure and functioning properly.	OI I	
			- Regularly inspect the condition of the battery, charger, and electrical connections for potential damage that could lead to hazards. Promptly address any issues identified.		



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			- Ensure employees are trained on safe battery-handling procedures, including proper lifting techniques and the use of necessary personal protective equipment (PPE) such as gloves and safety goggles.		
			- Establish clear signage and instructions around the charging station, highlighting potential hazards and reminding workers of the type measures.		
			- Use a spill containment system, such as a tray pill absorbent pads, to prevent battery acid from escaping onto the we tray pill absorbent pads, to prevent battery acid from escaping onto the we tray pill absorbent pads, to prevent battery acid from escaping onto the we tray pill absorbent pads, to prevent battery acid from escaping onto the we tray pill absorbent pads, to prevent battery acid from escaping onto the weather tray pill absorbent pads, to prevent battery acid from escaping onto the weather tray pill absorbent pads, to prevent battery acid from escaping onto the weather tray pill absorbent pads, to prevent battery acid from escaping onto the weather tray pill absorbent pads, to prevent battery acid from escaping onto the weather tray pill absorbent pads, to prevent battery acid from escaping onto the weather tray pill absorbent pads acid from escaping onto the weather tray pill absorbent pads acid from escaping onto the weather tray pill absorbent pads acid from escaping onto the weather tray pill absorbent pads acid from escaping onto the weather tray pill acid from escaping onto the weather tray pill acid from escape pill acid from escaping onto the weather tray pill acid from escaping onto the weather tray pill acid from escape pill acid f		
			- Ensure all workers handling a teries are familiar to be a gency response procedures, including a location and use of eyewas a ations and first aid kits.		
			- Properly stor and handle attention id according to manufacturer's instructions and relevant guitalines to miniral echemical experiences.		
			- Encourage region by the for workers rufing the charging process, reducing the time see exposition potential hazards.		
			- Mana a hardispose of damaged batteries and their components following environments regulated to mitigate possible chemical hazards to workers or the anvironment.		
	•		consider technology advancements or changes in workplace conditions.		
			ncourage workers to report any signs of hazards or incidents, fostering open connunication and collaboration to maintain a safe working environment.		
4. Moving Ride-On Pallet	Collisions with objects/people, uneven surfaces	3H		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
5. Loading / Unloading Pallet	Risk of strain or injury from manual handling, unstable loads	3Н		2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
6. Lifting / Lowering of Loads	Crushing hazards, falling objects	4A		3H	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
7. Maneuvering in Confined Spaces	Limited visibility, collisions, shifting load	3H		2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
JOB STEP SPECIFIC WORK STEPS	POTENTIAL HAZARDS HAZARDS THAT MAY ARISE	IR INITIAL RISK	CONTROL MEASURES SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RR RESIDUAL RISK	RESPONSIBLE PERSON NAME OF PERSON
Parking Pallet in Designated Area	Unsecured parking brakes, unauthorised access to controls	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
9. Emergency Procedures	Inadequate emergency response training, unclear escape routes	3H		2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
10. Charging Equipment Maintenance	Electric shock, equipment failure	4A		3H	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
11. End of Shift Procedures	Neglected safety chrono, no ekeeping issues	ZIVI		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
2. Daily Inspection Procedure	Inadequate inspection reports, overlooked safety conce	ЗН		2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES		RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON





EMERGENCY RESPONSE - CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE OF AT ARE NOT APPLICABLE.

Queensland & Australian Capital Territory

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice

Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

New South Wales

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislatide

Northern Territory

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulation 2011

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/wo_place-

Codes of Practice NT: https://worksafe.nt.gov.au/s

South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: https://www.safework.sa.gov.au/resources/le_lation

Codes of Practice for SA: https://www.safework.sa.gov.au/work_aces/codes-of-practice#COPs

Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

Victoria

Occupational Health at Safety Act 34

Occ. ational Health and afety gulations 2017

Legis on VIC: https://www.xsafe.vic.gov.au/occupational-health-and-safety-act-and-

qulat

des on actice VIC attps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: https://www.commerce.wa.gov.au/worksafe/legislation

Codes of Practice WA: https://www.commerce.wa.gov.au/worksafe/codes-practice

Safe Work Australia Links

Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice

Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Pos	sition	Signature	Date	Time	Sup	pervisor		
				l te:					
			Date:						
		Date:							
	Date:								
	Date:								
	SAF WO A STHED STATEMENT MONITORING AND REVIEW								
The SWMS must be reviewed regularly to refer the sure it remains effective and must be reviewed (and revised if necessary) if relevant control measure are 1000 at review who process should be carried out in consultation with workers (including contractors and subcontract is) who may be affected by the operation of the SWMS and their health and safety representatives who reduces essented that work group at the workplace. When the SWMS has been revised the PCBU must ensure that all persons involved with the work are advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.				The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to: 1. Spot Checks. 2. Consultation with workers, contractors and sub-contractors. 3. Internal audits on a continual basis. An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.					
REVIEW NUMBER	<u> </u>	□ 2	□ 3	□ 4	□ 5	□ 6	□ 7		
NAME									
INITIALS									
DATE									



SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	TO BE DONE	COMMENTS
The company details have been entered, including the project name and address.			
Names and signatures of all relevant personnel consulted during the development of the SWMS.		P P	
Name, signature, position and date signed of the person approving the SWMS.			
Specific personnel and qualifications, experience is noted in the SWMS.	P		
Provides a step-by-step process of tasks required to carry out the activity or task.			
Adequate risk assessment of any identified hazards has been completed.			
Foreseeable hazards are identified and documented for each step.			
Any hazards listed in any site risk assessments have been added to the SWh			
SWMS initial risk (IR) column as well as residual risk (RR) columns completed.			
Check control measures added to the SWMS are the most effecting so tions.			
Responsible person is assigned and listed on the SWMS for the imperent of continue assures.			
Permit requirements specified, such as Hot Work, Veralt Heights etc.			
SWMS identifies plant and equipment to be u d.			
Details of inspection checks required for any equipment listed are noted on the SWMS.			
Describes any mandatory qualifications, experience raining skills required to perform the work.			
Applicable personal protective equipment is selected on the SWMS.			
Lists any required permits or licenses.			
Reflects and documents any legislative references and/or Australian Standards.			
dentifies any hazardous substances used with specific control measures in line with any SDS.			
REVIEWED BY	DATE R	EVIEWED	
SIGNATURE	DATE CO	MPLETED	