

Pedestal Drill S	SAFE WORK METHOD STA	TEMENT (SWMS)	
-	TASK OR ACTIVITY: Pedestal Dri	II	
Business Name: [Company Name]		ABN: [ABN]	SWMS#
Business Address: [Company Address]			
Contact Person:	Phone: [Phone]	E fil:	
THIS SAFE WORK METHOD	STATEMENT IS APPROVED BY	THE POST THE PROJECT	
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.	cting a business or undertaking (I 3U) is	required to ture at a safe work method s	tatement (SWMS) is prepared before
Full Name:			
Signature:		Title:	Date:
Under the Work Health and Safety Regulation (WHS Regulation), a person conducting a business or undertaking (in 3U) is required to a sure of a safe work method statement (SWMS) is prepared before the proposed work starts. Full Name: Signature: Details of the person(s) responsible for ensuring implementation, monitoring and compliance of the SWMS well as reviews and modifications of the SWMS. Full Name: Title: Phone: ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS WMS. ST HAVE THE FOLLOWING COMMUNICATED Safety meetings or toolbox talks will be sched add in accordance with a tigislative requirements to first identify any site hazards, conditions unjoined those hazards and then to further take steps to either and a condition to the surface of the SWMS. NAME SIGNATURE DATE			
Full Name:		Title:	Phone:
	N. 1E AND DATED SIGNATURE OF A CO. MUNICATED TO IN THE DEVELO	LL RELEVANT PERSONNEL WHO HAVE B PMENT AND APPROVAL OF THIS SWMS	EEN CONSULTED AND
requirements to first identify any site hazards, conditions those	NAME	SIGNATURE	DATE
If an incident or a near miss occurs, all work must structured. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



Client: SCOPE OF WORKS Project Name: Project Address: Project Address: Project Manager: Scope of works). Project Manager: Scope of works being carried out (otherwise known associope of works). Project Manager: Scope of works being carried out (otherwise known associope of works). Project Manager: Scope of works being carried out (otherwise known associope of works). Project Manager: Scope of works being carried out (otherwise known associope of works). Project Manager: Scope of works being carried out (otherwise known associope of works). Project Manager: Scope of works being carried out (otherwise known associope of works). Project Manager: Scope of works being carried out (otherwise known associope of works). Project Manager: Scope of works being carried out (otherwise known associope of works). Project Manager: Scope of works being carried out (otherwise known associope of works). Project Manager: Scope of works being carried out (otherwise known associope of works). Project Manager: Scope of works being carried out on works being carried out (otherwise known associope of works). Project Manager: Scope of works being carried out on w									
Client:						SCOPE OF WORKS			
Project Name:					n of the specific work being	carried out (otherwise			
Project Address:					known as cope of works).				
Project Manager:									
Contact Phone:									
Project Manager Sig	gnature:								
Date SWMS supplie	ed to Project Manager:								
Project Manager: Contact Phone: Project Manager Signature: Date SWMS supplied to Project Manager: ANY HIGH-RISK CON PUC) STARK BEING SARRIED OUT Involves a risk of a person falling more than 2 meters. Involves a demolition of an element of a structure that is load-bein involves demolition of an element related to the physical integril of a structure demolition of an element related to the physical integril of a structure demolition of an element related to the physical integril of a structure demolition of an element related to the physical integril of a structure demolition of an element related to the physical integril of a structure demolition of an element related to the physical integril of a structure demolition of an element related to the physical integril of a structure demolition of an element related to the physical integril of a structure demolition of an element related to the physical integril of a structure demolition of an element related to the physical integril of a structure demolition of an element related to the physical integril of a structure demolition of an element related to the physical integril of a structure demolition of an element related to the physical integril of a structure demolitical extremes of temperature. Involves structural alteration or repair that requiremental upper to prevent collapse. Involves structural alteration or repair that requiremental upper to prevent collapse. In scarried out in an area of a workplace where there is any movement of powered mobile plant. In scarried out in an area of a workplace where there is any movement of powered mobile plant. In scarried out in an area of a workplace where there is any movement of powered mobile plant. In scarried out in an area of a workplace where there is any movement of powered mobile plant. In scarried out in an area of a workplace where there is any movement of powered mobile plant.									
☐ involves a risk of a p	erson falling more than 2 n	neters.		is carried out on or near pressurised gas mains or piping.					
is carried out on a te	lecommunication tower.		M + M	is carried out on or near chemical, fuel or refrigerant lines.					
☐ involves demolition of	of an element of a structure	that is load-be		is carried out on	or near energised electrical ins	stallations or services.			
☐ involves demolition of	of an element related to the	e physical integril of a str	3	is carried out in	an area that may have a conta	minated or flammable atmo	sphere.		
☐ involves, or is likely t	o involve, disturbing a es	stos.		involves tilt-up or precast concrete.					
☐ involves structural al	teration or repair that re	mporal, upp to p	prevent collapse.	is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor.					
is carried out in or ne	ear a confined space.			is carried out in an area of a workplace where there is any movement of powered mobile plant.					
☐ is carried out in/near	a shaft or trench deeper th	nan 1.5m or tunnel involvir	ng use of explosives.	is carried out in	areas with artificial extremes of	f temperature.			
is carried out in or ne	ear water or other liquid tha	at involves a risk of drowning	ng.	involves diving v	vork.				
		ANY H	IGH-RISK MACHINER	RY OR EQUIPMEN	NT NEARBY				
☐ Forklift	☐ Crane/s	☐ Hoist/s	☐ Excavator	☐ Backhoe/Loader	Boom Lift	□ EWP	☐ Genie Lift		
☐ Trencher	☐ Drilling Rig	Trucks	Formwork	☐ Bobcat	☐ Flammable Gas	☐ Fuel	☐ Dozer		
☐ High Voltage	☐ Mulcher	☐ Tilt-up Panels	Roller	☐ Scissor Lift	☐ Tractor	☐ Other -			





FOOT HAND **HEAD HEARING** SPIRATORY FACE HIGH-VIS **PROTECTIVE** FALL SUN HAIR/JEWELLERY CLOTHING **PROTECTION PROTECTION** PROTECTION **PROTECTION** PROTE DTECTION **PROTECTION** CLOTHING **PROTECTION PROTECTION SECURED**

Select me appropriate PPE above suitable for the equipment used or the job task being performed (if applicable).

Note: A SWMS must be reviewed regularly to make sure it remains effective. A SWMS must be reviewed (and revised if necessary) if relevant control measures are revised. The review process should be carried out in consultation with workers (including contractors and subcontractors) who may be affected by the operation of the SWMS and their health and safety representatives who represented that work group at the workplace.

When a SWMS has been revised, the person conducting a business or undertaking must ensure all:

- 1. persons involved in the work are advised that a revision has been made and how they can access the revised SWMS;
- 2. persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS: and.
- 3. workers that will be involved in the work are provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
1. Preparation	Incorrect materials, Insufficient maintenance		- Implement a pre-use inspection and maintenance schedule for the Pedestal Drill to ensure it is in good working condition Ensure appropriate materials and equipment of selected, matching the Pedestal Drill's capacity and limitations to prevent over bading or malfunctioning Ensure all workers operating the Pedestal and large manded with adequate training and hold necessary licenses or qualifications Conduct a thorough risk as a sament prior to concencing that to identify potential hazards related to material having and establish outrol of mitigate risks Maintain clear concentration as ang team members regarding hazards and any changes in we processes or mater is being to at Utilise approvate person protective proment (PPE) such as safety glasses, glove or ar plus, and a sed-toe shoes Enforce apper line of techniques, including using mechanical aids when available, and accentrate or maximum load limits to avoid strain injuries while handling materials Implement as ap-to-or Material Safety Data Sheet (MSDS) system for storing, anagin, and a personal materials are safety designated areas for materials storage, keeping walkways of workspaces clear of clutter to reduce the risk of trip hazards Establish regular equipment checks and a preventive-maintenance programme to upkeep the Pedestal Drill and improve its lifespan Enforce strict adherence to lockout/tagout procedures when performing any maintenance or repair work on the Pedestal Drill Verify that all guards and safety devices are in place on the Pedestal Drill before operation, and regularly inspect them to ensure their overall effectiveness Ensure proper waste disposal and recycling practices are followed for all material remnants and debris generated during the drilling process.		NAME OF PERSON
			including an effective evacuation plan, first aid support, and immediate reporting to supervisors.		
2. Personal Protective Equipment	Lack of safety gear, Inappropriate safety equipment	3Н	- Conduct a thorough risk assessment before starting the work to identify the appropriate Personal Protective Equipment (PPE) required for the specific task involving the pedestal drill. - Ensure that all workers operating or working in close proximity to the pedestal drill are provided with, and correctly wear, the suitable PPE, including safety goggles or face shields, earplugs or earmuffs, gloves, and steel-toe boots.	1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			- Verify that the supplied PPE meets the Australian Standards and is in good condition, properly fitting, and free from damage or wear that could compromise its effectiveness.		
			- Regularly inspect and maintain PPE according to the manufacturer's recommendations and replace any damage of worn-out equipment immediately.		
			- Provide proper training to workers on the conct us worage, and maintenance of the supplied PPE to ensure maximum safety.		
			- Establish and enforce a streeworkplace policy is uring the candatory use of appropriate PPE during all stage of work involving a present drill.		
			- Implement a bud workers can check each other's PPE usage and compliance, explanating a liture shared reconsibility for each other's safety.		
			- Keep an up-traction of a value of a superior of a superi		
			- Instantig, visible gnage around the workstation to remind workers of the requirement, wear a copriate PPE when operating or assisting with the pedestal trill.		
	•		- Enural e oper communication among workers and supervisors regarding any concern lated to PPE use, fit, or effectiveness, creating a supportive environment here everyone feels comfortable speaking up if they notice irregularities.		
			- In d refresher training sessions periodically to reinforce the importance of proper PPE usage and keep workers informed about any updates or changes to regulations, standards, or best practices in workplace safety.		
			- Incorporate routine checks for PPE compliance into daily supervisor rounds or toolbox talk topics, emphasising the role of proper safety equipment in preventing accidents and injuries.		
			- Consistently enforce penalties or disciplinary actions for workers who fail to follow PPE protocols, demonstrating company-wide commitment to safety standards and adherence to safe work practices.		
			- Ensure that the pedestal drill is securely mounted to the floor or workbench to prevent movement during operation.		
2 Machine Cetur	Lacas magnetics. Clastrial harman	21.1	- Verify that all nuts, bolts, and mounts on the pedestal drill are tightly fastened and well-maintained for safe operation.	OM	
3. Machine Setup	Setup Loose mounting, Electrical hazards	3H	- Conduct regular maintenance checks on machine components, such as mounting brackets, pulleys, and belts, to identify potential issues before they become hazardous.	2M	
			- Always disconnect the pedestal drill from the power source when performing any setup or maintenance tasks to minimise the risk of electrical shock.		



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			 Use tag-out and lock-out procedures to alert other workers that the equipment is being serviced, preventing unauthorised use and reducing electrical hazards. 		
			- Ensure proper grounding and connections according to local electrical codes and regulations to prevent electrical shock.		
			- Implement a routine inspection schedule theck for front d cords, damaged insulation or housing, loose wiring, and other tential ectrical hazards associated with the pedestal drill.		
			- Train all workers on how to apperly operate and aintain the pedestal drill, including steps for safely setting up the machine and according potential hazards.		
			- Provide appropriate permal practive equipment (LPE), such as safety glasses, gloves, and horsing protection, for takers operating or working nearby the pedestal drill.		
			- Keeping work and cables are managed, ensuring that cords and cables are managed roperity and event trip hazards and minimise the risk of electrical accide s.		
			- Install, meaning style buttons in easily accessible locations around the pedestal strill to explore the decision of a hazard or halfunction. Estal, by lear communication processes between all workers using or working		
			ar the podestal drill to coordinate setup, operation, and maintenance tasks safely.		
			- Latorce a strict policy prohibiting tampering or modification of machine components, electrical systems, or mounting equipment, which can introduce new hazards or compromise existing safety controls.		
			- Continuously review and update your Safe Work Method Statements (SWMS) for pedestal drill use, ensuring that all control measures remain current and effective in minimising identified hazards.		
4. Drill Bit Selection	Improper drill bit size, Damaged drill bits	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
5. Material Clamping	Unstable material placement, Unsecured material	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	PERSON NAME OF PERSON
6. Pre-drilling Checks	Inadequate lubrication, Worn safety features	3H		2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
7. Drilling Process	Overheating, Manual handling injuries	ЗН		2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL	NAME OF PERSON
8. Emergency Stops	Malfunctioning stops, Inaccessible emergency stop	3H		2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
9. Tool Change	Unintentional operation, Improper tool change	ЗН		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	IN INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	PERSON NAME OF PERSON
	5				
10. Post-drilling Operation	Debris on the worksite, Tripping hazards	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
11. Quality Check	Faulty final product, Sharp edges	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
12. Cleanup and Maintenance	Insufficient cleaning, Missed maintenance checks	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON





EMERGENCY RESPONSE - CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE OF AT ARE NOT APPLICABLE.

Queensland & Australian Capital Territory

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws

Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

New South Wales

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis > odes-or racti

Northern Territory

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulation 201

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/wo_place-

Codes of Practice NT: https://worksafe.nt.gov.au/5

South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: https://www.safework.sa.gov.au/resources/legislation

Codes of Practice for SA: https://www.safework.sa.gov.au/work_aces/codes-of-practice#COPs

Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

Victoria

Occupational Health al. Safety Act 34

Occupational Health and afety gulations 2017

Legis on VIC: https://www.safe.vic.gov.au/occupational-health-and-safety-act-and-

<u>qulat.</u>

des on actice VIC attps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: https://www.commerce.wa.gov.au/worksafe/legislation

Codes of Practice WA: https://www.commerce.wa.gov.au/worksafe/codes-practice

Safe Work Australia Links

Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice

Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Tollow ally sale work instructions which are provided, and agrees to use an reisonal riotective Equipment where appropriate.								
Worker Name	Pos	sition	Signature	Date	Time	Sup	pervisor	
				Date:				
				_				
				Date				
			l te:					
			AV	Date:				
				Date:				
				Date:				
Date:								
		SAF WO A S	THUD STATEMENT	MONITORING AND	REVIEW			
The SWMS must be reviewed regularly to the ke sure it remains effective and must be reviewed (and revised if necessary) if relevant control measurements are subcontracted by process should be carried out in consultation with workers (including contractors are subcontracted) who may be affected by the operation of the SWMS and their health and safety representatives who researched that work group at the workplace. When the SWMS has been revised the PCBU must ensure that all persons involved with the work are advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist				The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to: 1. Spot Checks. 2. Consultation with workers, contractors and sub-contractors. 3. Internal audits on a continual basis. An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures				
them to understand and imp					tently developing ever-imp	3 ,	· '	
REVIEW NUMBER	1	□ 2	□ 3	□ 4	□ 5	□ 6	□ 7	
NAME								
INITIALS								
DATE								



SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	TO BE DONE	COMMENTS
The company details have been entered, including the project name and address.			
Names and signatures of all relevant personnel consulted during the development of the SWMS.		P P	
Name, signature, position and date signed of the person approving the SWMS.			
Specific personnel and qualifications, experience is noted in the SWMS.	P		
Provides a step-by-step process of tasks required to carry out the activity or task.			
Adequate risk assessment of any identified hazards has been completed.			
Foreseeable hazards are identified and documented for each step.			
Any hazards listed in any site risk assessments have been added to the SWh			
SWMS initial risk (IR) column as well as residual risk (RR) columns completed.			
Check control measures added to the SWMS are the most effecting so tions.			
Responsible person is assigned and listed on the SWMS for the imperent of continue assures.			
Permit requirements specified, such as Hot Work, Veralt Heights etc.			
SWMS identifies plant and equipment to be u d.			
Details of inspection checks required for any equipment listed are noted on the SWMS.			
Describes any mandatory qualifications, experience raining skills required to perform the work.			
Applicable personal protective equipment is selected on the SWMS.			
Lists any required permits or licenses.			
Reflects and documents any legislative references and/or Australian Standards.			
dentifies any hazardous substances used with specific control measures in line with any SDS.			
REVIEWED BY	DATE R	EVIEWED	
SIGNATURE	DATE CO	MPLETED	