

Recycled and Non-Potable	Water   SAFE WORK MET	HOD STATEMENT (SWMS)	
TASK OR A	ACTIVITY: Recycled and Non-Po	table Water	
Business Name: [Company Name]		ABN: [ABN]	SWMS#
Business Address: [Company Address]			
Contact Person:	Phone: [Phone]	E fil:	
THIS SAFE WORK METHOD	STATEMENT IS APPROVED BY	THE P. OF THE PROJECT	
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.	cting a business or undertaking (I BU) is	required to ture at a safe work method s	statement (SWMS) is prepared before
Full Name:			
Signature:		Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring a	compliance of the SWMS well as review	s and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS WMS. ST HAVE THE FOLLOWING COMMUNICATED		LL RELEVANT PERSONNEL WHO HAVE B PMENT AND APPROVAL OF THIS SWMS	EEN CONSULTED AND
Safety meetings or toolbox talks will be sched ed in accordance with agislative requirements to first identify any site hazards, conditions those hazards and then to further take steps to either the conditions of the conditions are or conditions.	NAME	SIGNATURE	DATE
If an incident or a near miss occurs, all work must steam ately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



		CL	IENT OR PRINCIPAL	CONTRACTOR D	DETAILS		
Client:						SCOPE OF WORKS	
Project Name:				Provide a detailed description of the specific work being carried out (otherwise			
Project Address:					known as cope of works).		
Project Manager:							
Contact Phone:							
Project Manager Sig	gnature:						
Date SWMS supplie	ed to Project Manager:						
		ANY HIGH	RISK CON PUCT	N' JRK BEING	CARRIED OUT		
☐ involves a risk of a p	erson falling more than 2 n	neters.		is carried out on	or near pressurised gas mains	s or piping.	
is carried out on a te	lecommunication tower.		M + M	is carried out on	or near chemical, fuel or refrig	erant lines.	
☐ is carried out on a telecommunication tower. ☐ involves demolition of an element of a structure that is load-be in				is carried out on	or near energised electrical ins	stallations or services.	
☐ involves demolition of	of an element related to the	e physical integril of a str	3	is carried out in	an area that may have a conta	minated or flammable atmo	sphere.
☐ involves, or is likely t	o involve, disturbing a es	stos.		☐ involves tilt-up o	r precast concrete.		
☐ involves structural al	teration or repair that re	mporal, upp to p	prevent collapse.	is carried out on	, in or adjacent to a road, railwa	ay, shipping lane or other tr	affic corridor.
is carried out in or ne	ear a confined space.			is carried out in	an area of a workplace where t	there is any movement of po	owered mobile plant.
☐ is carried out in/near	a shaft or trench deeper th	nan 1.5m or tunnel involvir	ng use of explosives.	is carried out in	areas with artificial extremes of	f temperature.	
is carried out in or ne	ear water or other liquid tha	at involves a risk of drowning	ng.	involves diving v	vork.		
		ANY H	IGH-RISK MACHINER	RY OR EQUIPMEN	NT NEARBY		
☐ Forklift	☐ Crane/s	☐ Hoist/s	☐ Excavator	☐ Backhoe/Loader	Boom Lift	□ EWP	☐ Genie Lift
☐ Trencher	☐ Drilling Rig	Trucks	Formwork	☐ Bobcat	☐ Flammable Gas	☐ Fuel	☐ Dozer
☐ High Voltage	☐ Mulcher	☐ Tilt-up Panels	Roller	☐ Scissor Lift	☐ Tractor	☐ Other -	





#### FOOT HAND **HEAD HEARING** SPIRATORY FACE HIGH-VIS **PROTECTIVE** FALL SUN HAIR/JEWELLERY CLOTHING **PROTECTION PROTECTION** PROTECTION **PROTECTION** PROTE DTECTION **PROTECTION** CLOTHING **PROTECTION PROTECTION SECURED**

Select me appropriate PPE above suitable for the equipment used or the job task being performed (if applicable).

**Note:** A SWMS must be reviewed regularly to make sure it remains effective. A SWMS must be reviewed (and revised if necessary) if relevant control measures are revised. The review process should be carried out in consultation with workers (including contractors and subcontractors) who may be affected by the operation of the SWMS and their health and safety representatives who represented that work group at the workplace.

When a SWMS has been revised, the person conducting a business or undertaking must ensure all:

- 1. persons involved in the work are advised that a revision has been made and how they can access the revised SWMS;
- 2. persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS: and.
- 3. workers that will be involved in the work are provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON																								
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON																								
																											<ul> <li>Conduct a thorough risk assessment of the workplace to identify hazards associated with recycled and non-potable water user cluding wet surfaces and possible chemical exposure.</li> <li>Ensure that all workers are properly trained a recognizing hazards related to using recycled and non-potable water, as well as anothing chemicals safely.</li> <li>Develop and implement standard operating papers (SOPs) that outline safety protocols when working with recycled and non-papers ble water, as icularly during preparation.</li> </ul>		
			<ul> <li>Provide appropriate to enal projective equipment (2) such as waterproof boots, safety goods, and demice resistant gloves to workers, and ensure they are worn correct?</li> <li>Installiship-resident matter flooring was ver wet surfaces may be present, particularly in the repeation area.</li> <li>Clear the diconteners holding chemicals and other hazardous materials, and ensure path by are used safely and securely.</li> </ul>																										
1. Preparation	Slipping on wet surfaces, exposure to chemicals	2M	Implement programmer chemical storage practices, such as segregating incompatible and energing adequate ventilation, to reduce the risk of exposure.	1L																									
			Main a bod housekeeping practices to minimise the presence of standing water, bich can contribute to slippery surfaces and create a breeding ground for bacteria.																										
			- ploy spill kits and containment measures, such as bunding, to prevent accidental release of chemicals or contaminated water.																										
			- Implement a regular inspection and maintenance schedule for equipment used in recycled and non-potable water systems, to ensure it remains in good working order and does not pose a hazard to workers.																										
			- Ensure that emergency response plans and resources are in place, including eyewash stations, showers, and first aid supplies in case of chemical exposure or injury resulting from slips and falls.																										
			- Establish a monitoring system to regularly test the quality of recycled and non- potable water to ensure it meets applicable safety standards and guidelines.																										
			- Provide training and resources on proper body mechanics and ergonomic principles to help prevent injuries caused by slips and falls.																										
			- Encourage open communication and reporting of any hazards or unsafe conditions, promoting a safety culture that prioritizes the well-being of all workers.																										
2. Equipment Setup	Electric shock, falling equipment	2M	<ul> <li>Conduct a thorough inspection of all electrical equipment and tools before use, ensuring that there are no signs of damage or wear on cords and plugs.</li> <li>Utilise appropriate tools and equipment designed for outdoor use and rated specifically for operation in wet conditions, such as Ground Fault Circuit Interrupter (GFCI) outlets and weatherproof housings.</li> </ul>	1L																									



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			- Avoid overloading power points or extension cords by maintaining an awareness of the electrical draw used from any shared sources and distributing loads evenly.		
			- Ensure adequate training is provided to all worker involved in setting up equipment, including proper usage, safety programmes, and fundamental electrical safety knowledge.		
			- Establish and follow lockout/tagout procedule, where orking with any electrical connections, ensuring that circuits are adequate and cannot be inadvertently re-energised.		
			- Implement a buddy system of a grequipment setul who workers not only hold each other accounts that also fer assistance and cultional supervision to ensure safety more are being flowed.		
			- Securely fact and supply any eq. mer stallations using appropriate attachment methods, like ackets and caring devices, to minimise the risk of falling ripmen.		
			- Store of ment is it is not currently in use in designated zones away from work areas it lere is less thely to be accidentally knocked over or pose a tripping hazard.		
			clear and amunication among team members during equipment setup, clear significant and potential hazards that may arise in real-time.		
			Pesignal specific 'no-go' areas within the worksite, ensuring that unauthorised proposed are not permitted in areas where equipment is being set up or serviced.		
			Keep the work environment clean and free of debris, ensuring any spills or accumulations of moisture are quickly addressed to avoid potential electrical hazards and to reduce the likelihood of falling equipment caused by unstable footing.		
			- Regularly review and evaluate control measures as part of an ongoing risk assessment process, making improvements and adjustments as necessary based on observed changes in the work environment or equipment conditions.		
			- Conduct pre-task safety briefing: Ensure that all workers involved in the pump installation process are adequately informed about the potential hazards associated with manual handling and crush incidents, as well as the appropriate control measures to be implemented during the work step.		
3. Pump Installation	Manual handling injuries, crush hazards	3H	- Utilise lifting equipment: Whenever possible, make use of mechanical lifting equipment such as hoists or forklifts to minimise the need for manual handling and reduce the risk of muscle strain, sprain and other injuries.	2M	
			- Wear appropriate personal protective equipment (PPE): Make sure that all workers are wearing necessary PPE like gloves, safety boots, hard hats, and high-visibility vests during the pump installation process.		
			- Implement clear communication protocols: Establish an effective communication system among team members to ensure everyone is aware of their roles,		



6

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
SI EGILLE WORK STELLS	TINZANDO TINI WAT ANGL	RISK	responsibilities, and locations during the installation process to avoid any mishaps or accidents.  - Employ correct manual handling techniques: Trait are workers on proper lifting, pushing, pulling and carrying techniques to misture the risk of common manual handling injuries such as back strains and cauns.  - Maintain adequate staffing levels: Ensure there are cough workers available to safely complete the task, avoiding scenarios was adividuals attempt to lift or handle items beyond their carracity.  - Regularly inspect and mainta diffting equipment: acclarate service equipment regularly to ensure it is according to condition, allowing the risk of equipment failure and potent ocrush a zards.  - Plan the pain of travel: Proto move hear atems, identify and clear a route to eliminate potental trip has add or obstaction the way.  - Prototo oprophy coupervision: Designate a competent supervisor who can monito the sumplification process and address any safety concerns or issues as they an according to the sumplification of the sumplification of the sumplification process and address any safety concerns or issues as they an according to the sumplification of the sumplificat	RISK	NAME OF FERGON
	5		Establinex on ion zones: Set up clearly marked exclusion zones around the work and prepariting authorised personnel from entering the area and being exposed to penaltic hazards.  Implement buddy system when handling heavy items: When feasible, have two or in a workers collaborate while handling heavy pumps or parts, ensuring better weight distribution and reducing the risk of crush injuries.  Regularly review and refine Safe Work Method Statement (SWMS): Conduct frequent reviews of the SWMS, updating control measures as needed to address emerging hazards or changes in work procedures.  Provide first aid training and resources: Ensure that workers are trained in providing basic first aid techniques and that first aid kits are readily accessible to treat any injuries resulting from manual handling or crush incidents during the pump installation process.		
4. Filtration Setup	Exposure to hazardous substances, entanglement	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
5. System Inspection	Leaking valves, confined space entry	3H		2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
6. Water Quality Testing	Biological hazards, chemical exposure	2l/v		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
7. Storage Tank Connection	Trip hazards, overhead work	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
8. Distribution Network Connection	Pipe bursts, traffic hazards	ЗН		2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
9. Backflow Prevention	Cross-contamination, water pressure issues	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
10. Commissioning	Equipment faults, sufunction of control systems	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
11. System Monitoring	Maintenance hazards, incorrect reary gs	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
12. Emergency Shutdown	Inadequate response time, spill containment failure	2M		1L	



SPECIFIC WORK STEPS  HAZARDS THAT MAY ARISE  INITIAL RISK  SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS  RESIDUAL RISK  RESIDUAL RISK	PERSON	RR	CONTROL MEASURES	IR	POTENTIAL HAZARDS	JOB STEP
	NAME OF PERSON	RESIDUAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	INITIAL RISK	HAZARDS THAT MAY ARISE	SPECIFIC WORK STEPS



### **EMERGENCY RESPONSE - CALL 000 FOR EMERGENCIES**

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

### LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE OF AT ARE NOT APPLICABLE.

### **Queensland & Australian Capital Territory**

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

 $\textbf{Legislation QLD:} \ \underline{\textbf{https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws}$ 

Codes of Practice QLD: <a href="https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice">https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice</a> Legislation ACT: <a href="https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations">https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations</a>

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

### **New South Wales**

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislat

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis

### **Northern Territory**

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulation 201

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/wo\_place-

Codes of Practice NT: https://worksafe.nt.gov.au/5

#### South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: https://www.safework.sa.gov.au/resources/legislation

Codes of Practice for SA: https://www.safework.sa.gov.au/work\_aces/codes-of-practice#COPs

### Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

#### Victoria

Occupational Health at Safety Act 34

Occupational Health and afety gulations 2017

Legis on VIC: https://www.safe.vic.gov.au/occupational-health-and-safety-act-and-

gulat

des on actice VI autros://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

### Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: <a href="https://www.commerce.wa.gov.au/worksafe/legislation">https://www.commerce.wa.gov.au/worksafe/legislation</a> Codes of Practice WA: <a href="https://www.commerce.wa.gov.au/worksafe/codes-practice">https://www.commerce.wa.gov.au/worksafe/codes-practice</a>

### Safe Work Australia Links

Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice

#### **Model Codes of Practice**

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work



### SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Pos	sition	Signature	Date	Time	Sup	pervisor	
				Date:				
			l te:					
			AV	Date:				
				Date:				
				Date:				
Date:								
SAF WC A STHED STATEMENT MONITORING AND REVIEW								
The SWMS must be reviewed regularly to the ke sure it remains effective and must be reviewed (and revised if necessary) if relevant control measure are subcontractors are subcontractors and subcontractors are subcontractors) who may be affected by the operation of the SWMS and their health and safety representatives who resented that work group at the workplace.  When the SWMS has been revised the PCBU must ensure that all persons involved with the work are advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.				effective in reducing the person responsible for remploy a multi-faceted 1. Spot Checks 2. Consultation 3. Internal audit An approach of continut followed up by immedia	onitored regularly for the risk of incidents, keeping nonitoring the effectivenes approach which includes b with workers, contractors as on a continual basis.  Dus improvement, promptly the corrective action and cotently developing ever-imp	the workplace safe for a sof the Safe Work Met ut is not limited to:  and sub-contractors.  recording inconsistence insultation with all relevants.	all personnel. The hod Statement should statement should size or deficiencies, ant personnel ensures	
REVIEW NUMBER	<u> </u>	□ 2	□ 3	□ 4	□ 5	□ 6	□ 7	
NAME								
INITIALS								
DATE								



### SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

I hink of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.							
ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	TO BE DONE	COMMENTS				
The company details have been entered, including the project name and address.							
Names and signatures of all relevant personnel consulted during the development of the SWMS.		D					
Name, signature, position and date signed of the person approving the SWMS.							
Specific personnel and qualifications, experience is noted in the SWMS.	P						
Provides a step-by-step process of tasks required to carry out the activity or task.							
Adequate risk assessment of any identified hazards has been completed.							
Foreseeable hazards are identified and documented for each step.							
Any hazards listed in any site risk assessments have been added to the SWN							
SWMS initial risk (IR) column as well as residual risk (RR) columns completed.							
Check control measures added to the SWMS are the most effecting sections.							
Responsible person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person person is assigned and listed on the SWMS for the imperent person per							
Permit requirements specified, such as Hot Work, Electrical Work, Vocat Heights etc.							
SWMS identifies plant and equipment to be u 1.							
Details of inspection checks required for any equipment listed at noted on the SWMS.							
Describes any mandatory qualifications, experience raining skills required to perform the work.							
Applicable personal protective equipment is selected on the SWMS.							
Lists any required permits or licenses.							
Reflects and documents any legislative references and/or Australian Standards.							
Identifies any hazardous substances used with specific control measures in line with any SDS.							
REVIEWED BY	DATE R	EVIEWED					
SIGNATURE	DATE CO	MPLETED					