



| Road Header S | AFE WORK METHOD STAT | TEMENT (SWMS) | | | | | | |
|--|---|--|-------------------|--|--|--|--|--|
| - | TASK OR ACTIVITY: Road Heade | ır. | | | | | | |
| Business Name: [Company Name] | | ABN: [ABN] | SWMS# | | | | | |
| Business Address: [Company Address] | | | | | | | | |
| Contact Person: | Phone: [Phone] | E fil: | | | | | | |
| THIS SAFE WORK METHOD | STATEMENT IS APPROVED BY | THE POST THE PROJECT | | | | | | |
| Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts. | Under the Work Health and Safety Regulation (WHS Regulation), a person conducting a business or undertaking (r BU) is required to the proposed work starts. | | | | | | | |
| Full Name: | | | | | | | | |
| Signature: | | Title: | Date: | | | | | |
| Details of the person(s) responsible for ensuring implementation, monitoring a | ompliance of the SWMS well as review | s and modifications of the SWMS. | | | | | | |
| Full Name: | | Title: | Phone: | | | | | |
| ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS WMS. ST HAVE THE FOLLOWING COMMUNICATED | | LL RELEVANT PERSONNEL WHO HAVE BI PMENT AND APPROVAL OF THIS SWMS | EEN CONSULTED AND | | | | | |
| Safety meetings or toolbox talks will be sched and in accordance with agislative requirements to first identify any site hazards, conditions those hazards and then to further take steps to either the conditions are or conditions. | NAME | SIGNATURE | DATE | | | | | |
| If an incident or a near miss occurs, all work must standardly. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity. | | | | | | | | |
| Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel. | | | | | | | | |
| The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident. | | | | | | | | |


Version 2.5 Authorised by Review # Date of Issue: Review Date: 1





| | | CL | IENT OR PRINCIPAL | CONTRACTOR D | DETAILS | | | | |
|----------------------------|-------------------------------|------------------------------|-----------------------|--------------------------|--|-------------------------------|----------------------|--|--|
| Client: | | | | | | SCOPE OF WORKS | | | |
| Project Name: | | | | | Provide a detailed description of the specific work being carried out (otherwise | | | | |
| Project Address: | | | | known as cope of works). | | | | | |
| Project Manager: | | | | | | | | | |
| Contact Phone: | | | | | | | | | |
| Project Manager Sig | gnature: | | | | | | | | |
| Date SWMS supplie | ed to Project Manager | : | | | | | | | |
| | | ANY HIGH | -RISK CON PUCT | N. JRK BEING | CARRIED OUT | | | | |
| ☐ involves a risk of a p | erson falling more than 2 r | meters. | | is carried out on | out on or near pressurised gas mains or piping. | | | | |
| is carried out on a te | lecommunication tower. | | | is carried out on | or near chemical, fuel or refrig | erant lines. | | | |
| ☐ involves demolition of | of an element of a structure | e that is load-be | | is carried out on | arried out on or near energised electrical installations or services. | | | | |
| ☐ involves demolition of | of an element related to the | e physical integrit of a str | 2 | is carried out in | is carried out in an area that may have a contaminated or flammable atmosphere. | | | | |
| ☐ involves, or is likely t | o involve, disturbing a | stos. | | ☐ involves tilt-up o | or precast concrete. | | | | |
| involves structural al | teration or repair that re | upp to | prevent collapse. | is carried out on | , in or adjacent to a road, railwa | ay, shipping lane or other tr | affic corridor. | | |
| is carried out in or ne | ear a confined space. | | | is carried out in | an area of a workplace where t | there is any movement of po | owered mobile plant. | | |
| is carried out in/near | a shaft or trench deeper t | han 1.5m or tunnel involvir | ng use of explosives. | is carried out in | areas with artificial extremes of | f temperature. | | | |
| is carried out in or ne | ear water or other liquid tha | at involves a risk of drowni | ng. | ☐ involves diving v | vork. | | | | |
| | | ANY H | IGH-RISK MACHINEF | RY OR EQUIPMEN | NT NEARBY | | | | |
| ☐ Forklift | ☐ Crane/s | ☐ Hoist/s | ☐ Excavator | ☐ Backhoe/Loader | r 🔲 Boom Lift | ☐ EWP | ☐ Genie Lift | | |
| ☐ Trencher | ☐ Drilling Rig | ☐ Trucks | Formwork | ☐ Bobcat | ☐ Flammable Gas | ☐ Fuel | ☐ Dozer | | |
| ☐ High Voltage | Mulcher | ☐ Tilt-up Panels | Roller | ☐ Scissor Lift | ☐ Tractor | Other - | | | |





PERL NAL TECTIVE EQUIPMENT (PPE)

| FOOT PROTECTION | HAND PROTECTION | HEAD PROTECTION | HEARING PROTECTION | PROTE | SPIRATORY P STECTION | FACE PROTECTION | HIGH-VIS CLOTHING | PROTECTIVE CLOTHING | FALL PROTECTION | SUN PROTECTION | HAIR/JEWELLERY SECURED |
|--------------------|--------------------|--------------------|-----------------------|-------|-------------------------|--------------------|----------------------|------------------------|--------------------|-------------------|---------------------------|
| | | | A | | | | | | | | |
| | | | | | | | | | | | |

Select me appropriate PPE above suitable for the equipment used or the job task being performed (if applicable).

Note: A SWMS must be reviewed regularly to make sure it remains effective. A SWMS must be reviewed (and revised if necessary) if relevant control measures are revised. The review process should be carried out in consultation with workers (including contractors and subcontractors) who may be affected by the operation of the SWMS and their health and safety representatives who represented that work group at the workplace.

When a SWMS has been revised, the person conducting a business or undertaking must ensure all:

- 1. persons involved in the work are advised that a revision has been made and how they can access the revised SWMS;
- 2. persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS: and.
- 3. workers that will be involved in the work are provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------|---|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| 1. Preparation | Lack of safety briefings, shared workspaces | 2M | Implement a comprehensive safety briefing before starting the task that includes all workers to understand the procedures and risks associated. Ensure sufficient training is provided to all we cas involving in the task, including understanding the functioning of Road Hearth, it's potential hazards and emergency protocols. Develop and regularly update a detailed work and alle to properly manage shared workspaces and avoid any potential mishaps due noverlapping of activities. Encourage open communicated line whereby works are communicate concerns or identify potential broads with a tear of repercuss and activities. Use signage conared spiles who indicate in ley're currently active work zones or not, in order to avoid uncontional try. Emmoduse or proportion protective equament (PPE) such as hard hats, high visibility ats, provide footwear which are crucial in mitigating incidents in work environ her. Reguling investigating in shared spaces to minimize risk of accidents due to noor very control of the control of | 1L | |
| 2. Route Setting | Poor visibility, traffic hazards | ЗН | Implement a thorough lighting system to reduce the issues of poor visibility. Ensure all areas are well lit and replace any faulty lights immediately. Traffic management plans should be in place and strictly adhered to for controlling traffic hazards. Provide appropriate training to workers for operating equipment under different visibility conditions. Regular maintenance and inspection of all machinery and equipment involved in route setting to ensure they are functioning properly. Usage of high-visibility clothing and safety equipment by each worker on site. | 2M | |

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------|---|---|---|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | - Position signage about low visibility areas and traffic movements at key locations on the construction site. | | |
| | | | - Use spotters to watch for machines moving in the lea and alert operators of nearby traffic or humans. | | |
| | | - Install rear view cameras and proximity describing sense on vehicle to assist drivers in navigating tight spaces and monito a blind pots. | | | |
| | | | - Encourage constant communication between a workers, especially those dealing with traffic control and heavy archinery operation this could be radios or hand signals. | | |
| | | | - Impose speed line the varietie to regulate varicular movement and minimize poter an acciden | | |
| | | | - Enforce many tory rest periods for which to prevent fatigue-related accidents or reduced visibility, fue to edness. | | |
| | | | - Concordaily hard analysis and safety toolbox talk to instil safety conscirusings amon workers and regularly update them on potential hazards. | | |
| | | | - Set up empory barrows or cones to delineate work areas from traffic zones and destrik area miming to protect workers as much as possible. | | |
| | 7 | ' | Freque. Spection: To ensure equipment is functioning properly, regular spections and maintenance should be scheduled. | | |
| | | | - Training of personnel: The machine operator should be properly trained in the usage of road header, keeping safety measures as paramount. | | |
| | | | - Warning signs: Effective signage should be installed to ensure everybody on site knows where excavation is occurring. | | |
| | | | - Contact utility companies: Prior to beginning excavation, utility companies should be contacted to verify the presence of any underground utilities. | | |
| 3. Excavation | Mistakes in operation, unmarked utilities | 4A | - Utilising accurate mapping: Up-to-date site maps highlighting utility locations should be used while planning for excavation. | 2M | |
| | , | | - Using proper equipment: Excavation should be conducted using suitable machinery, equipment and tools that are suited for the job. | | |
| | | | - Proper communication: A communication system should be established within the team to keep every team member aware of any potential hazards or changes. | | |
| | | | - Emergency response plan: A well-defined emergency response plan should be in place in case of any mishaps during operation. | | |
| | | | - Continuous monitoring: Keep a close eye on the worksite for any unexpected changes such as weather conditions, cave-ins, etc. | | |
| | | | - Consider safety gear: Every worker should be equipped with necessary safety gear like hard hats, gloves, vests, safety glasses, etc. | | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------|--|-----------------|---|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | - Maintain records: Detailed records of each excavation operation should be maintained for hazard identification and risk management. | | |
| | | | - Regular breaks: Planning for frequent breaks care event fatigues which can cause mistakes in operation. | | |
| | | | - Risk assessment: Carry out a risk assess and before beaning work. This will help identify any possible dangers and put control easure in place. | | |
| 4. Spoil Handling | Manual handling injuries, venicular movement | 3H | | 1L | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|----------------------|--------------------------------|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | | | |
| 5. Bolt Installation | Falling objects, equipments re | 21 | | 1L | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------|--------------------------------------|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| 6. Scaling | Loose rocks, working at height risks | ЗН | | 2M | |
| 7. Meshing | Cutting hazards, over-exertion | 2M | | 1L | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------|---------------------------------|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | | | |
| 8. Shotcreting | Dust exposure, wet environments | ЗН | | 2M | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------|--|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | | | |
| 9. Cleaning | Slippery surfaces, incorrect manual handling | 4A | | 2M | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------|-------------------------------------|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | | | |
| 10. Maintenance | Equipment failure, elect the second | ЗН | | 1L | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------|--|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| 11. Demobilisation | Lifting heavy items, trip hazards | 2M | | 1L | |
| 12. Reporting | Inadequate reporting, misunderstood communications | 2M | | 1L | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------|---|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | | | |
| 13. Power Down | Contact with live wire, improper shutdown | 3Н | | 2M | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------|--|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | | | |
| 14. Inspections | Overlooking faults, inadequate inspections | ЗН | | 1L | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------|---|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | | | |
| 15. Final Clean-up | Disposal of waste, environmental impact | 2M | | 1L | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------|--------------------------------------|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| 16. Record Keeping | Incorrect data entry, privacy breach | 2M | | 1L | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|-----------------------|--|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | | | |
| 17. Material Handover | Miscommunication incorrect documentation | ЗН | | 2M | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|-----------------------------|---|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| 18. Stock Check | Inaccurate inventory count, misplaced materials | 2M | | 1L | |
| 19. Emergency Procedures | Inadequate training, panic amongst workers | ЗН | | 2M | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------|--|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | | | |
| 20. Site Shutdown | Rushed procedures, trip and fall hazards | 4A | | 2M | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------|------------------------|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | | | |
| | | | | | |





EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE OF AT ARE NOT APPLICABLE.

Queensland & Australian Capital Territory

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

 $\textbf{Legislation QLD:} \ \underline{\textbf{https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws}$

Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice-legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

New South Wales

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis > odes-or racti

Northern Territory

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulation 201

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/wo_place-syllaws

Codes of Practice NT: https://worksafe.nt.gov.au/5

South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: https://www.safework.sa.gov.au/resources/le_lation

Codes of Practice for SA: https://www.safework.sa.gov.au/work_aces/codes-of-practice#COPs

Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

Victoria

Occupational Health al. Safety Act

Occupational Health and Infety gulations 2017

Legis on VIC: https://www.safe.vic.gov.au/occupational-health-and-safety-act-and-

gulat

des on actice VI autros://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: https://www.commerce.wa.gov.au/worksafe/legislation

Codes of Practice WA: https://www.commerce.wa.gov.au/worksafe/codes-practice

Safe Work Australia Links

Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice

Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work





SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

| Worker Name | Pos | sition | Signature | Date | Time | Sup | ervisor |
|--|-----|------------|----------------|-------------------|---|--|---|
| | | | | Date: | | | |
| | | | | Date | | | |
| | | | | L te: | | | |
| | | | | Date: | | | |
| | | | | Date: | | | |
| | | | | Date: | | | |
| | | | | Date: | | | |
| | | SAF WC A 5 | THOO STATEMENT | MONITORING AND RE | EVIEW | | |
| revised if necessary) if relevant control measurements are subcontracted by the operation of the SWMS and their health and safety representatives who redesented that work group at the workplace. When the SWMS has been revised the PCBU must ensure that all persons involved with the work are advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist | | | | | sk of incidents, keeping the nitoring the effectiveness broach which includes but the workers, contractors are a continual basis. In improvement, promptly corrective action and con | ne workplace safe for all of the Safe Work Meth t is not limited to: and sub-contractors. recording inconsistenci sultation with all releval | if personnel. The od Statement should statement should es or deficiencies, nt personnel ensures |
| REVIEW NUMBER | □ 1 | □ 2 | □ 3 | □ 4 | □ 5 | □ 6 | □ 7 |
| NAME | | | | | | | |
| INITIALS | | | | | | | |
| DATE | | | | | | | |

Version 2.5 Authorised by Review # Date of Issue: Review Date: 22





SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

| I hink of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training. | | | | | | | |
|--|-----------|------------|----------|--|--|--|--|
| ITEMS WHICH MUST BE INCLUDED IN THE SWMS | COMPLETED | TO BE DONE | COMMENTS | | | | |
| | | | | | | | |
| The company details have been entered, including the project name and address. | | | | | | | |
| Names and signatures of all relevant personnel consulted during the development of the SWMS. | | D' | | | | | |
| Name, signature, position and date signed of the person approving the SWMS. | | | | | | | |
| Specific personnel and qualifications, experience is noted in the SWMS. | P | | | | | | |
| Provides a step-by-step process of tasks required to carry out the activity or task. | | | | | | | |
| Adequate risk assessment of any identified hazards has been completed. | | | | | | | |
| Foreseeable hazards are identified and documented for each step. | | | | | | | |
| Any hazards listed in any site risk assessments have been added to the SWI | | | | | | | |
| SWMS initial risk (IR) column as well as residual risk (RR) columns completed. | | | | | | | |
| Check control measures added to the SWMS are the most effecting sections. | | | | | | | |
| Responsible person is assigned and listed on the SWMS for the implementation of contameasures. | | | | | | | |
| Permit requirements specified, such as Hot Wee, Electrical Work, Verat Heights etc. | | | | | | | |
| SWMS identifies plant and equipment to be u 1. | | | | | | | |
| Details of inspection checks required for any equipment listed at noted on the SWMS. | | | | | | | |
| Describes any mandatory qualifications, experience raining skills required to perform the work. | | | | | | | |
| Applicable personal protective equipment is selected on the SWMS. | | | | | | | |
| Lists any required permits or licenses. | | | | | | | |
| Reflects and documents any legislative references and/or Australian Standards. | | | | | | | |
| Identifies any hazardous substances used with specific control measures in line with any SDS. | | | | | | | |
| | | | | | | | |
| REVIEWED BY | DATE R | EVIEWED | | | | | |
| SIGNATURE | DATE CO | MPLETED | | | | | |