

| Shallow Stormwater P   | its   SAFE WORK METHOD  | STATEMENT (SWMS)  |                                     |
|--|---|---|-------------------------------------|
| TASK   | OR ACTIVITY: Shallow Stormwat                                 | ter Pits  |                                     |
| Business Name: [Company Name]  |   | ABN: [ABN]  | SWMS#                               |
| Business Address: [Company Address]  |   |   |                                     |
| Contact Person:  | Phone: [Phone]  | E fil:  |                                     |
| THIS SAFE WORK METHOD  | STATEMENT IS APPROVED BY                                      | THE POST THE PROJECT  |                                     |
| Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.   | cting a business or undertaking (N 3U) is                     | required to ture at a safe work method s                            | statement (SWMS) is prepared before |
| Full Name:   |   |   |                                     |
| Signature:   |   | Title:  | Date:                               |
| Details of the person(s) responsible for ensuring implementation, monitoring   | compliance of the SWMS well as review                         | s and modifications of the SWMS.                                    |                                     |
| Full Name:   |   | Title:  | Phone:                              |
| ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS WMS. ST HAVE THE FOLLOWING COMMUNICATED  | N. 1E AND DATED SIGNATURE OF A CO. MUNICATED TO IN THE DEVELO | LL RELEVANT PERSONNEL WHO HAVE B<br>PMENT AND APPROVAL OF THIS SWMS | EEN CONSULTED AND                   |
| Safety meetings or toolbox talks will be sched and in accordance with regislative requirements to first identify any site hazards, conditions inical those hazards and then to further take steps to either the conditions of the co | NAME  | SIGNATURE   | DATE                                |
| If an incident or a near miss occurs, all work must steam ately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.   |   |   |                                     |
| Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.  |   |   |                                     |
| The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.   |   |   |                                     |



|                            |                               | CL                             | IENT OR PRINCIPAL     | CONTRACTOR D  | DETAILS   |                        |              |  |  |
|----------------------------|-------------------------------|--------------------------------|-----------------------|---|---|------------------------|--------------|--|--|
| Client:                    |                               |                                |                       |   |   | SCOPE OF WORKS         |              |  |  |
| Project Name:              |                               |                                |                       | Provide a detailed description  | n of the specific work being  | carried out (otherwise |              |  |  |
| Project Address:           |                               |                                |                       |   | known as cope of works).  |                        |              |  |  |
| Project Manager:           |                               |                                |                       |   |   |                        |              |  |  |
| Contact Phone:             |                               |                                |                       |   |   |                        |              |  |  |
| Project Manager Sig        | gnature:                      |                                |                       |   |   |                        |              |  |  |
| Date SWMS supplie          | ed to Project Manager:        |                                |                       |   |   |                        |              |  |  |
|                            |                               | ANY HIGH                       | RISK CON PUCT         | N' JRK BEING  | CARRIED OUT   |                        |              |  |  |
| ☐ involves a risk of a p   | erson falling more than 2 n   | neters.                        |                       | is carried out on or near pressurised gas mains or piping.                                      |   |                        |              |  |  |
| is carried out on a te     | lecommunication tower.        |                                | is carried out on     | is carried out on or near chemical, fuel or refrigerant lines.                                  |   |                        |              |  |  |
| ☐ involves demolition of   | of an element of a structure  | that is load-be                |                       | is carried out on   | is carried out on or near energised electrical installations or services. |                        |              |  |  |
| ☐ involves demolition of   | of an element related to the  | e physical integril of a str   | 3                     | is carried out in an area that may have a contaminated or flammable atmosphere.                 |   |                        |              |  |  |
| ☐ involves, or is likely t | o involve, disturbing a es    | stos.                          |                       | ☐ involves tilt-up or precast concrete.   |   |                        |              |  |  |
| ☐ involves structural al   | teration or repair that re    | mporal, upp to p               | prevent collapse.     | is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor.  |   |                        |              |  |  |
| is carried out in or ne    | ear a confined space.         |                                |                       | ☐ is carried out in an area of a workplace where there is any movement of powered mobile plant. |   |                        |              |  |  |
| ☐ is carried out in/near   | a shaft or trench deeper th   | nan 1.5m or tunnel involvir    | ng use of explosives. | is carried out in areas with artificial extremes of temperature.                                |   |                        |              |  |  |
| is carried out in or ne    | ear water or other liquid tha | at involves a risk of drowning | ng.                   | involves diving v   | vork.   |                        |              |  |  |
|                            |                               | ANY H                          | IGH-RISK MACHINER     | RY OR EQUIPMEN  | NT NEARBY   |                        |              |  |  |
| ☐ Forklift                 | ☐ Crane/s                     | ☐ Hoist/s                      | ☐ Excavator           | ☐ Backhoe/Loader  | Boom Lift   | □ EWP                  | ☐ Genie Lift |  |  |
| ☐ Trencher                 | ☐ Drilling Rig                | Trucks                         | Formwork              | ☐ Bobcat  | ☐ Flammable Gas   | ☐ Fuel                 | ☐ Dozer      |  |  |
| ☐ High Voltage             | ☐ Mulcher                     | ☐ Tilt-up Panels               | Roller                | ☐ Scissor Lift  | ☐ Tractor   | ☐ Other -              |              |  |  |





#### FOOT HAND **HEAD HEARING** SPIRATORY FACE HIGH-VIS **PROTECTIVE** FALL SUN HAIR/JEWELLERY CLOTHING **PROTECTION PROTECTION** PROTECTION **PROTECTION** PROTE DTECTION **PROTECTION** CLOTHING **PROTECTION PROTECTION SECURED**

Select me appropriate PPE above suitable for the equipment used or the job task being performed (if applicable).

**Note:** A SWMS must be reviewed regularly to make sure it remains effective. A SWMS must be reviewed (and revised if necessary) if relevant control measures are revised. The review process should be carried out in consultation with workers (including contractors and subcontractors) who may be affected by the operation of the SWMS and their health and safety representatives who represented that work group at the workplace.

When a SWMS has been revised, the person conducting a business or undertaking must ensure all:

- 1. persons involved in the work are advised that a revision has been made and how they can access the revised SWMS;
- 2. persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS: and.
- 3. workers that will be involved in the work are provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.



| JOB STEP            | POTENTIAL HAZARDS                                 | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE PERSON |
|---------------------|---|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE                            | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS   | RESIDUAL<br>RISK | NAME OF PERSON     |
| 1. Preparation      | Slips, trips, and falls, Manual handling injuries | 2M              | <ul> <li>Implement a pre-work inspection to identify potential slip, trip, and fall hazards around the stormwater pits, and take corrective action as necessary (e.g., removing obstacles, repairing damaged surfaces).</li> <li>Ensure that workers wear appropriate per total protective equipment (PPE), such as non-slip footwear, gloves, and safety gogo as, to minuse the risk of injury while handling tools and equipment.</li> <li>Train workers on proper lifting techniques and conomic practices to avoid manual handling injuries while moving eavy objects or materials drong stormwater pit cleanouts.</li> <li>Set up temporar parrier or sign to around the stormwater pit area to warn pedestrians or other work is and provent accental slips, trips, and falls.</li> <li>Use rechange lifting and, such as to the sor or hand trucks, to transport heavy material and recover risk of manual handling injuries.</li> <li>Schedult regular to aks for workers to prevent fatigue-related accidents and provide in a portunit for them to rest and recover from the physical demands of pit cleanou.</li> <li>The public problem of them to rest and recover from the physical demands of pit cleanou.</li> <li>The public problem of them to rest and recover from the physical demands or or cerns they may have during stormwater pit cleanout tasks.</li> <li>Maintain all tools and equipment in good working order, and regularly inspect them for any signs of wear or damage that could contribute to accidents.</li> <li>Provide adequate lighting and ventilation around the stormwater pit area to improve visibility and air quality for workers, reducing the likelihood of accidents and injuries.</li> <li>When possible, designate specific pathway areas for pedestrians and workers to minimise movement-related hazards while navigating around the stormwater pit work site.</li> </ul> | 1L               |                    |
| 2. Isolate Area     | Incomplete isolation, Unauthorised access         | 3Н              | <ul> <li>Install appropriate temporary barricades, such as safety cones, warning tape or physical barriers, to clearly indicate the isolated area and deter unauthorised individuals from entering.</li> <li>Display clear and visible signage at all entry points of the isolated area, informing personnel of potential hazards and advising against unauthorised entry.</li> <li>Ensure all necessary permits are obtained before commencing work in the isolation area, and display them in a prominent location for reference by staff and visitors.</li> <li>Lockout and tag-out any utilities associated with the stormwater pit cleanout (e.g., pumps, electrical systems), in accordance to the company's lockout/tag-out policy.</li> </ul>  | 2M               |                    |



| JOB STEP                   | POTENTIAL HAZARDS                        | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE PERSON |
|----------------------------|--|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS        | HAZARDS THAT MAY ARISE                   | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS   | RESIDUAL<br>RISK | NAME OF PERSON     |
|                            |  |                 | - Conduct regular toolbox talks or safety briefings with the work crew to reinforce awareness of the hazards associated with incomplete isolation and unauthorised access, emphasising the importance of adhering to ablished protocols. |                  |                    |
|                            |  |                 | - Appoint a designated safety officer or site surplies to monitor the isolated area throughout the project duration, ensuring the protocols and control measures are being followed.   |                  |                    |
|                            |  |                 | - Utilise a sign-in/sign-out procedure to track a seed personnel entering and exiting the isolated area, helping prevent unauth sed access. I maintain better accountability.  |                  |                    |
|                            |  |                 | - Provide adequate partial productive equipment (Partial workers, such as high-visibility vests, but ets, and work ets, to minimize the risk of injuries should an incident occurred to income ete iscoron or unannorised access.        |                  |                    |
|                            |  |                 | - Establish an ergence sponse place cific to the project and communicate it to all members and procedures to follow in case of incidents involving hazar a psures unauthorised access.   |                  |                    |
|                            |  | 1               | - Conductive lar aux and inspections of the isolation controls, barriers, and signage mak, sure to are well-maintained and functioning effectively throughout a court of the project.  |                  |                    |
|                            |  |                 | - On, on hing training and refresher courses for employees, focusing on workplace ealth a lafety principles and practices, including proper methods for isolating rk areas and preventing unauthorised access.                           |                  |                    |
|                            | 6  |                 | Clearly communicate the scope of work and safety guidelines to all team members before commencing the task.  |                  |                    |
|                            |  |                 | - Use standardised measuring equipment to ensure accurate measurement during the depth confirmation process.   |                  |                    |
|                            |  |                 | - Always use appropriate personal protective equipment (PPE) such as gloves, safety glasses, and high-visibility vests while performing the task.  |                  |                    |
|                            |  |                 | - Assign a trained and experienced worker to supervise and provide guidance throughout the duration of the task.   |                  |                    |
| Mark Pit Confirm     Depth | Miscommunication, Inaccurate measurement | 2M              | - Establish clear lines of communication among team members through regular briefing sessions, two-way radios, or hand signals, as appropriate.  | 1L               |                    |
|                            |  |                 | - Conduct a thorough risk assessment of the site, including potential variations in pit depth or conditions that could affect accuracy.  |                  |                    |
|                            |  |                 | - Implement a reliable method for marking pits once the depth has been confirmed, such as paint or flagging tape, to avoid confusion.  |                  |                    |
|                            |  |                 | - Maintain up-to-date records of all measurements taken, ensuring each marked pit is correctly documented and accounted for.   |                  |                    |
|                            |  |                 | - Keep the workspace tidy, organised, and free from obstructions, to minimise the risk of slips, trips, and falls around the pit area.   |                  |                    |



| JOB STEP                     | POTENTIAL HAZARDS                               | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE PERSON |
|------------------------------|---|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS          | HAZARDS THAT MAY ARISE                          | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS   | RESIDUAL<br>RISK | NAME OF PERSON     |
|                              |   |                 | - Ensure that there are adequate lighting conditions at the site, particularly when working in low visibility situations, by utilising portable floodlights or personal headlamps.           |                  |                    |
|                              |   |                 | - Review and update Standard Operating Programs (SOPs) as needed to reflect any changes or improvements to the SWM or cleaning out shallow stormwater pits.                                  |                  |                    |
|                              |   |                 | - Encourage open feedback from team member possible improvements to hazard identification and control measures, foster a collaborate approach to workplace health and safety.                |                  |                    |
|                              |   |                 | - Regularly inspect a pointain passuring equipment determine any faults or discrepancies the may let to ina purate measurements, promptly replacing tools as necessary                       |                  |                    |
|                              |   |                 | - Provide ongo training and refresh causes to workers, ensuring they remain know eable to be practices for accurately marking and confirming pit depth a yell as potential hazards involved. |                  |                    |
| 4. Set Up Safety<br>Barriers | Falling objects, Inappropriate barrie placement | ЗН              |  | 1L               |                    |



| JOB STEP            | POTENTIAL HAZARDS                     | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE PERSON |
|---------------------|---------------------------------------|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE                | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK | NAME OF PERSON     |
|                     |                                       |                 |  |                  |                    |
| 5. Check Equipment  | Damaged equipment, Insufficient tools | 2M              |  | 1L               |                    |



| JOB STEP                    | POTENTIAL HAZARDS         | IR                    | CONTROL MEASURES   | RR               | RESPONSIBLE PERSON     |
|-----------------------------|---------------------------|-----------------------|--|------------------|------------------------|
| SPECIFIC WORK STEPS         | HAZARDS THAT MAY ARISE    | IN<br>INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK | PERSON  NAME OF PERSON |
|                             |                           |                       |  |                  |                        |
| 6. Remove Surface<br>Debris | Sharp objects, Biohazards | 3Н                    |  | 2M               |                        |



| JOB STEP             | POTENTIAL HAZARDS  | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE PERSON |
|----------------------|--|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS  | HAZARDS THAT MAY ARISE                                     | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK | NAME OF PERSON     |
|                      |  |                 |  |                  |                    |
| 7. Extract Sediments | Manual handling injuries, Inhalation of dust and particles | 3Н              |  | 2M               |                    |



| JOB STEP             | POTENTIAL HAZARDS  | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE PERSON |
|----------------------|--|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS  | HAZARDS THAT MAY ARISE                                     | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK | NAME OF PERSON     |
|                      |  |                 |  |                  |                    |
| 8. Disposal of Waste | Incorrect waste disposal, Excessive time spent in pit area | ЗН              |  | 1L               |                    |



| JOB STEP                     | POTENTIAL HAZARDS                                       | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE PERSON |
|------------------------------|---|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS          | HAZARDS THAT MAY ARISE                                  | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK | NAME OF PERSON     |
|                              |   |                 |  |                  |                    |
| 9. Inspect Pit for<br>Damage | Tripping while inspecting, Missed damage identification | 2M              |  | 1L               |                    |



| JOB STEP               | POTENTIAL HAZARDS                             | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE PERSON |
|------------------------|---|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS    | HAZARDS THAT MAY ARISE                        | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK | NAME OF PERSON     |
|                        |   |                 |  |                  |                    |
| 10. Clear Obstructions | Working at heights, Struck by falling objects | ЗН              |  | 1L               |                    |



| JOB STEP              | POTENTIAL HAZARDS                              | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE PERSON |
|-----------------------|--|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS   | HAZARDS THAT MAY ARISE                         | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK | NAME OF PERSON     |
|                       |  |                 |  |                  |                    |
| 11. Clean Pit Surface | Slippery surface, Misuse of cleaning chemicals | 2M              |  | 1L               |                    |



| JOB STEP            | POTENTIAL HAZARDS      | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE PERSON |
|---------------------|------------------------|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK | NAME OF PERSON     |
|                     |                        |                 |  |                  |                    |



| JOB STEP            | POTENTIAL HAZARDS                                      | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE PERSON |
|---------------------|--|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE                                 | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK | NAME OF PERSON     |
|                     |  |                 |  |                  |                    |
|                     |  |                 |  |                  |                    |
| 12. Reinstate Area  | Inadequate site cless up, Improper lifting of barriers | 3H              |  | 2M               |                    |

Review Date:



| JOB STEP            | POTENTIAL HAZARDS      | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE PERSON |
|---------------------|------------------------|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK | NAME OF PERSON     |
|                     |                        |                 |  |                  |                    |
|                     | 5                      |                 |  |                  |                    |



#### **EMERGENCY RESPONSE - CALL 000 FOR EMERGENCIES**

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

#### LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE OF AT ARE NOT APPLICABLE.

#### **Queensland & Australian Capital Territory**

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws

Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

#### **New South Wales**

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis codes-of ractice NSW: https://www.safework.nsw.gov.au/resource-library/lis codes-of-ractice NSW

#### **Northern Territory**

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulation 2011

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/wo\_place-

Codes of Practice NT: https://worksafe.nt.gov.au/5

#### South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: https://www.safework.sa.gov.au/resources/le\_lation

Codes of Practice for SA: https://www.safework.sa.gov.au/work\_aces/codes-of-practice#COPs

#### Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

#### Victoria

Occupational Health at Safety Act 34

Occupational Health and affety gulations 2017

Legis on VIC: https://www.aksafe.vic.gov.au/occupational-health-and-safety-act-and-

<u>qulat.</u>

des on actice VIC attps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

#### Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: <a href="https://www.commerce.wa.gov.au/worksafe/legislation">https://www.commerce.wa.gov.au/worksafe/legislation</a> Codes of Practice WA: <a href="https://www.commerce.wa.gov.au/worksafe/codes-practice">https://www.commerce.wa.gov.au/worksafe/codes-practice</a>

#### Safe Work Australia Links

Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice

#### **Model Codes of Practice**

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work



### SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

| Tollow any sale work instructions which are provided, and agrees to use an reisonal riotective Equipment where appropriate.  |     |            |                |  |                            |            |          |  |
|--|-----|------------|----------------|--|----------------------------|------------|----------|--|
| Worker Name  | Pos | sition     | Signature      | Date   | Time                       | Sup        | pervisor |  |
|  |     |            |                | Date:  |                            |            |          |  |
|  |     |            | _              |  |                            |            |          |  |
|  |     |            | Date           |  |                            |            |          |  |
|  |     |            | l te:          |  |                            |            |          |  |
|  |     |            | Date:          |  |                            |            |          |  |
|  |     |            |                | Date:  |                            |            |          |  |
|  |     |            |                | Date:  |                            |            |          |  |
| Date:  |     |            |                |  |                            |            |          |  |
|  |     | SAF WO A S | THUD STATEMENT | MONITORING AND   | REVIEW                     |            |          |  |
| The SWMS must be reviewed regularly to reak sure it remains effective and must be reviewed (and revised if necessary) if relevant control measure are subcontracted, and revised if necessary) if relevant control measure are subcontracted, and review process should be carried out in consultation with workers (including contractors are subcontracted), who may be affected by the operation of the SWMS and their health and safety representatives who researched that work group at the workplace.  When the SWMS has been revised the PCBU must ensure that all persons involved with the work are advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist |     |            |                | An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures |                            |            |          |  |
| them to understand and imp   |     |            |                |  | tently developing ever-imp | <b>3</b> , | · '      |  |
| REVIEW NUMBER  | 1   | □ 2        | □ 3            | □ 4  | □ 5                        | □ 6        | □ 7      |  |
| NAME   |     |            |                |  |                            |            |          |  |
| INITIALS   |     |            |                |  |                            |            |          |  |
| DATE   |     |            |                |  |                            |            |          |  |



### SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

| ITEMS WHICH MUST BE INCLUDED IN THE SWMS  | COMPLETED | TO BE DONE | COMMENTS |
|---|-----------|------------|----------|
|   |           |            |          |
| The company details have been entered, including the project name and address.                  |           |            |          |
| Names and signatures of all relevant personnel consulted during the development of the SWMS.    |           | P P        |          |
| Name, signature, position and date signed of the person approving the SWMS.                     |           |            |          |
| Specific personnel and qualifications, experience is noted in the SWMS.                         | P         |            |          |
| Provides a step-by-step process of tasks required to carry out the activity or task.            |           |            |          |
| Adequate risk assessment of any identified hazards has been completed.                          |           |            |          |
| Foreseeable hazards are identified and documented for each step.                                |           |            |          |
| Any hazards listed in any site risk assessments have been added to the SWh                      |           |            |          |
| SWMS initial risk (IR) column as well as residual risk (RR) columns completed.                  |           |            |          |
| Check control measures added to the SWMS are the most effecting so tions.                       |           |            |          |
| Responsible person is assigned and listed on the SWMS for the imperent of continue assures.     |           |            |          |
| Permit requirements specified, such as Hot Work, Veralt Heights etc.                            |           |            |          |
| SWMS identifies plant and equipment to be u d.  |           |            |          |
| Details of inspection checks required for any equipment listed are noted on the SWMS.           |           |            |          |
| Describes any mandatory qualifications, experience raining skills required to perform the work. |           |            |          |
| Applicable personal protective equipment is selected on the SWMS.                               |           |            |          |
| Lists any required permits or licenses.   |           |            |          |
| Reflects and documents any legislative references and/or Australian Standards.                  |           |            |          |
| dentifies any hazardous substances used with specific control measures in line with any SDS.    |           |            |          |
|   |           |            |          |
| REVIEWED BY   | DATE R    | EVIEWED    |          |
| SIGNATURE   | DATE CO   | MPLETED    |          |