

Treated Timber	SAFE WORK METHOD STA	TEMENT (SWMS)	
T.	ASK OR ACTIVITY: Treated Timb	er	
Business Name: [Company Name]		ABN: [ABN]	SWMS#
Business Address: [Company Address]			
Contact Person:	Phone: [Phone]	E il:	
THIS SAFE WORK METHOD	STATEMENT IS APPROVED BY	THE PLOOF THE PROJECT	
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.	eting a business or undertaking (N 3U) is	required to ture at a safe work method s	tatement (SWMS) is prepared before
Full Name:			
Signature:		Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring a	ompliance of the SWMS well as review	s and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS WMS. ST HAVE THE FOLLOWING COMMUNICATED	N. 1E AND DATED SIGNATURE OF A CO. MUNICATED TO IN THE DEVELO	LL RELEVANT PERSONNEL WHO HAVE BI PMENT AND APPROVAL OF THIS SWMS	EEN CONSULTED AND
Safety meetings or toolbox talks will be sched ed in accordance with egislative requirements to first identify any site hazards, conditions unical those hazards and then to further take steps to either the conditions of the conditions are or conditions.	NAME	SIGNATURE	DATE
If an incident or a near miss occurs, all work must standardly. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



		CL	IENT OR PRINCIPAL	CONTRACTOR D	DETAILS		
Client:						SCOPE OF WORKS	
Project Name:					Provide a detailed description	n of the specific work being	carried out (otherwise
Project Address:					known as cope of works).		
Project Manager:							
Contact Phone:							
Project Manager Sig	gnature:						
Date SWMS supplie	ed to Project Manager:						
		ANY HIGH	RISK CON PUCT	N' JRK BEING	CARRIED OUT		
☐ involves a risk of a p	erson falling more than 2 n	neters.		is carried out on	or near pressurised gas mains	s or piping.	
☐ is carried out on a te	lecommunication tower.		M + M	is carried out on	or near chemical, fuel or refrig	erant lines.	
☐ involves demolition of	of an element of a structure	that is load-be		is carried out on	or near energised electrical in	stallations or services.	
☐ involves demolition of	of an element related to the	e physical integril of a str	3	is carried out in	an area that may have a conta	minated or flammable atmo	sphere.
☐ involves, or is likely t	o involve, disturbing a es	stos.		☐ involves tilt-up o	r precast concrete.		
☐ involves structural al	teration or repair that re	mporal, upp to p	prevent collapse.	is carried out on	, in or adjacent to a road, railwa	ay, shipping lane or other tr	affic corridor.
is carried out in or ne	ear a confined space.			is carried out in	an area of a workplace where t	there is any movement of po	owered mobile plant.
☐ is carried out in/near	a shaft or trench deeper th	nan 1.5m or tunnel involvir	ng use of explosives.	is carried out in	areas with artificial extremes of	f temperature.	
is carried out in or ne	ear water or other liquid tha	at involves a risk of drowning	ng.	involves diving v	vork.		
		ANY H	IGH-RISK MACHINER	RY OR EQUIPMEN	NT NEARBY		
☐ Forklift	☐ Crane/s	☐ Hoist/s	☐ Excavator	☐ Backhoe/Loader	Boom Lift	□ EWP	☐ Genie Lift
☐ Trencher	☐ Drilling Rig	Trucks	Formwork	☐ Bobcat	☐ Flammable Gas	☐ Fuel	☐ Dozer
☐ High Voltage	☐ Mulcher	☐ Tilt-up Panels	Roller	☐ Scissor Lift	☐ Tractor	☐ Other -	





FOOT HAND **HEAD HEARING** SPIRATORY FACE HIGH-VIS **PROTECTIVE** FALL SUN HAIR/JEWELLERY CLOTHING **PROTECTION PROTECTION** PROTECTION **PROTECTION** PROTE DTECTION **PROTECTION** CLOTHING **PROTECTION PROTECTION SECURED**

Select me appropriate PPE above suitable for the equipment used or the job task being performed (if applicable).

Note: A SWMS must be reviewed regularly to make sure it remains effective. A SWMS must be reviewed (and revised if necessary) if relevant control measures are revised. The review process should be carried out in consultation with workers (including contractors and subcontractors) who may be affected by the operation of the SWMS and their health and safety representatives who represented that work group at the workplace.

When a SWMS has been revised, the person conducting a business or undertaking must ensure all:

- 1. persons involved in the work are advised that a revision has been made and how they can access the revised SWMS;
- 2. persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS: and.
- 3. workers that will be involved in the work are provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON								
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON								
			- Ensure proper storage of timber materials, using designated stacking areas away from walkways and work zones to reduce the risk of thing objects.										
			- Optimally organise and secure the timber hor coally to prevent movement and minimise the chance of materials falling or coal of pallets										
			- Implement a regular inspection schedule for e store e area to identify potential hazards and mitigate them before accidents of										
			- Use appropriate signage at charricades to restly access to crisk areas under potential falling objects to unaccorrised personnel.										
			- Require all work appearing in a vicinity of stored amber to wear appropriate personal protective equipment (PP) a including and hats, high-visibility vests, and steel-toe box										
			- Main to clean dura cructed walkvays by regularly cleaning and removing obstructions, like to a cords, tools, and other tripping hazards.										
	Calling abjects from store as Tripping	ЗН	- Imple en suitab method of housekeeping to store materials in an organised mannel mak it eas for workers to navigate the workspace safely.										
1. Preparation	Falling objects from storage, Tripping hazards		ЗН	Conduct training sessions for workers emphasising the importance of safe working practices, azard dentification, and reporting incidents or concerns in relation to workput ealth and safety.	1L								
													ncourage frequent and clear communication among team members about pointial hazard areas and develop strategies to avoid them or minimise risks.
			Establish a system for monitoring and confirming that safe work practices are being followed and maintained consistently by all personnel.										
			- Install proper lighting to allow for better visibility of potential hazards, including tripping hazards, especially in dim or low-light areas.										
			- Assign qualified personnel to supervise and oversee materials handling, ensuring that timber is moved and transported securely and safely.										
			 In case of abnormal loads or heavy timber materials, use mechanical lifting aids such as forklifts or cranes to minimise the risk of manual handling injuries and the likelihood of falling objects. 										
			- Regularly review and update the Safe Work Method Statement (SWMS) for treated timber, incorporating new changes in work processes and emerging hazards as necessary to maintain a safe work environment.										
	Manual lifting injuries, Cuts from sharp		- Provide proper training on manual handling techniques to all workers involved in lifting and moving treated timber.										
2. Material Handling	edges	2M	 Use appropriate personal protective equipment (PPE) such as safety gloves to protect hands from cuts, and sturdy boots to protect feet from dropped materials. 	1L									



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			Utilise mechanical aids like dollies, trolleys, or forklifts to assist with material handling and minimise the risk of manual lifting injuries.		
			- Store treated timber on level surfaces with adequation space, allowing workers to access and move materials safely without straining themselves.		
			- Implement a buddy system where worken at heavy or to ky materials together to distribute the weight and reduce strain on an adjudge worker.		
			 Stack treated timber neatly and securely to prepart it from slipping or falling, which could cause injury. Display clear signage pear stocke areas to remind the error of proper lifting 		
			techniques and of the mean res.		
			- Schedule remain breaks to worke, so the can rest and recover from any potential fatig. or strain cased by many andling tasks.		
			- Ensurant all are aware of emergency procedures and first aid resources availa a site in se of an injury resulting from material handling.		
			- Cond t pendic insections and maintenance checks for both mechanical lifting aids as all as ersona rotective gear to ensure their continued effectiveness and fety compliant.		
			- End of a workers to report any discomfort, pain or incidents related to material andling mediately, allowing for prompt assessment and intervention to prevent their complications or injuries.		
			- Regularly review and update the Safe Work Method Statement (SWMS) for treated dimber material handling, taking into account any changes in procedures, equipment, or workforce requirements to continuously improve workplace safety standards.		
			- Ensure all electrical equipment is tested, tagged, and compliant with the Australian Standards (AS/NZS 3760).		
			- Set up access to sufficient numbers of power outlets to minimise the need for extension cords or power boards.		
			- Inspect all electrical cords for signs of wear, damage, or exposed wires prior to use, and remove faulty equipment from service.		
3. Equipment Setup	Exposed electrical wires, Improper grounding	3H	- Use Ground Fault Circuit Interrupters (GFCIs) on all portable electrical tools and equipment to prevent electric shocks.	1L	
			- Position cables and extension cords to minimise the risk of tripping, entanglement, or contact with sharp or abrasive surfaces.		
			- Ensure all work areas are adequately lit using task lighting where necessary, avoiding direct beam into eyes, glare, and shadows.		
			- Ensure employees are trained to handle electrical equipment safely and recognise potential hazards.		



6

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			- Establish a proper grounding system, following the guidance of licensed electrical contractors or engineers.		
			- Display signage detailing the risks associated with exposed electrical wires and improper grounding near the working area.		
			- Develop and implement an emergency remanse plan in these of electrical accidents such as shock, electrocution, or fit		
			- Prohibit unauthorised personnel from accessing the treated time ter processing area during equipment set-up to his potential exposult on hazard		
			 Provide appropriate Personal attective Equipment (2) such as insulated gloves, non-conductors, an afety glasses for workers handling electrical equipment. Regularly receive and up use the SW Sepaccount for new equipment, processes, 		
			or changes in the work purronment. - Encourage an oper communication environment where workers feel comfortable reporting the pards, in lents, or concerns related to electrical safety.		
4. Cutting Timber	Noise emitting tools, Flying Las	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
5. Drillling Holes	Inhalation of dust, Eye injury by swarf or	ЗН		2M	
	chips				



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
6. Fastening Components	Incorrect fastener installation, Finger entrapment	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
7. Surface Treatment	Chemical exposure, Flammable materials	3H		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
8. Application of Preservatives	Skin irritation, Eye injury due to splash s			1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
9. Painting/Finishing	Inhalation of toxic futures, Slippery surfaces	зн		1L	



POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
Pinched fingers, Incorrect connectoris	2M		1L	
	HAZARDS THAT MAY ARISE	HAZARDS THAT MAY ARISE INITIAL RISK	HAZARDS THAT MAY ARISE INITIAL RISK SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	HAZARDS THAT MAY ARISE INITIAL RISK SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS RESIDUAL RISK RESIDUAL RISK



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
11. Quality Inspection	Ergonomic strain, tio wall discharge	ВН		2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
12. Clean Up and Disposal	Waste management hazards, Explosion risks	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON



EMERGENCY RESPONSE - CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE OF AT ARE NOT APPLICABLE.

Queensland & Australian Capital Territory

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

 $\textbf{Legislation QLD:} \ \underline{\textbf{https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws}$

Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

New South Wales

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislat

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis > odes-or racti

Northern Territory

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulation 2011

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/wo_place-syllaws

Codes of Practice NT: https://worksafe.nt.gov.au/5

South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: https://www.safework.sa.gov.au/resources/legislation

Codes of Practice for SA: https://www.safework.sa.gov.au/work_aces/codes-of-practice#COPs

Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

Victoria

Occupational Health at Safety Act 34

Occupational Health and afety gulations 2017

Legis on VIC: https://www.xsafe.vic.gov.au/occupational-health-and-safety-act-and-

gulat

des on actice VI autros://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: https://www.commerce.wa.gov.au/worksafe/legislation

Codes of Practice WA: https://www.commerce.wa.gov.au/worksafe/codes-practice

Safe Work Australia Links

Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice

Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Tollow ally sale work instructions which are provided, and agrees to use all resonal riolective Equipment where appropriate.							
Worker Name	Pos	sition	Signature	Date	Time	Sup	pervisor
				Date:			
				_			
				Date			
			l te:				
			AV	Date:			
				Date:			
				Date:			
				Date:			
		SAF WO A S	THUD STATEMENT	MONITORING AND	REVIEW		
The SWMS must be reviewed regularly to the ke sure it remains effective and must be reviewed (and revised if necessary) if relevant control measurements are subcontracted by process should be carried out in consultation with workers (including contractors are subcontracted)) who may be affected by the operation of the SWMS and their health and safety representatives who researched that work group at the workplace. When the SWMS has been revised the PCBU must ensure that all persons involved with the work are advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist			The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to: 1. Spot Checks. 2. Consultation with workers, contractors and sub-contractors. 3. Internal audits on a continual basis. An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures				
them to understand and imp					tently developing ever-imp	3 ,	· '
REVIEW NUMBER	1	□ 2	□ 3	□ 4	□ 5	□ 6	□ 7
NAME							
INITIALS							
DATE							



SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	TO BE DONE	COMMENTS
The company details have been entered, including the project name and address.			
Names and signatures of all relevant personnel consulted during the development of the SWMS.		P P	
Name, signature, position and date signed of the person approving the SWMS.			
Specific personnel and qualifications, experience is noted in the SWMS.	P		
Provides a step-by-step process of tasks required to carry out the activity or task.			
Adequate risk assessment of any identified hazards has been completed.			
Foreseeable hazards are identified and documented for each step.			
Any hazards listed in any site risk assessments have been added to the SWh			
SWMS initial risk (IR) column as well as residual risk (RR) columns completed.			
Check control measures added to the SWMS are the most effecting so tions.			
Responsible person is assigned and listed on the SWMS for the imperent of continue assures.			
Permit requirements specified, such as Hot Work, Veralt Heights etc.			
SWMS identifies plant and equipment to be u d.			
Details of inspection checks required for any equipment listed are noted on the SWMS.			
Describes any mandatory qualifications, experience raining skills required to perform the work.			
Applicable personal protective equipment is selected on the SWMS.			
Lists any required permits or licenses.			
Reflects and documents any legislative references and/or Australian Standards.			
dentifies any hazardous substances used with specific control measures in line with any SDS.			
REVIEWED BY	DATE R	EVIEWED	
SIGNATURE	DATE CO	MPLETED	