



| Vacuum Truck S | SAFE WORK METHOD STA | TEMENT (SWMS) | |
|--|---|--|------------------------------------|
| Т | ASK OR ACTIVITY: Vacuum Truc | k | |
| Business Name: [Company Name] | | ABN: [ABN] | SWMS# |
| Business Address: [Company Address] | | | |
| Contact Person: | Phone: [Phone] | E 111: | |
| THIS SAFE WORK METHOD | STATEMENT IS APPROVED BY | THE PL OF THE PROJECT | |
| Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts. | eting a business or undertaking (N 3U) is | required to ure at a safe work method s | tatement (SWMS) is prepared before |
| Full Name: | | | |
| Signature: | | Title: | Date: |
| Details of the person(s) responsible for ensuring implementation, monitoring a | ompliance of the SWMS well as review | s and modifications of the SWMS. | |
| Full Name: | | Title: | Phone: |
| ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS WMS. ST HAVE THE FOLLOWING COMMUNICATED | | LL RELEVANT PERSONNEL WHO HAVE BI PMENT AND APPROVAL OF THIS SWMS | EEN CONSULTED AND |
| Safety meetings or toolbox talks will be sched ed in accordance with egislative requirements to first identify any site hazards, conditions those hazards and then to further take steps to either the conditions of the conditions are or conditional talks. | NAME | SIGNATURE | DATE |
| If an incident or a near miss occurs, all work must standardly. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity. | | | |
| Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel. | | | |
| The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident. | | | |


Version 2.5 Authorised by Review # Date of Issue: Review Date: 1





| | | CL | IENT OR PRINCIPAL | CONTRACTOR D | DETAILS | | | | |
|---|-------------------------------|------------------------------|-----------------------|---|--|-------------------------------|----------------------|--|--|
| Client: | | | | | | SCOPE OF WORKS | | | |
| Project Name: | | | | | Provide a detailed description of the specific work being carried out (otherwise | | | | |
| Project Address: | | | | known as cope of works). | | | | | |
| Project Manager: | | | | | | | | | |
| Contact Phone: | | | | | | | | | |
| Project Manager Sig | gnature: | | | | | | | | |
| Date SWMS supplie | ed to Project Manager | : | | | | | | | |
| ANY HIGH-RISK CON PUC) NO JRK BEING CARRIED OUT | | | | | | | | | |
| ☐ involves a risk of a p | erson falling more than 2 r | meters. | | is carried out on | out on or near pressurised gas mains or piping. | | | | |
| is carried out on a te | lecommunication tower. | | | is carried out on | or near chemical, fuel or refrig | erant lines. | | | |
| ☐ involves demolition of | of an element of a structure | e that is load-be | | is carried out on or near energised electrical installations or services. | | | | | |
| ☐ involves demolition of | of an element related to the | e physical integrit of a str | 2 | is carried out in | is carried out in an area that may have a contaminated or flammable atmosphere. | | | | |
| ☐ involves, or is likely t | o involve, disturbing a | stos. | | ☐ involves tilt-up o | or precast concrete. | | | | |
| involves structural al | teration or repair that re | upp to | prevent collapse. | is carried out on | , in or adjacent to a road, railwa | ay, shipping lane or other tr | affic corridor. | | |
| is carried out in or ne | ear a confined space. | | | is carried out in | an area of a workplace where t | there is any movement of po | owered mobile plant. | | |
| is carried out in/near | a shaft or trench deeper t | han 1.5m or tunnel involvir | ng use of explosives. | is carried out in | areas with artificial extremes of | f temperature. | | | |
| is carried out in or ne | ear water or other liquid tha | at involves a risk of drowni | ng. | ☐ involves diving v | vork. | | | | |
| | | ANY H | IGH-RISK MACHINEF | RY OR EQUIPMEN | NT NEARBY | | | | |
| ☐ Forklift | ☐ Crane/s | ☐ Hoist/s | ☐ Excavator | ☐ Backhoe/Loader | r 🔲 Boom Lift | ☐ EWP | ☐ Genie Lift | | |
| ☐ Trencher | ☐ Drilling Rig | ☐ Trucks | Formwork | ☐ Bobcat | ☐ Flammable Gas | ☐ Fuel | ☐ Dozer | | |
| ☐ High Voltage | Mulcher | ☐ Tilt-up Panels | Roller | ☐ Scissor Lift | ☐ Tractor | Other - | | | |





PERL NAL TECTIVE EQUIPMENT (PPE)

| FOOT PROTECTION | HAND PROTECTION | HEAD PROTECTION | HEARING PROTECTION | PROTE | SPIRATORY P STECTION | FACE PROTECTION | HIGH-VIS CLOTHING | PROTECTIVE CLOTHING | FALL PROTECTION | SUN PROTECTION | HAIR/JEWELLERY SECURED |
|--------------------|--------------------|--------------------|-----------------------|-------|-------------------------|--------------------|----------------------|------------------------|--------------------|-------------------|---------------------------|
| | | | A | | | | | | | | |
| | | | | | | | | | | | |

Select me appropriate PPE above suitable for the equipment used or the job task being performed (if applicable).

Note: A SWMS must be reviewed regularly to make sure it remains effective. A SWMS must be reviewed (and revised if necessary) if relevant control measures are revised. The review process should be carried out in consultation with workers (including contractors and subcontractors) who may be affected by the operation of the SWMS and their health and safety representatives who represented that work group at the workplace.

When a SWMS has been revised, the person conducting a business or undertaking must ensure all:

- 1. persons involved in the work are advised that a revision has been made and how they can access the revised SWMS;
- 2. persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS: and.
- 3. workers that will be involved in the work are provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------|---|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| 1. Preparation | Slips, trip and falls, incorrect use of equipment | зн | Implement routine site clean-up to eliminate potential trip hazards. Ensure pathways are clear and materials properly backed/securely stored. Conduct frequent audits of work areas to ide any and initiate corrective measures for any potential slip, trip, or fall risks. Provide suitable and adequate training to all parks regarding the correct usage of equipment. Create a designated safe are for equipment store a before and after use. Maintain equipment and far inspection programme to assure optimal functional condition. Employ note to mats in a minated was there surfaces may become slippery. Approximate personal corrective equipment (PPE) should be worn by all operators and endotrees were the vicinity of operations. Explicate and containing Procedures (SOPs) should be developed and adhered by all personal to assure safe operation. Communicate and enforce the importance of maintaining 3-point contact when assurating or descending equipment. Encourse reporting of near misses or incidents related to slip, trips, and falls for a tring and avoidance in future. Implement and practice emergency procedures, including evacuation plans and irist aid treatments, in case of accidents. | 2M | |
| 2. Arrival at Site | Traffic hazards, unauthorised site access | ЗН | Clearly communicate with the site management team prior to arrival, to establish safe and designated parking and unloading areas. Ensure all workers have undergone traffic safety awareness training which covers guidelines for driving, parking, and maneuvering the truck on site. Utilise the assistance of a previously trained spotter (ground guide) when reversing or moving in confined spaces to prevent traffic-related accidents. Apply flashing lights and/or safety cones around the vehicle while parked, especially if it's near a roadway or pedestrian crossing. Incorporate GPS route planning technology to aid drivers in using the safest routes with minimal road and traffic hazards. Adhere to established site speed limits and other traffic rules at all times to avoid accidents due to high-speed movement. Implement an access control system or barricading where appropriate to prohibit unauthorised people from accessing the worksite. Assurance of visible and comprehensible signs indicating 'Authorised Personnel Only' at entrance points. | 2M | |

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------------------|---|---|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | Inform local residents and businesses in advance, if operations may obstruct normal access ways. | | |
| | | | - Daily toolbox talks highlighting the importance of practices, personal responsibility and adherence to protocols for be graffic and site access. | | |
| | | - Regularly review and update risk assessing the involving less hazards to ensure that the control measures are effective and a sixted eccessary. This should encompass feedback from all staff, visitors, an exactors to cover a broad range of possible risk scenarios. | | | |
| | | | - Conduct thorough the inspections of the equipment to identify any possible defects or malfurcions. | | |
| | | - Complete he essary cher on moon part of the equipment and ensure they are in good condit, before | | | |
| | | | - Important a rotation and internance schedule for the vacuum truck to verify its integril and function lity. | | |
| | | | - Train operators of poper usage and handling of the equipment, ensuring extra rare is to en around trapped fingers/hands risks. | | |
| | | | - In this sety guards on potentially dangerous parts of the truck where hands or fingers to be trapped. | 1L | |
| | | | se appropriate personal protective equipment (PPE) including safety gloves to michie injuries. | | |
| 3. Pre-Start Check on Equipment | Faulty equipment, apped fingers/hands | ЗН | Establish clear communication channels among staff during operations to increase awareness of potential hazards. | | |
| _чиртеп | | | - Consider using equipment with a fail-safe design to prevent accident in case of an unexpected failure. | | |
| | | | - Ensure the equipment's operating manual is readily available and clearly understood by all machine operators. | | |
| | | | - Implement a policy of 'Lockout/Tagout' to ensure faulty equipment is not used accidentally until repaired. | | |
| | | | - Make sure that the working area around the truck is kept tidy and free from loose objects which can lead to accidents. | | |
| | | | - Regularly rotate shifts of workers operating machinery to avoid tiredness and carelessness that might lead to accidents. | | |
| | | | - Enforce strict compliance with workplace safety regulations and promptly address any breaches. | | |
| | | | - Have an emergency plan in place, train employees on it so everyone knows how to react if an incident occurs involving the vacuum truck. | | |
| . Setting Up No-go | Public exposure to work area, misuse of signage | 2M | | 1L | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|-----------------------|---------------------------------------|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | | | |
| 5. Uncap service pits | Inhalation of fumes, falling into pit | ЗН | | 1L | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|------------------------------|---------------------------------------|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| 6. Starting Vacuum Equipment | Noise exposure, equipment malfunction | 3H | | 2M | |
| | | | | | |
| | | | | | |
| | | | | | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------------|-------------------------------------|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| 7. Vacuuming Operation | Hazardous substances, dust inhalati | 4A | | 2M | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|------------------------------------|--|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| 8. Operating in Congested Areas | Collisions with other concess quipment pedestrian risk | э́н | | 2M | |
| 9. Transport of Waste Material | Spills/Leaks, Fire hazards | ЗН | | 2M | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|----------------------------|--|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | | | |
| 10. Disposing of Materials | Pathogen exposure, incorrect disposal method | 3H | | 1L | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|----------------------|---|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | | | |
| 11. Clean-up of Site | Lifting heavy objects improperly, slips, trips, and falls | 3H | | 2M | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|------------------------------|----------------------------------|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | | | |
| 12. Equipment Maintenance | Electric Shocks, cuts from edges | 2M | | 1L | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|----------------------------------|---|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| 13. Completion of job/Evaluation | Overlooked hazards, meomplete paperwork | 2M | | 1L | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------|------------------------|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | | RESIDUAL RISK | |
| | | | | | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------------------|--|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| 15. Training and Supervision | Inadequate training leading to mishaps, poor supervision | ЗН | | 1L | |
| 16. Protective Equipment | Inadequate PPE, improper usage of PPE | 3Н | | 1L | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------|---|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | | | |
| 17. Manual Handling | Musculature straining, Incorrect lifting techniques | 4A | | 2M | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|------------------------|---------------------------------------|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | | | |
| 18. Working at Heights | Falls from heights, unstable structur | 4A | | 2M | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|-----------------------------|--|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | | | |
| 19. Hazardous Substances | Exposure to harmful memicas & gases, Inadequate storage provisions | 4A | | 2M | |





| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|----------------------|---|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| 20. Machine Guarding | Inadequate guarding leading to injuries, machine malfunctions | ЗН | | 1L | |
| | | | | | |





EMERGENCY RESPONSE - CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE OF AT ARE NOT APPLICABLE.

Queensland & Australian Capital Territory

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

 $\textbf{Legislation QLD:} \ \underline{\textbf{https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws}$

Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

New South Wales

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislative

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis codes-of ractice NSW: https://www.safework.nsw.gov.au/resource-library/lis codes-of-ractice NSW

Northern Territory

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulation 201

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/wo_place-syllaws

Codes of Practice NT: https://worksafe.nt.gov.au/5

South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: https://www.safework.sa.gov.au/resources/le_lation

Codes of Practice for SA: https://www.safework.sa.gov.au/work_aces/codes-of-practice#COPs

Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

Victoria

Occupational Health at Safety Act 34

Occupational Health and Infety gulations 2017

Legis on VIC: https://www.ssafe.vic.gov.au/occupational-health-and-safety-act-and-

qulat

des of actice VIC attps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: https://www.commerce.wa.gov.au/worksafe/legislation

Codes of Practice WA: https://www.commerce.wa.gov.au/worksafe/codes-practice

Safe Work Australia Links

Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice

Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work





SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

| Worker Name | Pos | sition | Signature | Date | Time | Su | pervisor |
|--|--|---|-----------------------------------|---|--|---|----------|
| | | | | Date: | | | |
| | | | | Date | | | |
| | | | | L te: | | | |
| | | | | Date: | | | |
| | | | | Date: | | | |
| | | | | Date: | | | |
| | | | | Date: | | | |
| | | SAF WO A | STATEMENT | MONITORING AND F | REVIEW | | |
| The SWMS must be review revised if necessary) if relevations consultation with workers (into the SWMS and their health workplace. When the SWMS has been readvised that a revision has been who will need to change a way a way that will enable them to will be involved in the work makes the second supplies t | ant control measu cluding contractors and sub- h and safety representatives revised the PCBU must ensi- leen made and how they ca ork procedure or system as o implement their duties con- nust be provided with the re | d with the work are S, including all persons dvised of the changes in SWMS. All workers that | Internal audits | risk of incidents, keepin nonitoring the effectiven approach which includes with workers, contractor is on a continual basis. | g the workplace safe for a cess of the Safe Work Met but is not limited to: s and sub-contractors. otty recording inconsistent consultation with all relevances. | all personnel. The hod Statement should cies or deficiencies, ant personnel ensures | |
| REVIEW NUMBER | □ 1 | □ 2 | □ 3 | □ 4 | □ 5 | □ 6 | □ 7 |
| NAME | | | | | | | |
| INITIALS | | | | | | | |
| DATE | | | | | | | |

Version 2.5 Authorised by Review # Date of Issue: Review Date: 21





SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

| Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training | | | | | | | |
|--|-----------|------------|----------|--|--|--|--|
| ITEMS WHICH MUST BE INCLUDED IN THE SWMS | COMPLETED | TO BE DONE | COMMENTS | | | | |
| | | | | | | | |
| The company details have been entered, including the project name and address. | | | | | | | |
| Names and signatures of all relevant personnel consulted during the development of the SWMS. | | D' | | | | | |
| Name, signature, position and date signed of the person approving the SWMS. | | | | | | | |
| Specific personnel and qualifications, experience is noted in the SWMS. | P | | | | | | |
| Provides a step-by-step process of tasks required to carry out the activity or task. | | | | | | | |
| Adequate risk assessment of any identified hazards has been completed. | | | | | | | |
| Foreseeable hazards are identified and documented for each step. | | | | | | | |
| Any hazards listed in any site risk assessments have been added to the SWI | | | | | | | |
| SWMS initial risk (IR) column as well as residual risk (RR) columns completed. | | | | | | | |
| Check control measures added to the SWMS are the most effecting sections. | | | | | | | |
| Responsible person is assigned and listed on the SWMS for the implementation of contameasures. | | | | | | | |
| Permit requirements specified, such as Hot Wee, Electrical Work, Verat Heights etc. | | | | | | | |
| SWMS identifies plant and equipment to be u 1. | | | | | | | |
| Details of inspection checks required for any equipment listed at noted on the SWMS. | | | | | | | |
| Describes any mandatory qualifications, experience raining skills required to perform the work. | | | | | | | |
| Applicable personal protective equipment is selected on the SWMS. | | | | | | | |
| Lists any required permits or licenses. | | | | | | | |
| Reflects and documents any legislative references and/or Australian Standards. | | | | | | | |
| Identifies any hazardous substances used with specific control measures in line with any SDS. | | | | | | | |
| | | | | | | | |
| REVIEWED BY | DATE R | EVIEWED | | | | | |
| SIGNATURE | DATE CO | MPLETED | | | | | |